



MEDmobility

5711- Calgary Trail NW
Edmonton AB T6H 2K1
P: 780-437-3300
F: 780-430-9381
www.medmobility.ca

Yes,

FOR AADL ONLY
DL Cat. #W693, W694, W699

Invacare® 9000 XT Wheelchair
Suggested Canadian Price List
Effective Oct. 1st, 2016

NAME _____ PHONE NO _____

ACCOUNT# _____ P.O. _____ DATE _____

ADDRESS _____

Pre-Configured Stock Models

Stock Chairs

| | | |
|----------------------------------------|----------------------------------------------------------------------------|--------|
| <input type="checkbox"/> 9XT_PTO_29153 | 9XT/WD86/88 - 9000XT 18" x 16" Adult, Desk Length Fixed Ht Space Saver Arm | \$1649 |
| <input type="checkbox"/> 9XT_PTO_29154 | 9XT/WD66/88 - 9000XT 18" x 16" Adult, Desk Length Fixed Ht Space Saver Arm | \$1649 |
| <input type="checkbox"/> 9XT_PTO_29155 | 9XT/WD86/78 9000XT 18" x 16" Adult, Full Length Fixed Ht Space Saver Arm | \$1649 |
| <input type="checkbox"/> 9XT_PTO_33131 | 9XT/WD06/88 9000XT 20" x 16" Adult, Desk Length Fixed Ht Space Saver Arm | \$1649 |

Stock Front Rigging

| | | |
|---------------------------------|-----------------------------------------------------------------|-------|
| <input type="checkbox"/> T93HAP | Hemi Footrests, Aluminum Footplates with heel loops | \$159 |
| <input type="checkbox"/> T93HCP | Hemi Footrests, Composite Footplates with heel loops | \$159 |
| <input type="checkbox"/> T94HAP | Hemi Elevating Legrests; Alum. Footplates & Padded Calf Pads | \$309 |
| <input type="checkbox"/> T94HCP | Hemi Elevating Legrests; Comp. Footplates & Padded Calf Pads | \$309 |
| <input type="checkbox"/> AHL4A | Hemi Smart Artic. Legrests; Alum. Footplates & Padded Calf Pads | \$399 |

Stock Options

| | | |
|--------------------------------|-------------------------------------|-------|
| <input type="checkbox"/> 1497 | Oxygen Holder Pkg Assembly | \$198 |
| <input type="checkbox"/> 1496 | IV/Oxygen Holder Pkg Assembly | \$198 |
| <input type="checkbox"/> 1360 | Adj. Rear Anti-Tippers (8" Casters) | \$109 |
| <input type="checkbox"/> 1360A | Adj. Rear Anti-Tippers (6" Casters) | \$109 |
| <input type="checkbox"/> A1576 | Wheel Lock Extensions | \$63 |

Elastic cord wheel lock extension.

FRAME & SEAT

FRAME TYPE

| | | |
|------------------------------|--------|---------|
| <input type="checkbox"/> 9XT | 9000XT | \$1,389 |
|------------------------------|--------|---------|

FRAME WIDTH & DEPTH

| | | |
|-----------------------------------|-----------|-----------|
| <input type="checkbox"/> WD46 | 14" X 16" | No Charge |
| <input type="checkbox"/> WD48 | 14" X 18" | No Charge |
| <input type="checkbox"/> WD56 | 15" X 16" | No Charge |
| <input type="checkbox"/> WD58 | 15" X 18" | No Charge |
| <input type="checkbox"/> WD66 | 16" X 16" | No Charge |
| <input type="checkbox"/> WD67 | 16" X 17" | No Charge |
| <input type="checkbox"/> WD68 | 16" X 18" | No Charge |
| <input type="checkbox"/> WD76 | 17" X 16" | No Charge |
| <input type="checkbox"/> WD77 | 17" X 17" | No Charge |
| <input type="checkbox"/> WD78 | 17" X 18" | No Charge |
| <input type="checkbox"/> WD86 | 18" X 16" | No Charge |
| <input type="checkbox"/> WD87 | 18" X 17" | No Charge |
| <input type="checkbox"/> WD88 | 18" X 18" | No Charge |
| 1 <input type="checkbox"/> WD96 | 19" X 16" | No Charge |
| 1 <input type="checkbox"/> WD97 | 19" X 17" | No Charge |
| 1 <input type="checkbox"/> WD98 | 19" X 18" | No Charge |
| 1 <input type="checkbox"/> WD06 | 20" X 16" | No Charge |
| 1 <input type="checkbox"/> WD07 | 20" X 17" | No Charge |
| 1 <input type="checkbox"/> WD08 | 20" X 18" | No Charge |
| 1,2 <input type="checkbox"/> WD26 | 22" X 16" | \$206 |
| 1,2 <input type="checkbox"/> WD27 | 22" X 17" | \$330 |
| 1,2 <input type="checkbox"/> WD28 | 22" X 18" | \$330 |

SEAT TO FLOOR HEIGHT

| | | |
|----------------------------------|---------------------|-----------|
| 3 <input type="checkbox"/> Adult | Adult (19-1/2" STF) | No Charge |
| 3 <input type="checkbox"/> H | Hemi (17-1/2" STF) | No Charge |

WEIGHT LIMITATION 250 LBS.

Invacare recommends all wheelchairs be fitted to the consumer under the guidance of a healthcare professional knowledgeable of the particular limitations of the product.

FOOTNOTES

- 1 Not available with Super Low seat-to-floor.
- 2 Not available with adjustable angle back type.
- 3 Based on 24" wheels and 8" casters. See seat-to-floor matrix.
- 4 Based on 20" wheels and 6" casters. See seat-to-floor matrix.
- 5 Requires of AT902 (6" casters), U1763BK (20" composite wheels, urethane tires) AHDRM (aluminum handrims) and A1576 (wheel lock extensions). Seat-to-floor height is approx. 15
- 6 Not available on ADJC and ADJCPB, upcharge will apply if required.

ARM & BACK

7 ARM TYPE

| | | |
|-----------------------------------|----------------------------------------------|-------|
| <input type="checkbox"/> 19 | Full Length Adj.Height Conventional(10-14") | \$358 |
| 2 <input type="checkbox"/> 79 | Full Length Adj.Height Space-Saver(10-14") | \$358 |
| 2 <input type="checkbox"/> 89 | Desk Length Adj.Height Space-Saver(10-14") | \$358 |
| 2,8 <input type="checkbox"/> 79JY | Full Length Adjustable Ht Space-Saver(8-10") | \$358 |
| 2,8 <input type="checkbox"/> 89JY | Desk Length Adjustable Ht Space-Saver(8-10") | \$358 |

BACK TYPE

| | | |
|-----------------------------------------|---------------------------------------|-----------------|
| <input type="checkbox"/> ADJ | Adjustable Back w/10° Bend (15"-19") | Standard |
| <input type="checkbox"/> S1418 | Straight Back w/Push Handles(14"-18") | No Charge |
| 1,9,10 <input type="checkbox"/> ANGLE | Adj Angle Back w/10° Bend | \$165 |
| 1,9,10 <input type="checkbox"/> ANGLE-S | Adj Angle Back-Straight | \$165 |

COLOURS

FRAME FINISH

| | | |
|-------------------------------|---------------|-----------|
| <input type="checkbox"/> 24P | Wet Black | No Charge |
| <input type="checkbox"/> 105P | Midnight Blue | No Charge |

UPHOLSTERY COLOURS

| | | |
|----------------------------------|---------------------------------------|-----------------|
| <input type="checkbox"/> U240 | Black Nylon Upholstery | No Charge |
| 12 <input type="checkbox"/> U245 | Black Sail Cloth Adjust. Tension Seat | Standard |

*Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

NAUGAHYDE

| | | |
|----------------------------------|------------------------------|-----------|
| 13 <input type="checkbox"/> WRAP | Wrap Around Vinyl Upholstery | No Charge |
|----------------------------------|------------------------------|-----------|

CASTERS

CASTER OPTIONS

| | |
|----------------------------------|---------------------------------------------|
| <input type="checkbox"/> AT902 | 6" Composite/Urethane 3 Spoke |
| 1 <input type="checkbox"/> 1228 | 8" X 1 3/4" Semi-Pneumatic Casters Lt. Grey |
| 1 <input type="checkbox"/> AT903 | 8" x 1 1/4" Composite/Urethane |
| 1 <input type="checkbox"/> 1299 | 8" X 1" Solid Rubber Casters |
| 1 <input type="checkbox"/> 1292 | 8" X 1-1/4" Pneumatic Casters |
| 1 <input type="checkbox"/> 1492 | 8" X 1-1/4" Pneu w/Flat Free Insert* |

1,15 CASTER JOURNAL OPTION

| | |
|------------------------------------|---------------------------------------|
| 16 <input type="checkbox"/> ADJCPB | Adj. Precision Bearing Caster Journal |
|------------------------------------|---------------------------------------|

FOOTNOTES

- 7 Removable arm style, flipback.
- 8 Only Available with 20" Rear Wheels
- 9 Not available with adjustable tension back upholstery.
- No Charge 10 Standard with rear anti-tippers.
- \$150 11 Only available with Super Low seat-to-floor.
- Standard** 12 U245 sail cloth adjustable tension seat upholstery available w/U240 black nylon back upholstery only.
- No Charge 13 Vinyl upholstery must choose WRAP or SOUPH.
- No Charge \$128 14 Not available with Adjustable Angle or Adjustable Angle-S back type.

See Additional Charts on Page 6

- No Charge Seat to Floor matrix w/6" Casters & Offset Axle Bracket
- No Charge Seat to Floor matrix w/8" Casters & Offset Axle Bracket

WHEELS

WHEEL OPTIONS

| | | | |
|--------------------------|---------|----------------------------------------------|-----------------|
| <input type="checkbox"/> | 1763BK | 20" Composite/Pneumatic Tires | \$231 |
| <input type="checkbox"/> | 4763BK | 20" Composite/Pneumatic-Flat Free Inserts* | \$349 |
| <input type="checkbox"/> | U1763BK | 20" Composite/Urethane Tires | No Charge |
| <input type="checkbox"/> | 1764BK | 22" Composite/Pneumatic Tires | \$231 |
| <input type="checkbox"/> | 4764BK | 22" Composite/Pneumatic-Flat Free Inserts* | \$349 |
| <input type="checkbox"/> | U1764BK | 22" Composite/Urethane Tires | No Charge |
| <input type="checkbox"/> | 2244BK | 24" Composite/Pneumatic Tires | Standard |
| <input type="checkbox"/> | 4244BK | 24" Composite/Pneumatic-Flat Free Inserts* | \$128 |
| <input type="checkbox"/> | 5244BK | 24" Heavy Duty Comp/Pneu.-Flat Free Inserts* | \$420 |
| <input type="checkbox"/> | U2244BK | 24" Composite/Urethane Treaded Tires | No Charge |
| <input type="checkbox"/> | U2222C | 24" Composite/Urethane Corderd Tires | No Charge |

19 WHEEL OPTIONS

ONE ARM DRIVE (OAD)

| | | | |
|--------------------------|--------|-------------------------------------|-------|
| <input type="checkbox"/> | 9457R | One Arm Drive w/2244BK Mag Wheel RH | \$672 |
| <input type="checkbox"/> | 9458L | One Arm Drive w/2244BK Mag Wheel LH | \$672 |
| <input type="checkbox"/> | 99457R | One Arm Drive w/2244BK/Flat Free RH | \$784 |
| <input type="checkbox"/> | 99458L | One Arm Drive w/2244BK/Flat Free LH | \$784 |
| <input type="checkbox"/> | 9456L | One Arm Drive w/U2222C LH | \$672 |
| <input type="checkbox"/> | 9456R | One Arm Drive w/U2222C RH | \$672 |

CLD ONE ARM DRIVE

| | | | |
|--------------------------|---------|------------------------------------|---------|
| <input type="checkbox"/> | LDR96RI | CLD One Arm Drive Right, 6" Caster | \$1,349 |
| <input type="checkbox"/> | LDR96LI | CLD One Arm Drive Left, 6" Caster | \$1,349 |
| <input type="checkbox"/> | LDR98RI | CLD One Arm Drive Right, 8" Caster | \$1,349 |
| <input type="checkbox"/> | LDR98LI | CLD One Arm Drive Left, 8" Caster | \$1,349 |

HANDRIM OPTIONS

| | | | |
|--------------------------|--------|--------------------------------------|-----------------|
| <input type="checkbox"/> | AHDRM | Aluminum Handrims | Standard |
| <input type="checkbox"/> | COM | Composite Handrims | No Charge |
| <input type="checkbox"/> | 1512 | Plastic Coated Aluminum Handrims | \$114 |
| <input type="checkbox"/> | BHDRM | Black Handrims (Alum for U2222) | No Charge |
| <input type="checkbox"/> | 1224-8 | 8 Alum Oblique Proj,hdrm,plstic Coat | \$307 |
| <input type="checkbox"/> | 1225-8 | 8 Alum Vert Proj,hdrm,plstic Coat | \$307 |

16 WHEEL LOCKS

| | | | |
|--------------------------|-------|---------------------------------------------------|-----------|
| <input type="checkbox"/> | 9695 | Hill Holder | \$149 |
| <input type="checkbox"/> | A1567 | Pull To Lock Wheel Lock-Clamp On | No Charge |
| <input type="checkbox"/> | 1721 | High Push To Lock Wheel Lock-Clamp On | No Charge |
| <input type="checkbox"/> | 9690B | Pull to Lock Wheel Lock (Bolt Thru)(STD on Hemi) | No Charge |
| <input type="checkbox"/> | 9691B | Push to Lock Wheel Lock (Bolt Thru)(STD on Adult) | No Charge |

*Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

POSITIONING STRAPS

SEAT POSITIONING STRAPS

| | | | |
|--------------------------|------|------------------------------------------|------|
| <input type="checkbox"/> | 1515 | Auto Style Buckle Seat Positioning Strap | \$84 |
|--------------------------|------|------------------------------------------|------|

FOOTNOTES

- 15 Fixed caster journals are standard.
- 16 Not available with Adjustable Angle or Adjustable Angle-S back type.
- 17 High profile treaded urethane tires.
- 18 Low profile non-treaded Urethane
- 19 The Cyclical Lever Drive requires treaded rear wheels and is only available on 16, 17, and 18" deep. Hemi STF must use Space Saver arms. Weight limit is 250 lbs.
- 20 Not available w/amputee attachment or offset axle
- 21 Not available with adjustable caster journal..
- 22 Not available w/U2222 rear wheels.
- 23 Not available on 20" and 22" composite rear wheels.
- 24 Not available with urethane tires or 20" rear wheels.
- 25 Only available w/Vinyl upholstery. 3/4" block letters.

ACCESSORIES & STOCK OPTIONS

BACK ACCESSORIES

| | | | |
|--------------------------|---------|------------------------------------|------------------|
| <input type="checkbox"/> | ADJTENS | Adjustable Tension Back Upholstery | \$142 |
| <input type="checkbox"/> | L8601 | Omit Back Upholstery | Less net (20.00) |

SEAT ACCESSORIES

| | | | | |
|----|--------------------------|-------|----------------------|------------------|
| 26 | <input type="checkbox"/> | 9120 | Solid Seat Insert | \$138 |
| | <input type="checkbox"/> | RS | Dual Seat Liner | \$87 |
| | <input type="checkbox"/> | L8651 | Omit Seat Upholstery | Less net (15.00) |

MISCELLANEOUS ACCESSORIES

| | | | | |
|-------|--------------------------|--------|------------------------|-------|
| 28,29 | <input type="checkbox"/> | 9357L | Amputee Attachment | \$131 |
| 30 | <input type="checkbox"/> | 1305L | Crutch & Cane Carrier* | \$66 |
| 28,29 | <input type="checkbox"/> | 1577QR | Quick Release Axles | \$142 |
| 30 | <input type="checkbox"/> | 2218 | IV Rod, Telescopic* | \$185 |
| | <input type="checkbox"/> | 2226 | Front Anti-Tippers | \$158 |

STOCK OPTIONS

| | | | | |
|-------------|--------------------------|-------|------------------------------------------|-------|
| 28,30,31 | <input type="checkbox"/> | 1497 | Oxygen Holder Package Assembly | \$198 |
| 28,30,32 | <input type="checkbox"/> | 1496 | IV/Oxygen Holder Package Assembly* | \$198 |
| 29,30,33,34 | <input type="checkbox"/> | 1360 | Adjustable Rear Anti-Tipper (8" Casters) | \$109 |
| 29,30,35 | <input type="checkbox"/> | 1360A | Adjustable Rear Anti-Tipper (6" Casters) | \$109 |
| 36 | <input type="checkbox"/> | A1576 | Wheel Lock Extensions | \$63 |

FRONT RIGGING OPTIONS

FRONT RIGGING

| | | | | |
|----|--------------------------|--------|-----------------------------------------------------|-------|
| 37 | <input type="checkbox"/> | AHL4A | Hemi Smartleg Artic. Legrests 16" wide Alum. Ftpts. | \$399 |
| 37 | <input type="checkbox"/> | AHL4C | Hemi Smartleg Artic. Legrests 16" wide Comp. Ftpts. | \$399 |
| 37 | <input type="checkbox"/> | AHS4A | Hemi Smartleg Articulating Legrests 14" wide | \$399 |
| | <input type="checkbox"/> | H93E | Hemi Ext Swingaway Footrests (11"-17") | \$229 |
| | <input type="checkbox"/> | H93M | Hemi Minimum Swingaway Footrests (7"-11") | \$229 |
| | <input type="checkbox"/> | T93HA | Hemi Sw Footrests Alum. Ftpts. | \$159 |
| | <input type="checkbox"/> | T93HC | Hemi Sw Footrests Comp. Ftpts. | \$159 |
| 37 | <input type="checkbox"/> | T94HS | Hemi Sw Elevating Legrests Alum Ftpt for 14" wide | \$302 |
| 37 | <input type="checkbox"/> | T94HA | Hemi Sw Elevating Legrests Alum. Ftpts. | \$302 |
| 37 | <input type="checkbox"/> | T94HC | Hemi Sw Elevating Legrests Comp. Ftpts. | \$302 |
| | <input type="checkbox"/> | T93HS | Hemi Sw Footrests Alum. Ftpts. 14"wide | \$158 |
| | <input type="checkbox"/> | T963A | 60 Deg Footrest Aluminum Footplates | \$158 |
| | <input type="checkbox"/> | T963C | 60 Deg Footrest Composite Footplates | \$158 |
| | <input type="checkbox"/> | T963S | 60 Deg Footrest Composite Footplate 14"wide | \$158 |
| | <input type="checkbox"/> | T93HAB | Hemi Bolt-Thru Footrests, Aluminum Ftpts | \$158 |
| | <input type="checkbox"/> | T93HCB | Hemi Bolt-Thru Footrests, Composite Ftpts | \$158 |
| 37 | <input type="checkbox"/> | T94HAB | Hemi Bolt-Thru Legrests, Aluminum Ftpts | \$302 |
| 37 | <input type="checkbox"/> | T94HCB | Hemi Bolt-Thru Legrests, Composite Ftpts | \$302 |

FOOTNOTES

- 26 Not available on 22" wide chairs.
- 27 Not available with 24" rear wheel set in Hemi position.
- 28 Not available with offset axle.
- 29 Not available with any one arm drive.
- 30 Not available with traditional one arm drive, but is available with CLD one arm drive.
- 31 For 0° and 6° seat angles. See service manual for details.
- 32 Not available with amputee attachment.
- 34 Standard w/Adjustable Angle Back.
- 35 Only available with 6" casters.
- 36 Elastic cord wheel lock extensions. Hemi seat to floors come standard with non-cord wheel lock extensions.
- 37 Elevating legrests available in chrome or black finish.
- 38 Only available on T944 elevating legrests.
- 39 Standard on footrests.
- 40 Only available w/H93M front riggings.

FOOTPLATE OPTIONS

| | | | | |
|--|--------------------------|--------|-------------------------------------|-------|
| | <input type="checkbox"/> | 1350 | Extra Large Aluminum Footplates | \$106 |
| | <input type="checkbox"/> | AT5543 | Adjustable Angle Flip Up Footplates | \$132 |

FOOTREST / LEGREST ACCESSORIES

| | | | | |
|----|--------------------------|---------|---------------|-----------|
| | <input type="checkbox"/> | 1337 | Calf Strap | \$63 |
| | <input type="checkbox"/> | IMPACTG | Impact Guards | No Charge |
| 39 | <input type="checkbox"/> | 1346 | Heel Loops | \$63 |

*Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

| Seat-To-Floor w 6" Casters and Offset Axle Bracket | | | | | |
|----------------------------------------------------|--------------------------------|-----------------|------------------------------|------------------------------|------------|
| Seat-To Floor Height | Front Caster Mounting Position | Rear Wheel Size | Rear Wheel Mounting Position | Axle Plate Mounting On Frame | |
| | | | | Top Lug | Bottom Lug |
| 15.5" | Top Hole | 22" | #5 Hole | #4 Hole | #1 Hole |
| 15.5" | Top Hole | 20" | #3 Hole | #4 Hole | #1 Hole |
| 16.5" | Middle Hole | 24" | #5 Hole | #4 Hole | #1 Hole |
| 16.5" | Middle Hole | 22" | #3 Hole | #4 Hole | #1 Hole |
| 16.5" | Middle Hole | 20" | #2 Hole | #4 Hole | #1 Hole |
| 17.5" | Bottom Hole | 24" | #3 Hole | #4 Hole | #1 Hole |
| 17.5" | Bottom Hole | 22" | #2 Hole | #4 Hole | #1 Hole |
| 17.5" | Bottom Hole | 20" | #3 Hole | #4 Hole | #1 Hole |

For a complete list of seat-to-floor heights and angles that are configurable by the dealer refer to the service manual


| Seat-To-Floor Matrix w 8" Casters and offset Axle Bracket- | | | | | |
|------------------------------------------------------------|--------------------------------|-----------------|------------------------------|------------------------------|------------|
| Seat-To Floor Height | Front Caster Mounting Position | Rear Wheel Size | Rear Wheel Mounting Position | Axle Plate Mounting On Frame | |
| | | | | Top Lug | Bottom Lug |
| 17.5" | Top Hole | 20" | # 3 Hole | #1 Hole | #4 Hole |
| 17.5" | Top Hole | 22" | # 2 Hole | #4 Hole | #1 Hole |
| 17.5" | Top Hole | 24" | # 3 Hole | #4 Hole | #1 Hole |
| 18.5" | Middle Hole | 22" | # 3 Hole | #1 Hole | #4 Hole |
| 18.5" | Middle Hole | 24" | # 2 Hole | #4 Hole | #1 Hole |
| 19.5" | Bottom Hole | 20" | # 3 Hole | #1 Hole | #4 Hole |

For a complete of seat-to-floor heights and angles that are configurable by the dealer refer to the service manual.

| SEAT-TO-FLOOR MATRIX 6" CASTERS | | | |
|---------------------------------|--------------------------------|-----------------|------------------------------|
| Seat to Floor Height | Front Caster Mounting Position | Rear Wheel Size | Rear Wheel Mounting Position |
| 15 1/2" | Top | 20" | Top |
| 16 1/2" | Middle | 22" | Top |
| 17 1/2" | Bottom | 24" | Top |
| 17 1/2" | Bottom | 20" | Bottom |

| SEAT-TO-FLOOR MATRIX 8" CASTERS | | | |
|---------------------------------|--------------------------------|-----------------|------------------------------|
| Seat to Floor Height | Front Caster Mounting Position | Rear Wheel Size | Rear Wheel Mounting Position |
| 17 1/2" | Top | 20" | Bottom |
| 17 1/2" | Top | 24" | Top |
| 18 1/2" | Middle | 22" | Bottom |
| 19 1/2" | Bottom | 24" | Bottom |

| SEAT-TO-FLOOR MATRIX 6" CASTERS & SUPER LOW FRAME | | | |
|---------------------------------------------------|--------------------------------|-----------------|------------------------------|
| Seat to Floor Height | Front Caster Mounting Position | Rear Wheel Size | Rear Wheel Mounting Position |
| 13 1/2" | Top | 20" | Only One |
| 14 1/2" | Bottom | 22" | Only One |



Invacare Canada reserves the right to change prices and specifications without notice.
 HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324 (Canada) Fax: (905) 890-5244 (800) 668-5478 (Canada)
 Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.
 WWW.INVACARE.CA