



MEDmobility

5711- Calgary Trail NW
Edmonton AB T6H 2K1
P: 780-437-3300
F: 780-430-9381
www.medmobility.ca

Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com

CATALYST 5

AADL # W147

Effective 07/01/2015

Company: _____

Ship To: _____

Account Number: _____ Date: _____

Address: _____

Quote PO Number: _____

City: _____ State: _____

RTS: _____

Zip: _____ Phone: _____

Marked For: _____

Email/Fax: _____

Catalyst 5 \$2595
250 lb weight capacity

Frame

Seat Width / Seat Depth

Select box corresponding to desired Seat Width and Depth

Table with columns for Seat Width (14-22 inches) and rows for Seat Depth (14-20 inches). Includes price column and checkboxes for selection.

* No charge with heavy duty option
Heavy Duty Option required with 21" or 22" Seat Width combined with 20" Seat Depth

Backrest

Back Post / Height Range / Back Height

Select Back Height in row corresponding to desired Back Post and Height Range

Table with columns for Back Post, Price, Height Range, and Back Height. Rows include Standard, Angle Adjustable, Standard Depth Adjustable, and Height Adjustable options.

Heavy Duty Option

350 lb Weight Capacity (A2) \$450
Requires minimum 6" caster height

Transit Option

Transit System (A1) \$399
300 lb maximum weight capacity.

Cross Brace

Standard Cross Braces Std

Rear Frame Type

Curved Std
Select from Standard or Angle Adjustable Back Posts on chart below

Standard Back Post

Select option below only if a Standard Back Post option is selected on chart at left. Push Handle standard with Angle Adjustable Back Posts.

- Straight with Push Handle Std
Straight without Push Handle N/C
8° Bend with Push Handle \$31
Not available with Short Back Height Range

Depth Adjustable Back Post Options

Options below may be selected only if Standard Depth Adjustable or Height Adjustable Depth Adjustable option is selected on chart at left

- Stroller Handle Extensions (A1) \$94
Not available with Height Adjustable Depth Adjustable Back Posts
Seating Dynamics Rocker Back (A1) \$1995
Available only with T-Arms

A1 = Clients Responsibility
A2 = Clinical Justification

Backrest continued

Back Upholstery

Select option below only if Standard or Angle Adjustable Back Post option is selected on chart on previous page

- Standard _____ Std
Not available with Short or Medium Back Height Ranges on 20" - 22" Seat Widths
- Tension Adjustable _____ \$245
- Omit Back Upholstery _____ N/C

Footrest

Hanger / Front Frame Bend

- 60° _____ N/C
Available only with Extension Tube Hangers
- 70° _____ N/C
- 80° _____ N/C
Not available with 7" or 8" Casters
- 90° _____ N/C
Available only with Front Mount Hangers
- Elevating Leg Rests _____ \$369
Available only with Composite or Aluminum Angle Adjustable Footplates without Heel Loops
- Omit Hangers _____ - \$25

Footplate

Heel Loops not included

- Composite _____ N/C
Not available with Front Mount Hangers
- Aluminum Angle Adjustable _____ \$185

Footrest / Extension / Seat to Footrest Length

Select Seat to Footrest Length in row corresponding to desired Footrest and Extension. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Measurements based on 70° Hanger / Front Frame Bend.

Footrest	Extension	Seat to Footrest Length											
Extension Tube Hangers (60°, 70°, 80°)	Short	<input type="checkbox"/> 11	<input type="checkbox"/> 11.5	<input type="checkbox"/> 12	<input type="checkbox"/> 12.5	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15			
	Medium	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17			
	Long	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5			
Front Mount Hangers ¹	70° / 80°	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10	<input type="checkbox"/> 11	<input type="checkbox"/> 12	<input type="checkbox"/> 13	<input type="checkbox"/> 14 ²	<input type="checkbox"/> 15 ²	<input type="checkbox"/> 16 ²
	90°	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10	<input type="checkbox"/> 11	<input type="checkbox"/> 12 ²	<input type="checkbox"/> 13 ²	<input type="checkbox"/> 14 ²		
Elevating Leg Rests	Short	<input type="checkbox"/> 12.5	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5				
	Long	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	
Extended Length ELR	Short	<input type="checkbox"/> 18	<input type="checkbox"/> 19	<input type="checkbox"/> 20	<input type="checkbox"/> 21								
	Long	<input type="checkbox"/> 18	<input type="checkbox"/> 19	<input type="checkbox"/> 20	<input type="checkbox"/> 21	<input type="checkbox"/> 22	<input type="checkbox"/> 23						
Fixed Front Frame (70°, 80°) (A2)	Short	<input type="checkbox"/> 11.5	<input type="checkbox"/> 12	<input type="checkbox"/> 12.5	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15				
	Medium	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17			
	Long	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5			

¹ Available only with Aluminum Angle Adjustable Footplates ² Requires 3" Extension for \$44

Heel Loop

- Heel Loops _____ \$30
Not available with Elevating Leg Rests
- Omit Heel Loops _____ N/C

Calf Strap

Not available with Elevating Leg Rests

- Velcro Adjustable _____ \$44

Front Seat Height and Casters

Caster Size / Front Frame Type / Front Seat Height

Select Front Seat Height in row corresponding to desired caster size.
 Note: selections in first three Front Seat Height columns use Super Low Front Frame.

Caster Size	Front Seat Height													
	Uses Super Low Front Frame													
4"	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20
5"	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	
6"	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5			
7"	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	<input type="checkbox"/> 21				
8"	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	<input type="checkbox"/> 21						

Caster Type

- .75" Rollerblade _____ N/C
Available only with 4" Caster Size
- .75" Lighted Rollerblade (A1) _____ \$80
Available only with 4" Caster Size
- 1" Poly _____ N/C
- 1" Poly Aluminum
 - 4" (A1) _____ \$138
 - 5" (A1) _____ \$138
- 1" Pneumatic _____ \$100
Available only with 6" and 8" Caster Sizes
- 1.5" Poly _____ \$63
Available only with 5" and 6" Caster Sizes
- 1.5" Soft Roll Aluminum
 - 4" (A1) _____ \$219
 - 5" (A1) _____ \$231
 - 6" (A1) _____ \$244
- 2" Poly _____ \$88
Available only with 6" Caster Size
- 2" Pneumatic w/ Foam Insert (A1) _____ \$282
Available only with 8" Caster Size

Maximum Seat Dump Reference

(Front Seat Height minus Rear Seat Height)

Seat Depth	14"	15"	16"	17"	18"	19"	20"
Maximum Dump	1"	1"	1.5"	1.5"	2"	2"	2.5"

Depending on configuration, chairs with Fixed Front Frame Type may achieve up to an additional .75"

Fork Stem

- Best Fit _____ Std
Ki Mobility will pick optimal Fork Stem based on Caster Size and Front Seat Height
- Standard Fork Stem _____ N/C
- 3/4" Longer Fork Stem _____ N/C
- 1 1/2" Longer Fork Stem _____ N/C

Fork Options

- Frog Legs Fork (A1) _____ \$425
Available only with 4", 5" or 6" Casters.

End User Weight Required: _____ lbs

Wheel Locks

Wheel Lock

- Push to Lock _____ Std
- Push to Lock Flush Mount _____ N/C
- Pull to Lock _____ N/C
- Omit Wheel Locks _____ N/C

Wheel Lock Options

- Extension Handles _____ \$84
Available only with Push to Lock or Pull to Lock Wheel Locks. Not available with Grade Aids.
- Grade Aids _____ \$187
Available only with Push to Lock Wheel Locks and Pneumatic, Pneumatic with Airless Insert or Kenda Iron Cap Rear Tire Types. Not available with Extension Handles

Rear Seat Height and Wheels

Wheel Size / Tire Profile / Rear Seat Height

Select Rear Seat Height in row corresponding to desired Wheel Size and Tire Profile. 14" Seat Depth not available with 24", 25" or 26" Rear Wheels. Longer depths may have conflicts with certain wheels in certain configurations.

Requires curved axle plate. Any axle plate can be used.

Wheel Size	Tire Profile	Rear Seat Height									
20"	Low	<input type="radio"/> 11.5	<input type="checkbox"/> 12 ¹	<input type="radio"/> 12.5	<input type="checkbox"/> 13 ¹	<input type="radio"/> 13.5	<input type="checkbox"/> 14	<input type="radio"/> 14.5	<input type="checkbox"/> 15	<input type="radio"/> 15.5	<input type="radio"/> 16
	Full	<input type="radio"/> 12	<input type="checkbox"/> 12.5 ¹	<input type="radio"/> 13	<input type="checkbox"/> 13.5 ¹	<input type="radio"/> 14	<input type="checkbox"/> 14.5	<input type="radio"/> 15	<input type="checkbox"/> 15.5	<input type="radio"/> 16	<input type="radio"/> 16.5
22"	Low	<input type="radio"/> 12.5	<input type="checkbox"/> 13 ¹	<input type="radio"/> 13.5	<input type="checkbox"/> 14 ¹	<input type="radio"/> 14.5	<input type="checkbox"/> 15	<input type="radio"/> 15.5	<input type="checkbox"/> 16	<input type="radio"/> 16.5	<input type="radio"/> 17
	Full	<input type="radio"/> 13	<input type="checkbox"/> 13.5 ¹	<input type="radio"/> 14	<input type="checkbox"/> 14.5 ¹	<input type="radio"/> 15	<input type="checkbox"/> 15.5	<input type="radio"/> 16	<input type="checkbox"/> 16.5	<input type="radio"/> 17	<input type="radio"/> 17.5
24"	Low	<input type="radio"/> 13.5	<input type="checkbox"/> 14 ¹	<input type="radio"/> 14.5	<input type="checkbox"/> 15 ¹	<input type="radio"/> 15.5	<input type="checkbox"/> 16	<input type="radio"/> 16.5	<input type="checkbox"/> 17	<input type="radio"/> 17.5	<input type="radio"/> 18
	Full	<input type="radio"/> 14	<input type="checkbox"/> 14.5 ¹	<input type="radio"/> 15	<input type="checkbox"/> 15.5 ¹	<input type="radio"/> 16	<input type="checkbox"/> 16.5	<input type="radio"/> 17	<input type="checkbox"/> 17.5	<input type="radio"/> 18	<input type="radio"/> 18.5
25" (A1)	All	<input type="radio"/> 14	<input type="checkbox"/> 14.5 ¹	<input type="radio"/> 15	<input type="checkbox"/> 15.5 ¹	<input type="radio"/> 16	<input type="checkbox"/> 16.5	<input type="radio"/> 17	<input type="checkbox"/> 17.5	<input type="radio"/> 18	<input type="radio"/> 18.5
26" (A1)	Low	<input type="radio"/> 14.5	<input type="checkbox"/> 15 ¹	<input type="radio"/> 15.5	<input type="checkbox"/> 16 ¹	<input type="radio"/> 16.5	<input type="checkbox"/> 17	<input type="radio"/> 17.5	<input type="checkbox"/> 18	<input type="radio"/> 18.5	<input type="radio"/> 19
	Full	<input type="radio"/> 15	<input type="checkbox"/> 15.5 ¹	<input type="radio"/> 16	<input type="checkbox"/> 16.5 ¹	<input type="radio"/> 17	<input type="checkbox"/> 17.5	<input type="radio"/> 18	<input type="checkbox"/> 18.5	<input type="radio"/> 19	<input type="radio"/> 19.5

¹ Not available with Amputee Axle Plate

Axle Plate

- Standard _____ Std
- Curved (A1) _____ \$106
- Amputee (A2) _____ \$219
Not available with Swing Away Armrests

Rear Wheel Type

- Mag _____ N/C
Not available with 25" or 26" Rear Wheel Sizes
- 24" Spoke _____ N/C
- Spoke (A1) _____ \$225
Available in 20", 22", 24" 25" or 26"
- Superlight Spoke (A1) _____ \$369
Available only with 24" and 25" Rear Wheel Sizes

Rear Tire Type

Full Profile

- Street Pneumatic 1 3/8" _____ Std
Not available on 25" wheels
- Full Profile Poly 1 3/8" _____ N/C
Not available on Superlight or 25" wheels
- Pneumatic with Airless Insert 1 3/8" (A1) _____ \$100
Not available on Superlight or 25" wheels
- Kenda Iron Cap 1 3/8" Grey (A1) _____ \$119
Available only on 24" or 26" wheels. Not available on Mag wheels.
- Kenda Knobby 1 3/8" Grey (A1) _____ \$119
Available only on 24" wheels

Handrim

Standard Handrims

- Aluminum Anodized _____ Std
- Plastic Coated _____ \$119
- Projection (8 Vertical Projections) _____ \$299
Available on 22", 24", 25" and 26" Spoke wheels & 24" Mag wheels w/full tires
- Omit Handrim _____ N/C

Low Profile

- Low Profile Poly 1" _____ N/C
Not available on Supertight, 25" or 26" wheels
- Shox Solid Tire 1" (A1) _____ \$119
- High Pressure 1" (A1) _____ \$119
Not available on Mag wheels
- Schwalbe Speedrun 1" (A1) _____ \$156
Not available on Mag, 20", 22" or 26" wheels
- Schwalbe Marathon Plus Evolution 1" (A1) _____ \$156
Not available on Mag, 20" or 22" wheels

Axles

Axle	Axle Position
<input type="checkbox"/> Quick Release _____ Std	Rear Wheel Camber: <input type="checkbox"/> 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4°
<input type="checkbox"/> Quad Quick Release (A2) _____ \$168 <i>Not available with Mag wheels</i>	Center of Gravity: <input type="checkbox"/> Rear <input type="checkbox"/> Center <input type="checkbox"/> Forward

Armrests

Armrest Please select Arm Pad option	Arm Pad
<input type="checkbox"/> Height Adjustable T-Arm (8.5" - 13.5") _____ \$295	Not available with Swing Away Armrests
<input type="checkbox"/> Height Adjustable Flip Back (9.5" - 13.5") _____ \$295 <i>Not available with Seat Depths less than 16" or with Angle Adjustable or Depth Adjustable Back Posts</i>	
	Standard Arm Pad _____ N/C <input type="checkbox"/> Desk <input type="checkbox"/> Full
	Waterfall Arm Pad (A1) _____ \$31 <input type="checkbox"/> Desk <input type="checkbox"/> Full <i>Available only with Height Adjustable T-Arms</i>
Armrest continued	
<input type="checkbox"/> Swing Away (10.5" - 12.5") _____ \$195 <i>Not available with Angle Adjustable or Depth Adjustable Back Posts or Arm Pads</i>	
<input type="checkbox"/> Omit Armrests _____ N/C	

Accessories

Removable Side Guard	Other Accessories
<input type="checkbox"/> Composite Side Guards _____ \$175 <i>Not available with T-Arm or Flip Back Armrests</i>	<input type="checkbox"/> Tool Kit (A1) _____ \$45
	<input type="checkbox"/> Underseat Pouch (A1) _____ \$50
	<input type="checkbox"/> Ki Mobility Backpack (A1) _____ \$65
	<input type="checkbox"/> Black Neoprene Impact Guards (A1) _____ \$85
	<input type="checkbox"/> Cane and Crutch Holder (A1) _____ \$195

Frame Color

Gloss Finish	
<input type="checkbox"/> Black _____	N/C
<input type="checkbox"/> Candy Blue _____	N/C

Catalyst Front Seat Height Matrix															
4" Caster			5" Caster			6" Caster			7" Caster			8" Caster			
FSH	Stem	Fork	FSH	Stem	Fork	FSH	Stem	Fork	FSH	Stem		FSH	Stem	Fork	
15	Std	4"	16	Std	4"	17	Std	5"	18	Std	5"	19	Std	6"	
15.5			16.5	3/4		17.5			3/4	18.5		3/4			19.5
15.5	3/4		17.5	1 1/2		17.5	3/4		19.5	1 1/2		19.5	3/4		
16	1 1/2		16	Std	18	1 1/2	18		Std	20	1 1/2				
16.5			16.5		18.5		20.5								
17			17		19		21								
15.5	Std	5"	16.5	3/4	5"	17	Std	6"	18.5	3/4	6"	19	Std	7"	
16			17			17.5			18			19.5			19.5
16.5			17.5			18.5			20			20.5			21
16	3/4		17.5	1 1/2		18	3/4		18.5	Std		20.5	1 1/2		
16.5			18			19			20.5						
17			18.5			19.5			21						
17	1 1/2	16.5	Std	18.5	1 1/2	19	Std	20	1 1/2						
17.5		17		18.5		20.5									
18		17.5		19		21									
16.5	Std	6"	18	3/4	6"	19	1 1/2	7"	20	3/4	7"	20.5	1 1/2	8" x 2" caster not available with 6" fork	
17			17			19.5			20.5						
17.5			17.5			20			21						
17	3/4		18	1 1/2		17.5	Std		19.5	1 1/2		20	1 1/2		
17.5			18			20.5									
18			18.5			21									
18	1 1/2	18.5	1 1/2	19	1 1/2	19.5	1 1/2	20	1 1/2						
18.5		19		20.5											
19		19.5		21											
18	Std	7"	18	Std	7"	18.5	3/4	7"	19	3/4	7"	20	1 1/2	8" x 2" caster not available with 6" fork	
18.5			18.5			19.5			20						
19			19			20.5			21						
18.5	3/4		19.5	3/4		18.5	1 1/2		19	1 1/2		20	1 1/2		
19			19			20.5									
19.5			19.5			21									
19.5	1 1/2	19.5	3/4	20	1 1/2	20.5	1 1/2	21	1 1/2						
20		20		21											
		20.5		21											
			19.5	1 1/2	6" x 2" caster not available with 5" fork										
			20												
			20.5												

Seat heights available with Standard Front Frame. Subtract 1 1/4" when using Super Low Front Frame. Actual seat height may vary up to 1/4".