

5711- Calgary Trail NW  
 Edmonton AB T6H 2K1  
 P: 780-437-3300  
 F: 780-430-9381  
 www.medmobility.ca

<b>PO#</b>	<b>Tag:</b>	<b>Dealer Name:</b>	<b>Dealer</b>	
<b>Mailing Address:</b>			<b>Shipping Address:</b>	
<b>City:</b>	<b>Province:</b>	<b>Postal Code:</b>		
<b>Tel:</b>	<b>Fax:</b>			
<b>BENTLEY FRAME TYPE - 20 DEGREES OF TILT</b>				
50331	Bentley: 20 Degree Manual Tilt Wheelchair			\$4,405
<b>CLIENT INFORMATION - (Ensures optimal set-up of chair)</b>				
50545	<b>Weight (lbs.)</b> _____	<b>Height (ft./in.)</b> _____	NC	
<b>FRAME OPTIONS</b>				
50331	Standard Base & Seat Frame Max Weight Capacity 250 lbs.			NC
50546	<b>Transit Tie-Down System (TTDS)</b> (TTDS includes 4 factory installed transport brackets. TTDS has been tested according to ANSI/RENSA WC 19. See Owners Manual for complete details. Not compatible with Attendant Wheel Locks or Extended Base.			NC
50547	<b>Heavy Duty Package (Double Gas Strut)</b> Max Weight Capacity 450 lbs. Requires 20" composite or 24" heavy duty spoked wheel. Fixed axles only. Order as "add on" for seat widths up to 22". Heavy duty package included on seat width 23" or wider.			\$330

<b>Confirm Order Via E-mail:</b>	YES	NO
<b>Send PDG e-News:</b>	YES	NO
<b>E-Mail:</b>		

FRAME COLOR		
50575	Blue Shimmer	NC
50577	Black Shimmer	NC

ARM TYPE		
50582	No Armrests	STD
50583	Dual Post Fixed Height 12" Full length pad only.	NC
50584	Dual Post Adjustable Height Armrest	\$326
Option: 8" - 11"      10" - 14"      12" - 16"		
50587	3" Armrest Extension - Forward <small>Not compatible with flip-up armrests.</small>	\$65
50588	3" Armrest Extension - Rearward <small>Not compatible with flip-up armrests.</small>	\$65
50589	<b>Locking Flip-up Armrests</b> <small>Not recommended for clients with excessive strength or tone. Not compatible with fold down back, clothing guards, back upholstery.</small>	\$326
Set At: 10"    11"    12"    13"    14"		

SEAT WIDTH - (Inches)		
50549	14" Seat Width	NC
50550	15" Seat Width	NC
50551	16" Seat Width	NC
50552	17" Seat Width	NC
50553	18" Seat Width	NC
50554	19" Seat Width	NC
50555	20" Seat Width	NC
50556	21" Seat Width	\$215
50557	22" Seat Width	\$215

ARMPAD OPTIONS		
50594	Desk Length Armpad, 2" X 10" (pair)	NC
50595	Full Length Armpad, 2" X 14" (pair)	NC
50604	Clothing Guards (Black Plastic) <small>Not compatible with flip-up armrests.</small>	\$226

CUSTOM SEAT WIDTH - (Requires 4 Week Delivery)		
<small>Max weight capacity 450 lbs. Requires 20" composite or 24" heavy duty spoked wheel. Fixed axles only.</small>		
50558	23" Seat Width	\$600
50559	24" Seat Width	\$600
50560	25" Seat Width	\$600
50561	26" Seat Width	\$600
50562	27" Seat Width	\$600
50563	28" Seat Width	\$900
50564	29" Seat Width	\$900
50565	30" Seat Width	\$900
50566	31" Seat Width	\$900
50567	32" Seat Width	\$900

SEAT FRAME OPTIONS		
50606	No Seat Pan	STD
50607	Solid Seat Pan	\$147

CASTER OPTIONS			
50615	6" x 1-1/4" Urethane		NC
50616	6" x 1-1/4" Pneumatic		\$121
51311	6" x 1-3/4" Urethane		\$83
50617	8" x 1-1/4" Urethane	<small>8" Casters - Compatible only with 16" and 24" rear wheels.</small>	NC
50618	8" x 1-1/4" Pneumatic		\$121
50619	8" x 2" Urethane Caster		\$149
50620	8" x 2" Pneumatic Caster		\$149

SEAT DEPTH - (Adjustable)		
50568	16" Seat Depth	NC
50569	17" Seat Depth	NC
50570	18" Seat Depth	NC
50571	19" Seat Depth	NC
50572	20" Seat Depth	NC
50573	21" Seat Depth	NC
50574	22" Seat Depth	NC

REAR WHEEL OPTIONS		
50621	12" Composite Wheel	NC
50622	16" Composite Wheel	NC
50623	20" Composite Wheel Required for Heavy Duty Package.	NC
51312	20" Spoke Wheel Required for Heavy Duty Package.	\$83
51461	22" Composite Wheel	NC
51460	22" Spoke Wheel	\$83
50624	24" Composite Wheel	NC
50625	24" Spoked Wheel - Heavy Duty Required for Heavy Duty Package.	\$386

PO#	Tag:	Dealer Name:	Dealer Contact:
-----	------	--------------	-----------------

SEAT HEIGHT OPTIONS						
RW	6" Casters					CHECK desired seat-to-floor height in chart
12"	13"	14"	15"	16"	nc	
			17"	18"	\$60	
16"	15"	16"	17"	18"	nc	
			19"	20"	\$60	
20"	13"	14"	15"	16"	nc	
			17"	18"	\$60	
22"	14"	15"	16"	17"	nc	
			18"	19"	\$60	
24"	15"	16"	17"	18"	nc	
			19"	20"	\$60	

8" Casters					
RW	16"	15"	16"	17"	nc
			19"	20"	\$60
24"	15"	16"	17"	18"	nc
			19"	20"	\$60

BACK OPTIONS		
50666	<b>Adjustable - Height / Angle Push Bar Handle</b> Not compatible with headrest mounting plate or cane Handle Back. Default Button Position is Outside.      Change to Inside	\$436
50667	<b>Seat To Back Angle:</b> Set At: 90°    98°    106°    114°    122°	STD
50673	<b>Backrest Extension 10" High</b> Not compatible with adjustable height / angle push bar handle.	\$166
50674	<b>Fold Down Back</b> Not compatible with Reclining Back.	NC
50675	<b>Spring Back Suspension</b> Not compatible with Reclining Back.	STD

REAR TIRE OPTIONS		
50637	<b>Urethane Tires</b>	STD
50638	<b>Pneumatic Tires</b> Pneumatic tires may result in a finished seat height 1/2" higher than stated.	NC
50639	<b>Pneumatic Tires With Flat-Free Inserts</b> Pneumatic tires may result in a finished seat height 1/2" higher than stated. Flat Free Inserts not compatible with Spoked Wheels. **Clients Responsibility**	\$221

BACK UPHOLSTERY - (Back height measured from seat pan to top of upholstery)		
50676	<b>No Upholstery</b>	STD
50677	<b>Standard Back Upholstery</b> Set Height At: 21"    22"    23"	\$138
50681	<b>Short Upholstery - (25" frame only)</b> Set Height At: 18"    19"    20"	\$138
50684	<b>Tall Upholstery - (31" frame only)</b> Set Height At: 24"    25"    26"	\$138
50688	<b>Adjustable Tension Upholstery</b> Set Height At: 21"    22"    23"	\$276

AXLE TYPE		
50640	<b>Fixed Rear Axle</b> Required for Heavy Duty Package.	STD
50641	<b>Quick Release Rear Axles</b>	NC

HAND RIM OPTIONS (20", 22" or 24" Rear Wheels only)		
51632	<b>Omit Hand Rim</b>	NC
50642	<b>Standard Hand Rims</b>	NC
50643	<b>Plastic Coated Hand Rims</b>	\$105

HEADREST OPTIONS		
50707	<b>Headrest Mounting Plate</b> Not compatible with head rest extension, Angle/height adjustable push bar, Cane handle back. Not required if mounting to a solid back.	\$83

WHEEL LOCKS		
50653	<b>Push To Lock Wheel Locks</b>	STD
50654	<b>Pull To Lock Wheel Locks</b>	NC
50655	<b>Attendant Wheel Lock (Push To Lock)</b> Not compatible with Transit Tie Down System.	\$93
50656	<b>User Wheel Locks And Attendant Wheel Locks</b> Available only on 20" and 24" rear wheels. Not compatible with Transit Tie Down System.	\$166
50657	<b>Wheel Lock Extensions (Pair)</b> Not compatible with Attendant wheel locks.	NC

TILT / RECLINE OPTIONS		
50706	<b>Reclining Backrest(Manual) Max. Recline - 30°</b> Not compatible with headrest extension, cane handle back, spring back suspension, fold down back, tension adjustable upholstery. or 20"-22" seat depth.	\$1,323

ANTI-TIP OPTIONS		
50659	<b>Rear Anti-Tippers (Pair)</b> Required safety option.	\$109
50660	<b>Front Anti-Tippers (Pair)</b> Not compatible with 13" or 15" Seat to Floor Height. Requires 16" or 24" Rear Wheels	\$331

ATTENDANT TILT / USER OPERATED SELF - TILT		
50714	<b>Attendant Tilt Only - Right      Left</b>	STD
50716	<b>Self Tilt Only</b> Not available on widths greater than 22. Full Length arm pads only. Right Armrest      Left Armrest	\$109
50718	<b>Dual Activator</b> Not available on widths greater than 22. Full Length arm pads only. **Clients Responsibility** <b>Backrest - Mount: Right      Left</b> <b>Armrest - Mount: Right      Left</b>	\$215
50722	<b>Trigger Extension</b>	\$53

BACK POST STYLE		
50662	<b>Push Bar Back - 25" High</b>	STD
50663	<b>Push Bar Back - 31" High</b>	\$39
50664	<b>Cane Handle Back - 25" High</b> Seat widths 14" - 22" only. Not compatible with headrest mounting plate.	\$39
50665	<b>Cane Handle Back - 31" High</b> Seat widths 14" - 22" only. Not compatible with headrest mounting plate.	\$39

FRONT RIGGING		
50723	<b>Omit Front Rigging</b>	NC
50724	<b>Sector Blocks Only (No Front Rigging Supplied)</b>	NC
50725	<b>Plug in 70° Front Rigging</b>	STD
50726	<b>Plug in Adjustable Knee Angle Front Rigging</b>	\$975
50727	<b>Swing Away 60° Front Rigging</b>	NC
50729	<b>Swing Away 70° Front Rigging</b>	NC
50731	<b>Swing Away Elevating Legrests</b>	\$392

<b>PO#</b>	<b>Tag:</b>	<b>Dealer Name:</b>	<b>Dealer Contact:</b>
------------	-------------	---------------------	------------------------

FOOT PLATES		
50472	Composite Footplates	STD
50733	Adjustable Angle Footplates	\$154
50735	One Piece FIXED Footplates <small>Available on plug-in front rigging only.</small>	\$386
50736	One Piece FLIP-UP Footplates	\$436
51832	Interlocking Angle Adjustable Footplate <small>14"-21" wide only.</small>	\$215

EXTENSION TUBE		
50737	Standard Length (13" - 17")	STD
50738	Long Extension Tubes (15" - 19")	\$83
50739	Standard Length (13" - 17") Solid Extension Tubes - Extra Strength <small>Available on Plug-in front Rigging only.</small>	\$109
51454	Long Extension Tubes (15" - 19") Solid Extension Tubes - Extra Strength <small>Available on Plug-in front Rigging only.</small>	\$109

FOOTREST/LEGREST ACCESSORIES		
52252	60° & 70° Swing Away Calf Pad <small>Not compatible with 60° &amp; 70° Gel padding. **Clients Responsibility**</small>	\$149
53251	60° & 70° Gel Padding <small>Not compatible with 60° &amp; 70° Calf Pad. **Clients Responsibility**</small>	\$109
51680	Swing Away Elevating Legrest Gel Knee Pad	NC
50740	Adjustable Length Heel Loops	\$54
50741	Bodypoint Padded Calf Strap <small>Sizes greater than 22" are not padded.</small>	\$210
50742	Miller's Dynamic Footrest Mounts For Plug In Front Rigging.	

MISCELLANEOUS OPTIONS		
51316	IV Pole <small>Not compatible with TTDS (Transit Tie Down System), Rear Stabilizers, Rear Floor Jacks, Attendant Wheel Locks. **Clients Responsibility**</small>	\$326
50747	O2 Holder <small>Not compatible with TTDS (Transit Tie Down System), Rear Stabilizers, Rear Floor Jacks, Attendant Wheel Locks.</small>	\$326

CUSTOM MODIFICATIONS - NOTES	
Total Retail Value - This order	\$
Have all desired specs been checked? A complete spec sheet ensures your chair will arrive on time and as you expect.	