

5711- Calgary Trail NW
 Edmonton AB T6H 2K1
 P: 780-437-3300
 F: 780-430-9381
 www.medmobility.ca

PO#	Tag:	Dealer Name:	Dealer:									
Mailing Address:		Shipping Address:										
City:	Province:	Postal Code:	Postal Code:									
Tel:	Fax:	Tel:	Fax:									
CLIENT INFORMATION - (Ensures optimal set-up of chair)												
50334	Weight (lbs.) _____	Height (ft./in.) _____	NC									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">Confirm Order Via E-mail:</td> <td><input type="checkbox"/> YES</td> <td><input type="checkbox"/> NO</td> </tr> <tr> <td>Send PDG e-News:</td> <td><input type="checkbox"/> YES</td> <td><input type="checkbox"/> NO</td> </tr> <tr> <td>E-Mail:</td> <td colspan="2"></td> </tr> </table>				Confirm Order Via E-mail:	<input type="checkbox"/> YES	<input type="checkbox"/> NO	Send PDG e-News:	<input type="checkbox"/> YES	<input type="checkbox"/> NO	E-Mail:		
Confirm Order Via E-mail:	<input type="checkbox"/> YES	<input type="checkbox"/> NO										
Send PDG e-News:	<input type="checkbox"/> YES	<input type="checkbox"/> NO										
E-Mail:												

STELLAR FRAME TYPE - 45 DEGREES OF TILT		
50331	Stellar Manual Tilt Wheelchair <small>Max Weight Capacity 250 lbs.</small>	\$4,405

FRAME COLOR		
50361	Blue Shimmer	NC
50363	Black Shimmer	NC

FRAME OPTIONS		
50333	Heavy Duty Package - Max 22" Wide <small>Max Weight Capacity 300 lbs, includes secondary gas strut.</small>	\$221
51985	Frame Upgrade/Heavy Duty Package <small>Available on 23" & 24" seat width only. Max Weight Capacity 450 lbs, includes frame modification for dual gas strut.</small>	\$331
STELLAR HD (If selected - Skip to Page 4, for HD Specifications)		\$1323
51768	Stellar HD <small>Max Weight Capacity 450 lbs. Longer frame length for optimal performance.</small>	
51789	Stellar with Shortened Strut Bracket <small>Increases heel clearance for foot propelling.</small>	\$83
50332	Transit Tie-Down System (TTDS) <small>(TTDS includes 4 factory installed transport brackets. TTDS has been tested according to ANSI/RENSA WC 19. See Owners Manual for complete details.) Not compatible with Attendant Wheel Locks or Extended Base.</small>	\$110

ARM TYPE		
50368	No Armrests	STD
50369	Dual Post Fixed Height 12" <small>Full length pad only.</small>	NC
50371	Dual Post Adjustable Height Armrest <small>Option: 8" - 11" 10" - 14" 12" - 16"</small>	\$326
50374	3" Armrest Extension - Forward <small>Not compatible with flip-up armrests.</small>	\$65
50375	3" Armrest Extension - Rearward <small>Not compatible with flip-up armrests.</small>	\$65
50377	Locking Flip-up Armrests <small>Not recommended for clients with excessive strength or tone. Not compatible with fold down back, clothing guards, back upholstery or Stellar HD.</small>	\$326
<small>Set At: 10" 11" 12" 13" 14"</small>		

SEAT WIDTH - (Inches)		
50335	14" Seat Width	NC
50336	15" Seat Width	NC
50337	16" Seat Width	NC
50338	17" Seat Width	NC
50339	18" Seat Width	NC
50340	19" Seat Width	NC
50341	20" Seat Width	NC
50342	21" Seat Width	\$215
50343	22" Seat Width	\$215
50344	23" Seat Width <small>Max weight cap. 450lbs. Requires 20" Composite or 24" Heavy duty spoked wheel. Fixed axle only. Requires frame upgrade / heavy duty package above.</small>	\$662
50345	24" Seat Width <small>Max weight cap. 450lbs. Requires 20" Composite or 24" Heavy duty spoked wheel. Fixed axle only. Requires frame upgrade / heavy duty package above.</small>	\$662

ARMPAD OPTIONS		
50382	Desk Length Armpad, 2" X 10" (pair)	NC
50383	Full Length Armpad, 2" X 14" (pair)	NC
50390	Clothing Guards (Black Plastic) <small>Not compatible with flip-up armrests.</small>	\$226

SEAT FRAME OPTIONS		
50392	No Seat Pan	STD
50393	Solid Seat Pan	\$147

CASTER OPTIONS		
50401	6" x 1-1/4" Urethane	NC
50402	6" x 1-1/4" Pneumatic	\$83
51459	6" x 1-3/4" Urethane Caster	\$83
50403	8" x 1-1/4" Urethane	NC
50404	8" x 1-1/4" Pneumatic	\$83
50405	8" x 2" Urethane Caster	\$149
50406	8" x 2" Pneumatic Caster	\$149

8" Casters - Compatible only with 16" and 24" rear wheels. Not Compatible with Ultra Sport.

SEAT DEPTH - (Adjustable)		
50354	16" Seat Depth	NC
50355	17" Seat Depth	NC
50356	18" Seat Depth	NC
50357	19" Seat Depth	NC
50358	20" Seat Depth	NC
50359	21" Seat Depth	NC
50360	22" Seat Depth	NC

REAR WHEEL OPTIONS		
50407	12" Composite Wheel	NC
50408	16" Composite Wheel	NC
50409	20" Composite Wheel <small>Required for Heavy Duty Package.</small>	NC
51325	20" Spoke Wheel <small>Required for Heavy Duty Package.</small>	\$83
51463	22" Composite Wheel	NC
51462	22" Spoke Wheel	\$83
50410	24" Composite Wheel	NC

PO#	Tag:	Dealer Name:	Dealer Contact:
------------	-------------	---------------------	------------------------

SEAT HEIGHT OPTIONS										
CHECK desired seat-to-floor height in chart below.										
6" Casters					8" Casters					
RW	12"	14"	15"	16"	NC	RW	16"	17"	18"	NC
					\$60					\$60
16"	16"	17"	18"	18"	NC	24"	16"	17"	18"	NC
					\$60					\$60
20"	14"	15"	16"	16"	NC					
					\$60					
22"	15"	16"	17"	17"	NC					
					\$60					
24"	16"	17"	18"	18"	NC					
					\$60					

BACK OPTIONS		
50452	Adjustable - Height / Angle Push Bar Handle <small>Not compatible with headrest mounting plate or cane Handle Back.</small>	\$436
	Default Button Position is Outside. Change to Inside	
50453	Seat To Back Angle:	STD
	Set At: 90° 98° 106° 114° 122°	
50459	Backrest Extension 10" High <small>Not compatible with adjustable height / angle push bar handle.</small>	\$166
50460	Fold Down Back <small>Not compatible with Reclining Back.</small>	NC
50461	Spring Back Suspension <small>Not compatible with Reclining Back.</small>	\$116

REAR TIRE OPTIONS		
50419	Urethane Tires	STD
50424	Pneumatic Tires <small>Pneumatic tires may result in a finished seat height 1/2" higher than stated.</small>	NC
50425	Pneumatic Tires With Flat-Free Inserts <small>Pneumatic tires may result in a finished seat height 1/2" higher than stated. Not compatible with Spoked Wheels. **Clients Responsibility**</small>	\$221

BACK UPHOLSTERY - (Back height measured from seat pan to top of upholstery)		
50462	No Upholstery	STD
50463	Standard Back Upholstery	\$138
	Set Height At: 21" 22" 23"	
50470	Short Upholstery - (25" frame only)	\$138
	Set Height At: 18" 19" 20"	
50471	Tall Upholstery - (31" frame only)	\$138
	Set Height At: 24" 25" 26"	
50476	Adjustable Tension Upholstery	\$276
	Set Height At: 21" 22" 23" <small>Not available on widths greater than 22".</small>	

AXLE TYPE		
50426	Fixed Rear Axle	STD
50427	Quick Release Rear Axles	NC

HAND RIM OPTIONS		
51631	Omit Hand Rim	NC
50428	Standard Hand Rims	NC
50429	Plastic Coated Hand Rims	\$105

HEADREST OPTIONS		
50496	Headrest Mounting Plate <small>Not compatible with head rest extension, Angle/height adjustable push bar, Cane handle back. Not required if mounting to a solid back.</small>	\$83

WHEEL LOCKS		
50439	Push To Lock Wheel Locks	STD
50440	Pull To Lock Wheel Locks	NC
50441	Attendant Wheel Lock (Push To Lock) <small>Not compatible with Transit Tie Down System.</small>	\$93
50442	User Wheel Locks And Attendant Wheel Locks <small>Available only on 20" and 24" rear wheels. Not compatible with Transit Tie Down System.</small>	\$166
50443	Wheel Lock Extensions (Pair) <small>Not compatible with Attendant wheel locks.</small>	\$66

TILT / RECLINE OPTIONS		
50494	Reclining Backrest(Manual) Max. Recline - 30° <small>Not compatible with headrest extension, cane handle back, spring back suspension, fold down back or tension adjustable upholstery.</small>	\$1,323

ANTI-TIP OPTIONS		
50445	Rear Anti-Tippers (Pair) <small>Required safety option.</small>	\$109
50446	Front Anti-Tippers	\$331

ATTENDANT TILT / USER OPERATED SELF - TILT		
50504	Attendant Tilt Only	STD
	Right Left	
50506	Self Tilt Only <small>Not available on widths greater than 22". Full Length arm pads only.</small>	\$109
	Right Armrest Left Armrest	
50508	Dual Activator: Backrest/Armrest <small>Not available on widths greater than 22". Full Length arm pads only. **Clients Responsibility**</small>	\$215
	Backrest - Mount: Right Left	
	Armrest - Mount: Right Left	
50512	Trigger Extension	\$53
50513	Tilt Limiting Device	STD
	Set At: 20° 25° 30° 35° 40° 45°	

BACK POST STYLE		
50448	Push Bar Back - 25" High	STD
50449	Push Bar Back - 31" High	\$39
50450	Cane Handle Back - 25" High <small>Seat widths 14" - 22" only. Not compatible with headrest mounting plate.</small>	\$39
50451	Cane Handle Back - 31" High <small>Seat widths 14" - 22" only. Not compatible with headrest mounting plate.</small>	\$39

PO#	Tag:	Dealer Name:	Dealer Contact:
-----	------	--------------	-----------------

FRONT RIGGING		
50519	Omit Front Rigging	NC
50520	Sector Blocks Only (No Front Rigging Supplied)	NC
50521	Plug in 70° Front Rigging	STD
50522	Plug in Adjustable Knee Angle Front Rigging	\$975
50523	Swing Away 60° Front Rigging	NC
50524	Swing Away 70° Front Rigging	NC
50526	Swing Away Elevating Legrests	\$392

FOOT PLATES		
50528	Composite Footplates	STD
50529	Adjustable Angle Footplates	\$154
50531	One Piece FIXED Footplates <small>Available on plug-in front rigging only.</small>	\$386
50532	One Piece FLIP-UP Footplates	\$436
51841	Interlocking Angle Adjustable Footplate <small>14"-21" wide only</small>	\$215

FOOTREST/LEGREST ACCESSORIES		
52059	60° & 70° Swing Away Calf Pad <small>Not compatible with 60° & 70° Gel padding.</small>	\$149
51761	Swing Away Elevating Leg Rest Gel Knee Pad	\$109
52060	60° & 70° Swing Away Gel Padding <small>Not compatible with 60° & 70° Calf Pad.</small>	\$109
50536	Adjustable Length Heel Loops	\$61
50537	Bodypoint Padded Calf Strap <small>Sizes greater than 22" are not padded.</small>	\$54

EXTENSION TUBE		
50533	Standard Length (13" - 17")	STD
50534	Long Extension Tubes (15" - 19")	\$82
50535	Standard Length (13" - 17") Solid Extension Tubes - Extra Strength <small>Available on Plug-in front Rigging only.</small>	\$109
51455	Long Extension Tubes (15" - 19") Solid Extension Tubes - Extra Strength <small>Available on Plug-in front Rigging only.</small>	\$109

MISCELLANEOUS OPTIONS		
51471	Protective Lower Padding <small>**Clients Responsibility**</small>	\$468
51284	IV Pole <small>Not compatible with TTDS (Transit Tie Down System), Rear Stabilizers, Rear Floor Jacks, Attendant Wheel Locks. **Clients Responsibility**</small>	\$326
50543	O2 Holder <small>Not compatible with TTDS (Transit Tie Down System), Rear Stabilizers, Rear Floor Jacks, Attendant Wheel Locks.</small>	\$326

REMAINDER OF FORM IS FOR STELLAR HD Specifications ONLY

PO#	Tag:	Dealer Name:	Dealer Contact:
-----	------	--------------	-----------------

STELLAR HD ONLY

THIS CONFIGURATION INCLUDES THE FOLLOWING PRE-SELECTED OPTIONS - NO SUBSTITUTIONS

CLIENT INFORMATION - (Ensures optimal set-up of chair)		
50334	Weight (lbs.) _____ Height (ft./in.) _____	NC

STELLAR FRAME TYPE - 45 DEGREES OF TILT		
50331	Stellar Manual Tilt Wheelchair <small>Max Weight Capacity 250 lbs.</small>	\$4,405

STANDARD OPTIONS INCLUDE		
51768	Stellar HD <small>Max Weight Capacity 450 lbs. Longer frame length for optimal performance.</small>	\$1,323
52258	450 lbs Weight Capacity <small>Up to 600 lbs with 25° tilt limiter.</small>	STD
52259	45 Degrees of Tilt <small>Limited to 25° over 450 lbs.</small>	STD
51472	Default Gas Struts	STD
51973	<small>up to 250 lbs = 2 Gas Struts - 1200{N}</small>	
51974	<small>250 lbs - 350 lbs = 3 Gas Struts - 800{N}</small>	
51975	<small>350 lbs - 400 lbs = 3 Gas Struts - 1000{N}</small>	
	<small>400 lbs and up = 3 Gas Struts - 1200{N}</small>	
51800	Seat Width	STD
	<small>Set At: 22" 24" 26" 28" 30" 32"</small>	
50356	Seat Depth - (Dealer Adjustable)	NC
	<small>Set At: 18" 19"</small>	
	<small>Set At: 20" 21" 22"</small>	\$331
50361	Frame Color	STD
	<small>Black Shimmer</small>	
	<small>Blue Shimmer</small>	
50372	Dual Post Adjustable Height Arm Rests, 10" - 14"	\$331
50393	Solid Seat Pan	\$331
50394	No Seat Cushion	STD
50414	Seat to Floor Height	STD
	<small>Set At: 16" 17" 18"</small>	
50411	24" Spoked Heavy Duty Rear Wheel	\$386
50419	Urethane Tire	STD
50456	Forward Set, 5" Heavy Duty Steel Fork with Urethane Caster	STD
50428	Aluminum Hand Rim	STD
50426	Fixed Rear Axles	STD

ARMPAD OPTIONS		
50382	Desk Length Armpad, 2" X 10" (pair)	NC
50383	Full Length Armpad, 2" X 14" (pair)	NC
	3" Wide Arm Pads <small>May interfere with wheels in some tilt configuration.</small>	\$54
50384	Full Length 2"x14" (pair)	
50385	Desk Length 2"x12" (pair)	
50390	Clothing Guards (Black Plastic) <small>Not compatible with flip-up armrests.</small>	\$226

STANDARD OPTIONS INCLUDE		
50439	Push To Lock Wheel Locks	STD
50445	Rear Anti-Tippers	\$109
50448	25" Push Back Bar	STD
50453	Seat To Back Angle 90°	STD
50476	Adjustable Tension Back Upholstery	\$276
	<small>Set Height At: 21" 22" 23"</small>	
50504	Attendant Tilt Only	STD
50523	Swing Away 60° Front Rigging	STD
50526	Swing Away Elevating Legrests	\$392
50533	Standard Length Extension Tube (13" - 17")	STD
50529	Oversized Angle Adjustable Footplates	STD

CUSTOM MODIFICATIONS - NOTES	
Total Retail Value - This order	\$
Have all desired specs been checked? A complete spec sheet ensures your chair will arrive on time and as you expect.	