



AADL #W133

Quickie GP/GPV EIGP70

For Alberta Aids to Daily Living or

MEDmobility

5711- Calgary Trail NW
Edmonton AB T6H 2K1
P: 780-437-3300
F: 780-430-9381
www.medmobility.ca



July 01, 2015

ACCOUNT #: _____ SHIP TO: _____
 DATE: _____ NAME: _____
 P.O. #: _____ ADDRESS: _____
 CITY: _____ PROVINCE: _____
 POSTAL CODE: _____ PHONE #: _____
 BUYER: _____ MARKED FOR: _____



Product Info ►

1. FRAME STYLE

- 024WM23 [WMA4QU005](#) Quickie GP-70° \$2,387.00 024WM23 [WMA4QU010](#) Quickie GPV-70° (NA 12"-13") \$2,387.00

2. FRAME STYLE & SET UP

Frame Angle

- | | | | |
|--------------------------|--------|------------------------------|----|
| <input type="checkbox"/> | 024FA6 | 60° | NC |
| <input type="checkbox"/> | 024FA7 | 70° | NC |
| <input type="checkbox"/> | 024FA1 | 75° (NA with rigid footrest) | NC |
| <input type="checkbox"/> | 024FA8 | 80° (NA with rigid footrest) | NC |

Frame Colour

- | | | | |
|--------------------------|--------|-----------|----|
| <input type="checkbox"/> | 024C2 | Black | NC |
| <input type="checkbox"/> | 024C38 | Blue Opal | NC |

Xtender Power Assist

Rear seat height of 16.5" w/ Std and Small frames, 16.5"-17.5" with Tall
Higher seat heights available through Built for Me

- | | | | |
|--------------------------|--------|--|------------|
| <input type="checkbox"/> | 024XT2 | Xtender Power Assist 4X Multiplier
NICKEL | \$7,956.00 |
| <input type="checkbox"/> | 024XT3 | Xtender Power Assist 4X Multiplier
LITHIUM | \$7,956.00 |

Please select one of the following handrim options

- | | | | |
|--------------------------|--------|-----------------|----|
| <input type="checkbox"/> | 024XH3 | Plastic Coated | NC |
| <input type="checkbox"/> | 024XH4 | Stainless Steel | NC |

Xtender - Tire Option

- | | | | |
|--------------------------|--------|-----------|----|
| <input type="checkbox"/> | 024XW1 | Pneumatic | NC |
|--------------------------|--------|-----------|----|

Xtender - Other Options

- | | | | |
|--------------------------|--------|--------------------------------|------------|
| <input type="checkbox"/> | 024XA1 | Spare NiMH Power Pack - NICKEL | \$3,055.00 |
|--------------------------|--------|--------------------------------|------------|

Frame Width

Seat Width 1/2" Narrower

- | | | | |
|--------------------------|--------|--------------------------|----------|
| <input type="checkbox"/> | 024W3 | 12" | NC |
| <input type="checkbox"/> | 024W4 | 13" | NC |
| <input type="checkbox"/> | 024W5 | 14" | NC |
| <input type="checkbox"/> | 024W6 | 15" | NC |
| <input type="checkbox"/> | 024W7 | 16" | NC |
| <input type="checkbox"/> | 024W8 | 17" | NC |
| <input type="checkbox"/> | 024W9 | 18" | NC |
| <input type="checkbox"/> | 024W10 | WAMA 19" | \$255.00 |
| <input type="checkbox"/> | 024W11 | WAMA 20" | \$260.00 |
| <input type="checkbox"/> | 024W12 | WAMA 21" | \$260.00 |
| <input type="checkbox"/> | 024W13 | WAMA 22" | \$260.00 |

2. FRAME STYLE & SET UP (CONT)

Sling Depth

<input type="checkbox"/>	024SD5	12"	NC
<input type="checkbox"/>	024SD6	13"	NC
<input type="checkbox"/>	024SD7	14"	NC
<input type="checkbox"/>	024SD8	15"	NC
<input type="checkbox"/>	024SD9	16"	NC
<input type="checkbox"/>	024SD10	17"	NC
<input type="checkbox"/>	024SD11	18"	NC
<input type="checkbox"/>	024SD72	WAMB 19"	\$260.00
<input type="checkbox"/>	024SD13	WAMB 20"	\$260.00
<input type="checkbox"/>	024SD14	WAMB 21"	\$260.00
<input type="checkbox"/>	024SD33	WAMB 22"	\$260.00

Frame Length

<input type="checkbox"/>	024FL30	18-1/4" (Avail. on 12" Sling Depth)	NC
<input type="checkbox"/>	024FL31	19-1/4" (Avail. on 13" Sling Depth)	NC
<input type="checkbox"/>	024FL32	20-1/4" (Avail. on 14", 15" Sling Depth)	NC
<input type="checkbox"/>	024FL33	21-1/4" (Avail. on 14", 15", 16" Sling Depth)	NC
<input type="checkbox"/>	024FL34	22-1/4" (Avail. on 16", 17" Sling Depth)	NC
<input type="checkbox"/>	024FL35	23-1/4" (Avail. on 17", 18" Sling Depth)	NC
<input type="checkbox"/>	024FL36	24-1/4" (Avail. on 18" Sling Depth)	NC
<input type="checkbox"/>	024FL37	25-1/4" (Avail. on 19" Sling Depth)	NC
<input type="checkbox"/>	024FL38	26-1/4" (Avail. on 20" Sling Depth)	NC
<input type="checkbox"/>	024FL39	27-1/4" (Avail. on 21" Sling Depth)	NC
<input type="checkbox"/>	024FL40	28-1/4" (Avail. on 22" Sling Depth)	NC

Frame Height (See Chart)

<input type="checkbox"/>	024FH2	Short (front 9.25"-rear 8.25") NA with Xtender Power Assist	\$194.00
<input type="checkbox"/>	024FH5	Standard (front 10" - rear 9")	NC
<input type="checkbox"/>	024FH7	Tall (front 11" - rear 10")	\$194.00

3. SEATING

Back Type

<input type="checkbox"/>	024BT3	Non-Folding Backrest (Fixed) NA with push handles or adj.	
<input type="checkbox"/>	024BB1	8" Back Height	NC
<input type="checkbox"/>	024BB2	9" Back Height	NC
<input type="checkbox"/>	024BB3	10" Back Height	NC
<input type="checkbox"/>	024BB4	11" Back Height	NC
<input type="checkbox"/>	024BB5	12" Back Height	NC
<input type="checkbox"/>	024BB6	13" Back Height	NC
<input type="checkbox"/>	024BB7	14" Back Height	NC
<input type="checkbox"/>	024BB8	15" Back Height	NC
<input type="checkbox"/>	024BB9	16" Back Height	NC
<input type="checkbox"/>	024BT1	Folding Backrest (Adjustable)	
<input type="checkbox"/>	024BA1	11" - 14" Back Height	\$102.00
<input type="checkbox"/>	024BA2	12" - 16" Back Height	\$102.00
<input type="checkbox"/>	024BA3	14" - 18" Back Height	\$102.00
<input type="checkbox"/>	024BA4	16" - 20" Back Height	\$102.00

Backrest Options

<input type="checkbox"/>	024BT33	Folding w/ Integral Push Handles	NC
<input type="checkbox"/>	024A85	Bolt-On Push Handle (Folding only) * NA with Xtender Power Assist	\$117.00
<input type="checkbox"/>	024SR2	Regular Stroller Handle * NA with amputee axle plate or Xtender Power Assist	\$163.00
<input type="checkbox"/>	024SR3	Tall Stroller Handle * NA with amputee axle plate or Xtender Power Assist	\$163.00

JAY Back (Optional)

<input type="checkbox"/>	024JB01	J3 Back (See J3 Order Form)	Price List
--------------------------	---------	-----------------------------	------------

Back Upholstery

<input type="checkbox"/>	024BU1	Standard	NC
<input type="checkbox"/>	024BU8	WAMD/WAME Adjustable	\$173.00
<input type="checkbox"/>	024BU16	Reinforced (NA w/ adj. upholstery)	\$46.00
<input type="checkbox"/>	024BU14	Omit Back Upholstery	-\$18.00

4. ARMREST

Single Post

<input type="checkbox"/>	024AA9	Single Post Ht. Adjust. Low Must be removed to fold back	\$286.00
<input type="checkbox"/>	024AM1	Desk Length - Classic (10")	NC
<input type="checkbox"/>	024AM2	Full Length - Contour (14")	NC
<input type="checkbox"/>	024AA8	Single Post Ht. Adjust. Std Must be removed to fold back	\$286.00
<input type="checkbox"/>	024AM1	Desk Length - Classic (10")	NC
<input type="checkbox"/>	024AM2	Full Length - Contour (14")	NC

Padded Swing Away Armrest

<i>All Padded Swing-Away NA with amputee axle plate or Xtender Power Assist</i>			
<input type="checkbox"/>	024AA19	Padded S-A Medium	\$265.00
<input type="checkbox"/>	024AA16	Padded S-A Adult	\$265.00

* Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

5. FOOTREST

Footplates

Heel loop or leg strap not included. See Footplate Options Section

1. GP FOOTREST OPTIONS

<input type="checkbox"/>	024F56	Rigid NA w/ Ext. Tubes; NA with 75° or 80° frame angle	NC
<input type="checkbox"/>	024F50	Platform NA w/ Ext. Tubes	\$128.00
<input type="checkbox"/>	024F1	Composite Footplate	NC
<input type="checkbox"/>	024F3	Adult Angle Adj.	\$148.00
<input type="checkbox"/>	024F48	Platform Flip Up	\$194.00

2. GPV FOOTREST OPTIONS

<input type="checkbox"/>	024F56	Rigid NA w/ Ext. Tubes; NA with 75° or 80° frame angle	NC
<input type="checkbox"/>	024F50	Platform NA w/ Ext. Tubes	\$128.00
<input type="checkbox"/>	024F48	Platform Flip Up	\$194.00

Footrest Extension Tubes

<input type="checkbox"/>	024E1	Short (14" to 16-1/2")	NC
<input type="checkbox"/>	024E2	Medium (16-1/2" to 19")	NC
<input type="checkbox"/>	024E5	Long (19" to 21-1/2")	NC
<input type="checkbox"/>	024E16	High Mount Only avail. with adult angle adjustable footplates	\$82.00

Footplate Options (Ext Tube & Direct Mount)

<input type="checkbox"/>	024HL1	Heel Loop	NC
<input type="checkbox"/>	024HL5	Leg Strap	NC
<input type="checkbox"/>	024HL4	Omit Heel Loop	NC
<input type="checkbox"/>	024HL6	Omit Leg Strap	NC
<input type="checkbox"/>	024F7	Omit Footplate & Ext Tube	-\$16.00
<input type="checkbox"/>	024IG2	Impact Guard Neoprene *	\$51.00

6. CASTERS

Caster Wheels

<input type="checkbox"/>	024CW1	3" Micro	NC
<input type="checkbox"/>	024CW3	4" Low Profile Polyurethane	\$92.00
<input type="checkbox"/>	024CW31	4" Micro Lighted	\$92.00
<input type="checkbox"/>	024CW6	5" Soft Roll Semi-Pneumatic *	\$112.00
<input type="checkbox"/>	024CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	024CW7	5" x 1.5" Semi-Pneumatic only avail. For use in bottom fork holes	\$92.00
<input type="checkbox"/>	024CW33	6" Pneumatic	\$92.00
<input type="checkbox"/>	024CW34	6" Polyurethane	NC
<input type="checkbox"/>	024CW35	6" x 1.5" Semi-Pneumatic only avail. For use in bottom fork holes	\$92.00
<input type="checkbox"/>	024CW21	8" Pneumatic Only available on 60° frame option	\$122.00

Caster Wheels - Continued

<input type="checkbox"/>	024CW32	8" Polyurethane Only available on 60° frame option	NC
<input type="checkbox"/>	024CW36	8" x 2" Pneumatic Only available on 60° frame option	\$209.00
<input type="checkbox"/>	024CW22	8" x 2" Pneumatic w/Airless Insert * Only available on 60° frame option	\$332.00

Caster Fork Options

<input type="checkbox"/>	024CS5	3/4" Longer Fork Stem Bolt	NC
<input type="checkbox"/>	024CS9	1-1/2" Longer Fork Stem Bolt	NC
<input type="checkbox"/>	024CS3	WAMS Caster Pin Locks *	\$128.00
<input type="checkbox"/>	024CW12	Omit Casters	NC

7. AXLE & WHEEL OPTIONS

Axle Plate

N/A w/ Power Assist

<input type="checkbox"/>	024AL2	Standard Adjustable	NC
<input type="checkbox"/>	024AL13	Double Slotted Adjustable	NC
<input type="checkbox"/>	024AL6	WAMU Amputee Adjustable NA with padded swing-away armrests	\$122.00

Axle

<input type="checkbox"/>	024AX1	Quick Release Steel	NC
<input type="checkbox"/>	024AX11	Quad Quick Release	\$153.00

Rear Anti-Tip

<input type="checkbox"/>	024AT1	Rear Anti-Tip	\$102.00
--------------------------	--------	---------------	----------

Rear Wheel Type

Spinergy NA w/ Xtender, spoke guards

<input type="checkbox"/>	024RW8	22" Mag (NA with Xtender Power Assist)	NC
<input type="checkbox"/>	024RW9	22" Spoke*(NA with Xtender Power Assist)	\$270.00
<input type="checkbox"/>	024RW1	24" Mag	NC
<input type="checkbox"/>	024RW2	24" Spoke	NC
<input type="checkbox"/>	024RW42	24" Spinergy (540) SPOX Black *	\$729.00
<input type="checkbox"/>	024RR25	Omit Rear Wheel and Axle Intended Size for Set Up :	-\$68.00

Rear Wheel Tire

<input type="checkbox"/>	024RT1	Pneumatic	NC
<input type="checkbox"/>	024RT2	Pneumatic Airless Insert * NA with 26" wheels	\$209.00

Rear Wheel Tire (Continued)

<input type="checkbox"/>	024RT3	Full Poly (24" Only) NA with 26" wheels	NC
<input type="checkbox"/>	024RT6	High-Pressure Clincher NA w/ 26", N/C w/ Performance	\$87.00

Hand Rim

<input type="checkbox"/>	024HR1	Aluminum Anodized	NC
<input type="checkbox"/>	024HR4	WAMO Plastic Coated -NA on all rims	\$133.00
<input type="checkbox"/>	024HR7	Omit Hand Rim	-\$12.00

Projection Hand Rim

Projections NA w/ plastic coated handrims

<input type="checkbox"/>	024HR8	WAMQ 8 Oblique (24"/26")	\$122.00
--------------------------	--------	--------------------------	----------

Wheel Lock

<input type="checkbox"/>	024WL1	High Mount Push	NC
<input type="checkbox"/>	024WL2	High Mount Pull	NC
<input type="checkbox"/>	024WL5	High Mount Scissor NA w/ extension handles, grade aides	NC
<input type="checkbox"/>	024WL12	Do Not Mount Wheel Locks	NC
<input type="checkbox"/>	024WL10	Omit	NC

Extension Handle

<input type="checkbox"/>	024EH1	6" Pair	\$61.00
--------------------------	--------	---------	---------

Grade Aid

<input type="checkbox"/>	024GA1	WAMR Grade Aid NA w/ poly, high-pressure clincher tires, or Xtender	\$133.00
--------------------------	--------	---	----------

* Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

8. KEY OPTIONS & ACCESSORIES

Backpack

<input type="checkbox"/>	024A1	Quickie Backpack Black *	\$94.00
<input type="checkbox"/>	024A2	Quickie Kids Backpack Black *	\$87.00

Seat Pouch

<input type="checkbox"/>	024A8	Quickie Seat Pouch Black *	\$71.00
--------------------------	-------	----------------------------	---------

Crutch Holder

<input type="checkbox"/>	024A53	Left Side *	\$97.00
<input type="checkbox"/>	024A52	Right Side *	\$97.00

Positioning Belts

<input type="checkbox"/>	024A141	Belt 1.5" Auto Buckle w/Clamps	\$173.00
--------------------------	---------	--------------------------------	----------

Spoke Guards

NA w/ Xtender Power Assist

<input type="checkbox"/>	024A23	WAMP Black Spoke Guards *	\$133.00
<input type="checkbox"/>	024A24	WAMP Clear Spoke Guards *	\$133.00

Side Guard

<input type="checkbox"/>	024SG3	WAMV Plastic Regular	\$158.00
<input type="checkbox"/>	024SG4	WAMV Plastic Kids	\$158.00

9. MISCELLANEOUS

GP Series Rear STF Chart

*All measurements given are an estimate and have been rounded to the nearest .5"

SHORT Frame (9 1/4" Front / 8 1/4" Rear)			Rear Axle Plate Hole Position					
Wheel	Rim	Tire	Standard			Inverted		
			Top	Middle	Bottom	Top	Middle	Bottom
22"	Mag / Spoke	Full Poly	14.5	15	15.5	16	16.5	17
22"	Mag / Spoke	Pneum / Insert	14.5	15	16	16	17	17.5
24"	Mag / Spoke	Full Poly	15	15.5	16.5	16.5	17	17.5
24"	Spoke / Spinerger	Clincher	15	16	16.5	16.5	17	18
24"	Mag / Spoke / Spinerger	Pneum / Insert	15.5	16	17	17	17.5	18
26"	Spoke / Spinerger	Clincher	16	17	17.5	17.5	18	19
26"	Spoke / Spinerger	Pneumatic	16.5	17	17.5	18	18.5	19

TALL Frame (11" Front / 10" Rear)			Rear Axle Plate Hole Position					
Wheel	Rim	Tire	Standard			Inverted		
			Top	Middle	Bottom	Top	Middle	Bottom
22"	Mag / Spoke	Full Poly	16	16.5	17.5	17.5	18	19
22"	Mag / Spoke	Pneum / Insert	16.5	17	17.5	18	18.5	19
24"	Mag / Spoke	Full Poly	17	17.5	18	18.5	18.5	19.5
24"	Spoke / Spinerger	Clincher	17	17.5	18	18.5	19	19.5
24"	Mag / Spoke / Spinerger	Pneum / Insert	17	17.5	18.5	19	19	20
26"	Spoke / Spinerger	Clincher	18	18.5	19	19.5	20	20.5
26"	Spoke / Spinerger	Pneumatic	18	19	19.5	19.5	20	21

STANDARD Frame (10" Front / 9" Rear)			Rear Axle Plate Hole Position					
Wheel	Rim	Tire	Standard			Inverted		
			Top	Middle	Bottom	Top	Middle	Bottom
22"	Mag / Spoke	Full Poly	15	15.5	16.5	16.5	17.5	18
22"	Mag / Spoke	Pneum / Insert	15.5	16	17	17	17.5	18
24"	Mag / Spoke	Full Poly	16	16.5	17	17	18	18.5
24"	Spoke / Spinerger	Clincher	16	16.5	17	17.5	18	18.5
24"	Mag / Spoke / Spinerger	Pneum / Insert	16	16.5	17.5	17.5	18	18.5
26"	Spoke / Spinerger	Clincher	17	17.5	18	18.5	19	19.5
26"	Spoke / Spinerger	Pneumatic	17	18	18.5	18.5	19.5	20

Maximum Dump 2 3/4"

*** Custom Frame Height Through Configurator - REAR 6 1/2 - 13" (Max frame squeeze = 3 1/2") Calculate Accordingly

GP Series Front STF Chart

*All measurements given are an estimate and have been rounded to the nearest .5"


SHORT Frame (9 1/4" Front / 8 1/4" Rear)			3"	4" Poly 4" Lighted	5" Poly 5" x 1.5 Soft Roll	6" Poly 6" x 1.5	6" Pneu	8" Poly	8" Pneu	8x2
4 1/4	STD	Bottom	15.50	16.00	16.50	17.00	17.00	x	x	x
4 1/4	3/4	Bottom	16.50	17.00	17.00	17.50	18.00	x	x	x
4 1/4	1 1/2	Bottom	17.00	17.50	18.00	18.50	18.50	x	x	x
5 1/4	STD	Top	x	x	16.50	17.00	17.00	x	x	x
5 1/4	STD	Bottom	16.50	17.00	17.5	18.00	18.00	19.00	20.5	x
5 1/4	3/4	Top	x	x	17.50	18.00	18.00	x	x	x
5 1/4	3/4	Bottom	17.50	18.00	18.50	18.50	19.00	19.50	20.00	x
5 1/4	1 1/2	Top	x	x	18.00	18.50	18.50	x	x	x
5 1/4	1 1/2	Bottom	18.00	18.50	19.00	19.50	19.50	20.50	20.50	x
6	STD	Top	x	x	17.50	18.00	18.00	18.50	19.00	x
6	STD	Bottom	17.50	18.00	18.50	19.00	19.00	19.50	20.00	x
6	3/4	Top	x	x	18.00	18.50	18.50	19.50	19.50	x
6	3/4	Bottom	18.00	18.50	19.00	19.50	19.50	20.50	20.50	x
6	1 1/2	Top	x	x	19.00	19.50	19.50	20.00	20.50	x
6	1 1/2	Bottom	19.00	19.50	20.00	20.50	20.50	21.00	21.50	x
7	STD	Top	x	x	18.50	19.00	19.00	19.50	20.00	x
7	STD	Bottom	18.50	19.00	19.50	20.00	20.00	20.50	21.00	x
7	3/4	Top	x	x	19.00	19.50	19.50	20.50	20.50	x
7	3/4	Bottom	19.00	19.50	20.00	20.50	20.50	21.50	21.50	x
7	1 1/2	Top	x	x	20.00	20.50	20.50	21.00	21.50	x
7	1 1/2	Bottom	20.00	20.50	21.00	21.00	21.50	22.00	22.50	x
8x2	STD	Top	x	x	x	x	x	x	x	19.00
8x2	STD	Bottom	x	x	x	x	x	x	x	20.00
8x2	3/4	Top	x	x	x	x	x	x	x	19.50
8x2	3/4	Bottom	x	x	x	x	x	x	x	20.50
8x2	1 1/2	Top	x	x	x	x	x	x	x	20.50
8x2	1 1/2	Bottom	x	x	x	x	x	x	x	21.00

STANDARD Frame (10" Front / 9" Rear) ADD 3/4" to each measurement above

TALL Frame (11" Front / 10" Rear) ADD 1 3/4" to each measurement above

*** Custom Frame Height through Configurator - Front 9 - 13" - Calculate Accordingly (Minimum Front STF = 15 1/2" / Max = 26")

Frame Dimensions



* Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.