



AADL #W133

Quickie® GP Swing Away EIGPSA

For Alberta Aids to Daily Living only

MEDmobility

5711- Calgary Trail NW
Edmonton AB T6H 2K1
P: 780-437-3300
F: 780-430-9381
www.medmobility.ca



July 01, 2015

ACCOUNT #: _____ SHIP TO: _____
 DATE: _____ NAME: _____
 P.O. #: _____ ADDRESS: _____
 CITY: _____ PROVINCE: _____
 POSTAL CODE: _____ PHONE #: _____
 BUYER: _____ MARKED FOR: _____



Product Info ▶

1. FRAME STYLE

025WM26 [WMA4QU005](#) Quickie GP Swing-Away \$2,902.00

2. FRAME STYLE & SET UP

Frame Color

025C2 Black NC

025C38 Blue Opal NC

Frame Width

Seat Width 1/2" Narrower

025W3 12" NA w/ adj. upholstery NC

025W4 13" NA w/ adj. upholstery NC

025W5 14" NC

025W6 15" NC

025W7 16" NC

025W8 17" NC

025W9 18" NC

Frame Width - Continued

025W41 [WAMA](#) 19" \$260.00

025W11 [WAMA](#) 20" \$260.00

Sling Depth

025SD5 12" NC

025SD6 13" NC

025SD7 14" NC

025SD8 15" NC

025SD9 16" NC

025SD10 17" NC

025SD11 18" NC

025SD74 [WAMB](#) 19" \$260.00

025SD13 [WAMB](#) 20" \$260.00

025SD14 [WAMB](#) 21" \$260.00

025SD33 [WAMB](#) 22" \$260.00

3. SEATING

Back Type

<input type="checkbox"/>	025BT1	Folding Backrest (Adjustable)	
<input type="checkbox"/>	025BA1	11" - 14" Back Height	\$102.00
<input type="checkbox"/>	025BA2	12" - 16" Back Height	\$102.00
<input type="checkbox"/>	025BA3	14" - 18" Back Height	\$102.00
<input type="checkbox"/>	025BA4	16" - 20" Back Height	\$102.00
<input type="checkbox"/>	025BT3	Non-Folding Backrest (Fixed)	
		<i>NA with push handles or adj.</i>	
<input type="checkbox"/>	025BB1	8" Back Height	NC
<input type="checkbox"/>	025BB2	9" Back Height	NC
<input type="checkbox"/>	025BB3	10" Back Height	NC
<input type="checkbox"/>	025BB4	11" Back Height	NC
<input type="checkbox"/>	025BB5	12" Back Height	NC
<input type="checkbox"/>	025BB6	13" Back Height	NC
<input type="checkbox"/>	025BB7	14" Back Height	NC
<input type="checkbox"/>	025BB8	15" Back Height	NC
<input type="checkbox"/>	025BB9	16" Back Height	NC

Back Upholstery

<input type="checkbox"/>	025BU1	Standard	NC
<input type="checkbox"/>	025BU8	WAMD/WAME Adjustable	\$173.00
<input type="checkbox"/>	025BU16	Reinforced (NA w/ adj. upholstery)	\$46.00
<input type="checkbox"/>	025BU14	Omit Back Upholstery	-\$18.00

Backrest Options

<input type="checkbox"/>	025BT33	Folding w/ Integral Push Handles	NC
<input type="checkbox"/>	025A85	Bolt-On Push Handle (Folding only) * <i>NA with Xtender Power Assist</i>	\$117.00
<input type="checkbox"/>	025SR2	Regular Stroller Handle * <i>NA with amputee axle plate or Xtender Power Assist</i>	\$163.00
<input type="checkbox"/>	025SR3	Tall Stroller Handle * <i>NA with amputee axle plate or Xtender Power Assist</i>	\$163.00

JAY Back (Optional)

<input type="checkbox"/>	025JB01	J3 Back (See J3 Order Form)	Price List
--------------------------	---------	-----------------------------	------------

4. CASTERS

Caster Wheels

<input type="checkbox"/>	025CW1	3" Micro	NC
<input type="checkbox"/>	025CW3	4" Low Profile Polyurethane	\$92.00
<input type="checkbox"/>	025CW31	4" Micro Lighted	\$92.00
<input type="checkbox"/>	025CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	025CW7	5" x 1.5" Semi-Pneumatic <i>only avail. for use in bottom fork holes</i>	\$92.00
<input type="checkbox"/>	025CW6	5" Soft Roll Semi-Pneumatic	\$112.00
<input type="checkbox"/>	025CW33	6" Pneumatic	\$92.00
<input type="checkbox"/>	025CW34	6" Polyurethane	NC
<input type="checkbox"/>	025CW35	6" x 1.5" Semi-Pneumatic <i>only avail. for use in bottom fork holes</i>	\$92.00
<input type="checkbox"/>	025CW21	8" Pneumatic	\$122.00
<input type="checkbox"/>	025CW32	8" Polyurethane	NC

Caster Wheels - Continued

<input type="checkbox"/>	025CW36	8" x 2" Pneumatic	\$209.00
<input type="checkbox"/>	025CW37	8" x 2" Pneumatic w/Airless Insert *	\$332.00

Caster Fork Options

<input type="checkbox"/>	025CS5	3/4" Longer Fork Stem Bolt <i>N/A w/ Xtender Power Assist Option</i>	NC
<input type="checkbox"/>	025CS9	1-1/2" Longer Fork Stem Bolt <i>N/A w/ Xtender Power Assist Option</i>	NC
<input type="checkbox"/>	025CS3	WAMS Caster Pin Locks * <i>N/A w/8"x2" NA w/ Xtender or Frog Legs</i>	\$126.00

5. ARMREST

Single Post

<input type="checkbox"/>	025AA9	Single Post Ht. Adjust. Low	\$286.00
		<i>Must be removed to fold back</i>	
<input type="checkbox"/>	025AM1	Desk Length - Classic (10")	NC
<input type="checkbox"/>	025AM2	Full Length - Classic (14")	NC
<input type="checkbox"/>	025AA8	Single Post Ht. Adjust. Std	\$286.00
		<i>Must be removed to fold back</i>	
<input type="checkbox"/>	025AM1	Desk Length - Classic (10")	NC
<input type="checkbox"/>	025AM2	Full Length - Classic (14")	NC

Padded Swing Away Armrests

All Padded Swing-Away NA with amputee axle plate or Xtender Power Assist

<input type="checkbox"/>	025AA19	Padded S-A Medium	\$265.00
<input type="checkbox"/>	025AA16	Padded S-A Adult	\$265.00

6. FOOTREST

Hangers

<input type="checkbox"/>	025H1	60° Swing Away	NC
<input type="checkbox"/>	025H2	70° Swing Away	NC
<input type="checkbox"/>	025H6	90° Swing Away	NC
		<i>Only available with kids angle adjustable, adult angle adj. NA</i>	
<input type="checkbox"/>	025H24	Articulating * <i>Only available w/ alum or angle adj footplates.</i>	\$444.00
<input type="checkbox"/>	025H14	WAMK Elevating Hanger * <i>Only available w/ alum or angle adj footplates.</i>	\$286.00

Footplates

Heel loop or leg strap not included, See Footplate Options Section

<input type="checkbox"/>	025F1	Composite Footplate 14"-20" <i>NA w/ 90° hangers and ELRs</i>	NC
<input type="checkbox"/>	025F3	WAMK Adult Angle Adjustable	\$148.00
<input type="checkbox"/>	025F4	WAMK Kids Angle Adjustable <i>Only available on 12"-16" width</i>	NC
<input type="checkbox"/>	025F5	Aluminum <i>Only available w/ ELRs</i>	NC
<input type="checkbox"/>	025F48	Platform Flip Up <i>Available w/ 60° and 70° hangers</i>	\$194.00
<input type="checkbox"/>	025F7	Omit Footplate & Ext Tube	-\$18.00

* Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

6. FOOTREST (CONT)

Footrest Extension Tubes

See Chart on the bottom of the page for lengths

<input type="checkbox"/>	025E1	Short NA w/ ELR or ALR	NC
<input type="checkbox"/>	025E2	Medium	NC
<input type="checkbox"/>	025E5	Long	NC
<input type="checkbox"/>	025E12	Short ELR	NC
<input type="checkbox"/>	025E15	Long ELR	NC
<input type="checkbox"/>	025E16	High Mount Only avail. with adult and kids angle adjustable footplates	\$82.00

Footrest Options

<input type="checkbox"/>	025HL1	Heel Loop	NC
<input type="checkbox"/>	025HL5	Leg Strap	NC
<input type="checkbox"/>	025HL4	Omit Heel Loop	NC
<input type="checkbox"/>	025IG2	Impact Guard Neoprene *(Only avail. On 60° or 70° hangers)	\$51.00

7. AXLE & WHEEL OPTIONS

Axle Plate

N/A w/ Power Assist

<input type="checkbox"/>	025AL2	Standard Adjustable	NC
<input type="checkbox"/>	025AL6	WAMT Amputee Adjustable NA with padded swing-away armrests or stroller handles	\$122.00
<input type="checkbox"/>	025AL13	Double Slotted Adjustable	NC

Axle

<input type="checkbox"/>	025AX1	Quick Release Steel	NC
<input type="checkbox"/>	025AX11	WAMU Quad Quick Release	\$153.00

Rear Anti-Tip

<input type="checkbox"/>	025AT1	Rear Anti-Tip	\$102.00
--------------------------	--------	---------------	----------

Rear Wheel Type

<input type="checkbox"/>	025RW8	22" Mag NA with Xtender or 8" x 2" casters	NC
<input type="checkbox"/>	025RW9	22" Spoke* NA with Xtender or 8" x 2" casters	\$270.00
<input type="checkbox"/>	025RW1	24" Mag	NC
<input type="checkbox"/>	025RW2	24" Spoke	NC
<input type="checkbox"/>	025RW11	26" Spoke* NA with Xtender or 8" x 2" casters	\$179.00

Rear Wheel Tire

<input type="checkbox"/>	025RT1	Pneumatic	NC
<input type="checkbox"/>	025RT2	Pneumatic Airless Insert * NA with 26" wheels	\$209.00
<input type="checkbox"/>	025RT3	Full Poly NA with 26" wheels	NC
<input type="checkbox"/>	025RT6	High-Pressure Clincher * Only avail. On 24" or 26" spoke rims	\$87.00

Hand Rim

NA with Xtender Power Assist

<input type="checkbox"/>	025HR1	Aluminum Anodized	NC
<input type="checkbox"/>	025HR4	WAMO Plastic Coated -NA on all rims	\$133.00
<input type="checkbox"/>	025HR7	Omit Hand Rim	-\$24.00

Projection Hand Rim

NA with plastic coated hand rims.

<input type="checkbox"/>	025HR8	WAMQ 8 Oblique	\$122.00
--------------------------	--------	----------------	----------

Wheel Lock

<input type="checkbox"/>	025WL1	High Mount Push	NC
<input type="checkbox"/>	025WL2	High Mount Pull	NC
<input type="checkbox"/>	025WL5	High Mount Scissor NA w/ grade aids or extension handles	NC
<input type="checkbox"/>	025WL12	Do Not Mount	NC
<input type="checkbox"/>	025WL10	Omit	NC

Extension Handle

<input type="checkbox"/>	025EH1	6" Pair	\$61.00
--------------------------	--------	---------	---------

Grade Aid

<input type="checkbox"/>	025GA1	WAMR Grade Aid NA w/ poly, high-pressure clincher tires	\$133.00
--------------------------	--------	---	----------

Seat Sling to Top of Footplate Range

60° Swing-Away	Short Ext.	12 - 15 ^{3/4}
60° Swing-Away	Medium Ext.	14 ^{1/2} - 18 ^{1/4}
60° Swing-Away	Long Ext.	17 - 20 ^{3/4}
60° Platform Flip-Up	Short Ext.	12 ^{3/8} - 15 ^{5/8}
60° Platform Flip-Up	Medium Ext.	14 ^{1/2} - 17 ^{3/4}
60° Platform Flip-Up	Long Ext.	17 - 20 ^{1/4}
70° Swing-Away	Short Ext.	11 - 14 ^{3/4}
70° Swing-Away	Medium Ext.	13 ^{1/2} - 17 ^{1/4}
70° Swing-Away	Long Ext.	16 - 19 ^{3/4}
70° Platform Flip-Up	Short Ext.	11 ^{5/8} - 15 ^{3/8}
70° Platform Flip-Up	Medium Ext.	13 ^{3/4} - 17 ^{1/2}
70° Platform Flip-Up	Long Ext.	16 ^{1/4} - 20

*All adjustment ranges may vary due to seat height restrictions. Recommended 2^{1/2}" footrest clearance to ground surface.

* Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.

8. XTENDER POWER ASSIST OPTIONS *

Xtender Power Assist

Rear seat height of 16.5" only. Higher seat heights available through B4M.

<input type="checkbox"/>	025XT2	WPSIQU005 Xtender Power Assist 4X Multiplier NICKEL	\$7,956.00
<input type="checkbox"/>	025XT3	Xtender Power Assist 4X Multiplier LITHIUM	\$7,956.00

Please select one of the following handrim options

<input type="checkbox"/>	025XH3	Plastic Coated	NC
<input type="checkbox"/>	025XH4	Stainless Steel	NC

Xtender - Tire Option

<input type="checkbox"/>	025XW1	Pneumatic	NC
--------------------------	--------	-----------	----

Xtender - Other Options

<input type="checkbox"/>	025XA1	Spare NiMH Power Pack - NICKEL	\$3,055.00
<input type="checkbox"/>	025XA7	Spare NiMH Power Pack - LITHIUM	\$3,055.00

8. KEY OPTIONS & ACCESSORIES

Backpack

<input type="checkbox"/>	025A1	Quickie Backpack Black *	\$92.00
<input type="checkbox"/>	025A2	Quickie Kids Backpack Black *	\$87.00

Seat Pouch

<input type="checkbox"/>	025A8	Quickie Seat Pouch Black *	\$71.00
--------------------------	-------	----------------------------	---------

Crutch Holder

<input type="checkbox"/>	025A53	Left Side Mount *	\$97.00
--------------------------	--------	-------------------	---------

Positioning Belts

<input type="checkbox"/>	025A142	Belt 1.5" Auto Buckle	\$82.00
--------------------------	---------	-----------------------	---------

Spoke Guards

NA w/ Xtender Power Assist

<input type="checkbox"/>	025A23	WAMP Black Spoke Guards *	\$133.00
<input type="checkbox"/>	025A24	WAMP Clear Spoke Guards *	\$133.00

Side Guard

NA w/ height adjustable arms

<input type="checkbox"/>	025SG3	WAMV Plastic Regular	\$158.00
<input type="checkbox"/>	025SG4	WAMV Plastic Kids	\$158.00

GP Series Rear STF Chart

*All measurements given are an estimate and have been rounded to the nearest .5"

SHORT Frame (9 1/4" Front / 8 1/4" Rear)			Rear Axle Plate Hole Position						
			Standard			Inverted			
			Top	Middle	Bottom	Top	Middle	Bottom	
Wheel	Rim	Tire							
22"	Mag / Spoke	Full Poly	14.5	15	15.5	16	16.5	17	
22"	Mag / Spoke	Pneum / Insert	14.5	15	16	16	17	17.5	
24"	Mag / Spoke	Full Poly	15	15.5	16.5	16.5	17	17.5	
24"	Spoke / Spinergy	Clincher	15	16	16.5	16.5	17	18	
24"	Mag / Spoke / Spinergy	Pneum / Insert	15.5	16	17	17	17.5	18	
26"	Spoke / Spinergy	Clincher	16	17	17.5	17.5	18	19	
26"	Spoke / Spinergy	Pneumatic	16.5	17	17.5	18	18.5	19	

TALL Frame (11" Front / 10" Rear)			Rear Axle Plate Hole Position						
			Standard			Inverted			
			Top	Middle	Bottom	Top	Middle	Bottom	
Wheel	Rim	Tire							
22"	Mag / Spoke	Full Poly	16	16.5	17.5	17.5	18	19	
22"	Mag / Spoke	Pneum / Insert	16.5	17	17.5	18	18.5	19	
24"	Mag / Spoke	Full Poly	17	17.5	18	18.5	18.5	19.5	
24"	Spoke / Spinergy	Clincher	17	17.5	18	18.5	19	19.5	
24"	Mag / Spoke / Spinergy	Pneum / Insert	17	17.5	18.5	19	19	20	
26"	Spoke / Spinergy	Clincher	18	18.5	19	19.5	20	20.5	
26"	Spoke / Spinergy	Pneumatic	18	19	19.5	19.5	20	21	

Maximum Dump 2 3/4"

*** Custom Frame Height Through Configurator - REAR 6 1/2 - 13" (Max frame squeeze = 3 1/2") Calculate Accordingly

GP Series Front STF Chart

*All measurements given are an estimate and have been rounded to the nearest .5"

SHORT Frame (9 1/4" Front / 8 1/4" Rear)

Fork	Spacer	Fork Hole	3"	4" Poly	5" Poly	6" Poly	6" Pne	8" Poly	8" Pne	8x2
			4" Lighted	5" Soft Roll	6" x 1.5					
4 1/4	STD	Bottom	15.50	16.00	16.50	17.00	17.00	x	x	x
4 1/4	3/4	Bottom	16.50	17.00	17.00	17.50	18.00	x	x	x
4 1/4	1 1/2	Bottom	17.00	17.50	18.00	18.50	18.50	x	x	x
5 1/4	STD	Top	x	x	16.50	17.00	17.00	x	x	x
5 1/4	STD	Bottom	16.50	17.00	17.5	18.00	18.00	19.00	20.5	x
5 1/4	3/4	Top	x	x	17.50	18.00	18.00	x	x	x
5 1/4	3/4	Bottom	17.50	18.00	18.50	18.50	19.00	19.50	20.00	x
5 1/4	1 1/2	Top	x	x	18.00	18.50	18.50	x	x	x
5 1/4	1 1/2	Bottom	18.00	18.50	19.00	19.50	19.50	20.50	20.50	x
6	STD	Top	x	x	17.50	18.00	18.00	18.50	19.00	x
6	STD	Bottom	17.50	18.00	18.50	19.00	19.00	19.50	20.00	x
6	3/4	Top	x	x	18.00	18.50	18.50	19.50	19.50	x
6	3/4	Bottom	18.00	18.50	19.00	19.50	19.50	20.50	20.50	x
6	1 1/2	Top	x	x	19.00	19.50	19.50	20.00	20.50	x
6	1 1/2	Bottom	19.00	19.50	20.00	20.50	20.50	21.00	21.50	x
7	STD	Top	x	x	18.50	19.00	19.00	19.50	20.00	x
7	STD	Bottom	18.50	19.00	19.50	20.00	20.00	20.50	21.00	x
7	3/4	Top	x	x	19.00	19.50	19.50	20.50	20.50	x
7	3/4	Bottom	19.00	19.50	20.00	20.50	20.50	21.50	21.50	x
7	1 1/2	Top	x	x	20.00	20.50	20.50	21.00	21.50	x
7	1 1/2	Bottom	20.00	20.50	21.00	21.00	21.50	22.00	22.50	x
8x2	STD	Top	x	x	x	x	x	x	x	19.00
8x2	STD	Bottom	x	x	x	x	x	x	x	20.00
8x2	3/4	Top	x	x	x	x	x	x	x	19.50
8x2	3/4	Bottom	x	x	x	x	x	x	x	20.50
8x2	1 1/2	Top	x	x	x	x	x	x	x	20.50
8x2	1 1/2	Bottom	x	x	x	x	x	x	x	21.00

STANDARD Frame (10" Front / 9" Rear) ADD 3/4" to each measurement above

TALL Frame (11" Front / 10" Rear) ADD 1 3/4" to each measurement above

*** Custom Frame Height through Configurator - Front 9 - 13" - Calculate Accordingly (Minimum Front STF = 15 1/2" / Max = 26")

* Options marked by an asterisk are not covered by AADL and are the client's financial responsibility.