



# MEDmobility

5711- Calgary Trail NW  
Edmonton AB T6H 2K1  
P: 780-437-3300  
F: 780-430-9381  
www.medmobility.ca

**FOR AADL ONLY**  
**AADL Cat. #W558**

**Invacare® 3G Arrow®**  
**Storm Series® w/TrueTrack**  
**Suggested Canadian Price List**  
**July 1st, 2016**

NAME \_\_\_\_\_ PHONE NO \_\_\_\_\_

ACCOUNT # \_\_\_\_\_ P.O. \_\_\_\_\_ DATE \_\_\_\_\_

ADDRESS \_\_\_\_\_

## FRAME

### CHAIR TYPE

- 3GAR Arrow Base for Seat w/MK6i Electronics \$8,450  
*Arrow comes with choice of 300 lbs. or 400 lbs. user weight capacity, 6MPH (U300) 5 MPH (U400) top speed, Performance 4 Pole Motor Package (SSD Motors), MK6i CMPJ™+ joystick, MK690ACC controller.*
- 3GARBASE Arrow Base Only w/MK6i Electronics \$8,450  
*Base only does not come standard with Seat Positioning Strap.*
- 3GSEAT Seat Only See Seat Selection  
*When ordering a replacement seat and changing depth to 20" or deeper, must also order new arms.*

### TRANSPORT TIE DOWN

- TRRO Transport Ready Option **\*NOT COVERED BY AADL** \$416
- TRBKTS Wheelchair Transport Brackets No Charge

### USER WEIGHT LIMITS

- U300 User Weight <300 lbs. No Charge  
*U300 requires a pick from Drive Type. Please choose PERF or TRUTK.*
- U400 User Weight <400 lbs. No Charge  
*U400 comes with 4-pole motors/HD Gearboxes. No Pick required. Reduces speed to 5 mph. If GB motors are needed, select TRUTK under Drive Type.*

### FRAME TYPE

- SFS Short Frame No Charge  
*Standard with seat depths 12" - 18" Not available on seat depths of 1922D (19" to 22" seat depth range).*
- LFS Long Frame \$432  
*Standard with seat depths 19"-22" Not available on seat depths of 1218D (12" to 18" seat depth range).*

### ADJUSTABLE SEAT WIDTH RANGE

- 1216W 12" to 16" Seat Width Range No Charge
- 1620W 16" to 20" Seat Width Range No Charge
- 2024W 20" to 24" Seat Width Range \$460

### SEAT WIDTH

**For Seat Widths of 12"-15":** Jr. Seat widths/depths require a straight rear upright and a user weight limit of 150 lbs. Manual Reclining back not available. Additional charges apply to widths/depths less than 16" Jr. seat widths have Jr. arms with an adjustment range of 6"-10" inches in height.

- W12 12" Seat Width No Charge
- W13 13" Seat Width No Charge
- W14 14" Seat Width No Charge
- W15 15" Seat Width No Charge
- W16 16" Seat Width No Charge
- W17 17" Seat Width No Charge
- W18 18" Seat Width No Charge
- W19 19" Seat Width No Charge
- W20 20" Seat Width No Charge
- W21 21" Seat Width No Charge
- W22 22" Seat Width No Charge
- W23 23" Seat Width No Charge
- W24 24" Seat Width No Charge

*The 23" & 24" seat widths are not available with low seat-to-floor. Must pick Heavy Duty Pkg. to order 23" & 24" seat widths. Not available with TRRO*

*The 23" & 24" seat widths are not available with low seat-to-floor. Must pick Heavy Duty Pkg. to order 23" & 24" seat widths. Not available with TRRO*

### DRIVE TYPE

- PERF Performance 4 Pole Motor No Charge  
*PERF package is used with 300 lb. user weight capacity and comes with 6.5 MPH top speed, performance 4-pole motor package, MK690 Controller.*
- TRUTK TrueTrack GB™ Driving Package \$1,569  
*TrueTrack driving technology, which enables driver to track straighter regardless of the terrain, includes Monroe Spring Suspension, and 7 MPH maximum speed. Must pick MK6TT True Track controller. Not compatible with SPJ+ joystick. N/A with GTRAC.*

**Note: For G-Trac Module, go to Controller area under MK6i Selection**

**Transport Tie Down\***

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol 1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lbs. crash dummy, which corresponds to a person with a weight of 114 lbs. to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

## SEAT SELECTION

### SEAT SELECTION

- ADJASBA Adj. Rehab Seat w/Adj. Seat Tilt & Back Angle \$829
- ADJRECL Manual Recline for Adjustable ASBA \$1,609
- CURV Curved Back (Available for cantilever arms only) No Charge

*Curved back available with Cantilever arms only*

### ADJUSTABLE SEAT DEPTH RANGE

- 1218D 12" to 18" Seat Depth Range (short base) No Charge  
*Must select 12"-18" depth range(1218D) when ordering the 12"-16" seat width range (1216W). 12" & 13" widths are not available with 20"-24" back heights.*
- 1619D 16" to 19" Seat Depth Range (short base) No Charge
- 1922D 19" to 22" Seat Depth Range (long base) \$381

### ASBA SEAT DEPTH

*Contoura seating available in depths 16" - 22"*

**For Seat Depths of 12"-15":** Jr. Seat widths/depths require a straight rear upright and a user weight limit of 150 lbs. Manual Reclining back not available. Additional charges apply to widths/depths less than 16" Jr. seat widths have Jr. arms with an adjustment range of 6"-10" inches in height. Manual reclining back not available.

- D12 Seat Depth 12" No Charge
- D13 Seat Depth 13" No Charge
- D14 Seat Depth 14" No Charge
- D15 Seat Depth 15" No Charge
- D16 Seat Depth 16" No Charge
- D17 Seat Depth 17" No Charge
- D18 Seat Depth 18" No Charge
- D19 Seat Depth 19" No Charge
- D20 Seat Depth 20" No Charge
- D21 Seat Depth 21" No Charge
- D22 Seat Depth 22" No Charge

### SEAT TO FLOOR HEIGHT

*Listed values are for 0 degree Seat Angle and w/o TRBKTS. Please see below for additional information. (Values with an "F" represent factory settings, which are the lowest possible STF)*

- LOW Seat To Floor 17.5" No Charge  
*The 23" & 24" seat widths are not available with low seat-to-floor. Must pick Heavy Duty Pkg. to order 23" & 24" seat width.*
- MED Seat To Floor 19.75" No Charge
- TALL Seat To Floor 21" No Charge

## BACK SELECTION

### ADJASBA BACK TYPE

- SECT Sectional Rear Uprights No Charge
- SRUP Straight Rear Uprights No Charge
- 9720P No Push Handles (Straight Canes) \$119
- L8661 Omit Rear Uprights No Charge

### RECLINER BACK HEIGHT

*Used only with manual reclining seat selection.*

- BHR18 Back Height 18" No Charge
- BHR20 Back Height 20" No Charge
- BHR22 Back Height 22" No Charge
- BHR24 Back Height 24" No Charge
- BHR26 Back Height 26" No Charge

### ASBA BACK HEIGHT

- BH12 Back Height 12" No Charge
- BH13 Back Height 13" No Charge
- BH14 Back Height 14" No Charge
- BH15 Back Height 15" No Charge
- BH16 Back Height 16" No Charge
- BH17 Back Height 17" No Charge
- BH18 Back Height 18" No Charge
- BH19 Back Height 19" No Charge
- BH20 Back Height 20" No Charge
- BH21 Back Height 21" No Charge
- BH22 Back Height 22" No Charge
- BH23 Back Height 23" No Charge
- BH24 Back Height 24" No Charge

			Short Frame (12-16" or 16-19" Seat Depth)			Long Frame (19-22" Seat Depth)		
			Low	Medium	Tall	Low	Medium	Tall
Non-Powered Seating	0 Degree Seat Angle	w/ TRBKTS	17.5	19.75F	21F	17.75	20F	21.25F
Non-Powered Seating	0 Degree Seat Angle	w/o TRBKTS	17.25F	19.5F	20.75F	17.5F	19.75F	21F
Non-Powered Seating	5 Degree Seat Angle	w/ TRBKTS	18.25F-19	20.5-21.25	21.75-22.5	18.75F-19.5	21-21.75	22.25-23
Non-Powered Seating	5 Degree Seat Angle	w/o TRBKTS	18-18.75	20.25-21	21.5-22.25	18.5-19.25	20.75-21.5	22-22.75
Non-Powered Seating	5 Degree Seat Angle	W/ TRRO	22-22.75			20F		

**BACK ANGLE DEGREE**

<input type="checkbox"/> 85BA	85 Degree	\$71
<input type="checkbox"/> 90BA	90 Degree	<b>Standard</b>
<input type="checkbox"/> 95BA	95 Degree	\$71
<input type="checkbox"/> 100BA	100 Degree	\$71
<input type="checkbox"/> 105 BA	105 Degree	\$71

*Not available with seat widths 12"-16"*

**BACK ACCESSORIES**

<input type="checkbox"/> L8601	Omit Back Upholstery	Less net (\$20)
<input type="checkbox"/> RBP	Reinforced Back Upholstery	\$90

**ARM SELECTION**

**ARM TYPE**

*All arms are flip-up and detachable. Seat widths 12" - 15" not available with fixed height arms must use adjustable height arm style only.*

<input type="checkbox"/> 18F	Full Length Fixed Height. Conv. Flip Up	\$261
<input type="checkbox"/> 28F	Desk Length Fixed Height. Conv. Flip Up	\$261
<input type="checkbox"/> 19F	Full Length Adj. Height. Conv. Flip Up	\$372
<input type="checkbox"/> 29F	Desk Length Adj. Height. Conv. Flip Up	\$372

**CANTILEVER ARM TYPE (PAIR)**

*Cantilever Arms only available with 300 lbs. rated systems. Not available with BPO, Otto Bock, or 12" - 15" seat width. Must use hard back. See chart on last page for arm height adjustment range.*

<input type="checkbox"/> CLVF	Full Length Arm	\$488
<input type="checkbox"/> CLVD	Desk Length Arm	\$488

**CANTILEVER MIXED ARM TYPE (EACH)**

<input type="checkbox"/> CLVFR	Full Length Arm Right	\$244
<input type="checkbox"/> CLVDR	Desk Length Arm Right	\$244
<input type="checkbox"/> CLVFL	Full Length Arm Left	\$244
<input type="checkbox"/> CLVDL	Desk Length Arm Left	\$244

**ARMPAD OPTIONS (CANTILEVER ARMS)**

<input type="checkbox"/> WF	Waterfall Armpads	Standard
<input type="checkbox"/> RCL	Reclining Armpads	No Charge

**MK6i ELECTRONICS**

**CONTROLLER**

<input type="checkbox"/> MK690ACC	90 Amp Controller w/Actuator Control	<b>Standard</b>
<input type="checkbox"/> MK6TT	True Track Controller	No Charge
<input type="checkbox"/> GTRAC	G-Trac Module	\$988

*G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Only available on 4-pole motors. Not available w/SPJ+ joysticks or MK6TT.*

**STANDARD DRIVE CONTROL**

<input type="checkbox"/> CMPJM6	MPJ+ Multiple Drive Joystick with Colour Display	<b>Standard</b>
---------------------------------	--	-----------------

**ALTERNATIVE PROPORTIONAL CONTROL SYSTEMS**

<input type="checkbox"/> PWH	Harness req. for Expandable Electronics	No Charge
------------------------------	---	-----------

*Required to interface joystick or MK6i display with expandable controllers. Option is located under Electronics Accessories in configurator.*

<input type="checkbox"/> ASLRDYM6	MK6 Display Only (No Driver Control)	\$242
-----------------------------------	--------------------------------------	-------

*Display Only, No Driver control. Allows choice from order form.*

<input type="checkbox"/> 1500M6	Prop RIM Head Control w/Display	\$2,425
<input type="checkbox"/> SMHD	Small Headrest	\$241
<input type="checkbox"/> LGHD	Large Headrest	\$241
<input type="checkbox"/> 1558MM6	Compact Joystick w/ Display	\$1,097

**FOR ALL YOUR ASL DRIVE SYSTEM NEEDS PLEASE REFER TO ASL PRICE LIST FORM 05-220C**

**ALTERNATIVE DIGITAL CONTROL SYSTEMS**

*Must also use wither a Multiple Drive Joystick or MK6 Display.*

<input type="checkbox"/> SNPM6	Sip-N-Puff.	\$2,135
<input type="checkbox"/> 5018M6	Wafer Board & Digital Interface Box	\$2,545
<input type="checkbox"/> 5020M6	Mini Tash Joystick & Digital Interface Box	\$2,687

**SIP N PUFF KIT**

<input type="checkbox"/> PKG32666	Therapin Sip-N-Puff Breath Tube Kit	\$440
-----------------------------------	-------------------------------------	-------

**ADDITIONAL CONTROL CHOICES**

<input type="checkbox"/> 1558M6	Compact Joystick - Less Standard Mount	\$937
<input type="checkbox"/> PACM6	Prop. Attendant Control w/Quick Release Mount	\$1,024
<input type="checkbox"/> 1552M	Attendant Control <b>*NOT COVERED BY AADL*</b>	\$567

*Requires SNPM6 Sip-N-Puff Interface Box.*

**JOYSTICK MOUNTING HARDWARE**

<input type="checkbox"/> QLAM6	Quad Link Retract Joystick Mount MPJ+	\$358
<i>QLA includes Stealth Adj. Height Joystick Mount.</i>		
<input type="checkbox"/> QLM6	Quad Link Retract Joystick Mount MPJ+ w/Van Seat	\$358
<i>QLM6 includes Stealth Adj. Height Joystick Mount. Only available with Van Seating.</i>		
<input type="checkbox"/> LEFT	Left Hand Mounted Joystick	No Charge
<input type="checkbox"/> RIMHW	Rim Hardware For 1500M6	\$245
<input type="checkbox"/> PKG32669	Complete Bib Assembly (Tash/1558)	\$406
<input type="checkbox"/> RCM	Rear Cane Mount for Compact Joystick	\$159

**ELECTRONIC ACCESSORIES**

<input type="checkbox"/>	1813M6	MK6i Programmer w/Pro Memory Card	\$685
<input type="checkbox"/>	1813SD	Pro Memory Card (USB Ready)	\$112
<input type="checkbox"/>	1560	"T" Handle Flexible Joystick Extension	\$93
<input type="checkbox"/>	1561	Straight Handle Flexible Joystick Extension	\$69
<input type="checkbox"/>	1826	Chin Cup	\$38
<input type="checkbox"/>	A24VPS	24V MK6i Auxiliary Power Source	\$252
<input type="checkbox"/>	AUX12M6	Auxiliary Module For 1 & 2	\$706
<input type="checkbox"/>	AUX34M6	Auxiliary Module For 3 & 4	\$706
<input type="checkbox"/>	MPY	Mono Port "Y" Cable for MPJ+ or Display	\$22

*For use with CMPJ+ or MK6i Display to provide additional switch site.*

<input type="checkbox"/>	2PB	Dual Push Button	No Charge
--------------------------	-----	------------------	-----------

*Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems.*

*Not compatible with SPJ+ Joystick options.*

<input type="checkbox"/>	2SW	Dual Toggle	No Charge
--------------------------	-----	-------------	-----------

*Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems.*

*Not compatible with SPJ+ Joystick options.*

<input type="checkbox"/>	PBMT	Push Button Mounting Kit	\$352
<input type="checkbox"/>	RFM	Wireless (RF) Mouse Only Module <b>*NOT COVERED BY AADL</b>	\$811

*RFM includes Transmitter, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJ+.*

<input type="checkbox"/>	IR	Infrared Module w/Mouse Emulation <b>*NOT COVERED BY AADL</b>	\$910
--------------------------	----	---	-------

*Capable of operating up to six remote Infra-Red controlled devices. Also allows wireless (RF) Mouse operation through the driver control. Compatible with RFM module for control of two wireless mice from one chair. Includes two button stereo switch (with hook/ loop mount) for mouse clicks. Not compatible with SPJ+ Joysticks.*

**POWER SEATING ACCESSORIES**

*These options are located in the Configurator under the MK6i Electronics Folder. The Category Header inside the folder is labeled Power Seating Accessories*

<input type="checkbox"/>	4WSB	Four-Way Switch Box	\$1,739
--------------------------	------	---------------------	---------

*Required with all multiple actuator systems. Provides a D-9 port for the 4-way toggle or 4 push buttons.*

<input type="checkbox"/>	S4WSB	Multiple Actuator Interface Box	\$2,113
--------------------------	-------	---------------------------------	---------

*Replaces the Four Way Switch Box and allows multiple actuator operation through driver control.*

**POWER SEATING SWITCH OPTIONS**

<input type="checkbox"/>	FWT	4 Way Toggle	No Charge
<input type="checkbox"/>	QPB	4 Push Buttons	No Charge

**Systems**

For systems with two or more actuators, NOT operating through driver control, choose 4WSB with either 4-way toggle or 4-push button.

For systems with 2 or more actuators OPERATING THROUGH DRIVER CONTROL, choose S4WSB.

Uses 4-way toggle or 4-push button as attendant control.

**FRAME AND UPHOLSTERY COLOUR**

**FRAME FINISH**

<input type="checkbox"/>	24P	Wet Black	No Charge
<input type="checkbox"/>	105P	Midnight Blue	No Charge

**UPHOLSTERY TYPE**

<input type="checkbox"/>	U240	Black Nylon Upholstery	<b>Standard</b>
<input type="checkbox"/>	U67	Black Vinyl	No Charge



**CASTER AND WHEEL SELECTION**

**CASTER OPTIONS**

<input type="checkbox"/>	1259	6" X 2" Semi-Pneumatic Casters	\$132
<i>Only available with U300 lbs. weight capacity.</i>			
<input type="checkbox"/>	1228-3	8" X 2 1/4" Semi Pneu. Casters Lt Grey	<b>Standard</b>
<input type="checkbox"/>	1251-3	8" X 2" Pneumatic Casters	No Charge
<input type="checkbox"/>	1220-3	9" X 2 3/4" Pneumatic Casters	\$162
<i>Not available with short base. Not available with TRRO or TRBKTS.</i>			
<input type="checkbox"/>	1465-3	9" X 2 3/4" Foam Filled Casters	\$295
<i>Not available with short base. Not available with TRRO or TRBKTS.</i>			

**CASTER SUSPENSION**

*9" casters available as Custom Quote. Caster Suspension is Not available with TRRO or TRBKTS unless by Custom Quote.*

<input type="checkbox"/>	9213-6	Shock Fork For 6" Casters	\$209
<input type="checkbox"/>	9213-8	Shock Fork For 8" Casters	\$209

**FREE WHEEL HUB**

<input type="checkbox"/>	FHUB	Free Wheel Hub	\$184
--------------------------	------	----------------	-------

*Does not include Storm Series Mag Wheel or Fender. FHUB increases overall width 3/4" Not available with pneumatic wheels.*

**WHEEL OPTION**

- 1430-3 14" X 3" Pneumatic Tires Standard
- 1431-3 14" X 3" Tire w/Foam Filled Inserts \$198

**REAR WHEEL LOCATION**

- RWS Rear Wheel Standard **Standard**

**FENDER OPTION**

- L8603 Omit Fender Less Net (\$10)

**POSITIONING STRAPS**

**SEAT POSITIONING STRAPS**

- 1311BK Airline Buckle Seat Positioning Strap \$84  
*Not available with 12"-15" seat widths.*
- 1515 Auto Style Buckle Seat Positioning Strap **Standard**

**CHEST POSITIONING STRAPS**

- 7311BK Airline Buckle Chest Positioning Strap \$84
- 9515 Auto Style Chest Positioning Strap \$84
- 7321BK Hook & Loop Chest Pos. Strap \$66

**MISC ACCESSORIES**

**MISCELLANEOUS ACCESSORIES**

- SEATO2 Oxygen Holder (ADJASBA Seat Only) \$253
- 1303 Wheel Locks \$93  
*Not available with pneumatic tires.*

**BATTERY SELECTION**

**BATTERY BOXES**

- GP24 Group 24 Battery Boxes **Standard**

**BATTERIES**

- 24BATTERY Gel Battery (On Chair) \$701

**BATTERY CHARGER OPTIONS**

- 110CHARGER 110 Volt Battery Charger No Charge
- LESTR LESTER 8 amp Battery Charger \$356

**HANGER BRACKET TYPE**

**HANGER BRACKET TYPE**

- ASB Centre Pivot Style Bracket No Charge
- PSB Pin Style Bracket No Charge
- NHB No Hanger Bracket No Charge

**FRONT RIGGING OPTIONS**

**FRONT RIGGING**

**CENTRE PIVOT STYLE**

- 60HD 60° Swingaway Footrest 13.5"-17.5" \$241
- 70NHD 70° Non-Tapered S/A Footrest 13.5"-17" (Steel) \$241
- 70STAPER 70° Tapered Footrests 13"-17" (Aluminum) \$281
- AT5544 Manual Elevating Legrests (Aluminum) \$567

**PIN STYLE**

- PW93 Swingaway Footrests 13.5"-19" \$175
- P904A Swingaway Elevating Legrests 16"-19.75". \$357
- PAL4A Smartleg® Art. Legrests 17.25"-21.5" (16" wide plus) \$392

*For seat widths greater than or equal to 16"*

**POWER LEGS**

- ELRPW Power ELR with Articulation (Alum.) **\*NOT COVERED BY AADL** \$3,060

*Must pick 4WSB or S4WSB to operate power legs. Independent powered elevating articulating legrests with adjustable angle footplates. Extension range is 13"-20" Sold as pair.*

**FOOTPLATE OPTIONS**

- 1651 Flip-Up Composite Footplates No Charge
  - 1350 Extra Large Aluminum Footplates \$106
  - 1450 Aluminum Footplates - Deluxe No Charge
- Not Available on 70NHD.*
- AT5543 Adjustable Angle Flip Up Footplates \$132
  - AT5043 Flip Up Footplates No Charge

**FOOTREST/LEGREST ACCESSORIES**

- LPT2 Longer Pivot Slide Tube For 1350 \$132
- HLOOP Heel Loops (pair) \$84
- A1337 Calf Strap \$63
- IMPACTG Impact Guards No Charge
- ALPT Longer Pivot And Slide Tube \$132
- A9342 "H" Heel Strap \$94

MATRIX SEATING APPROVED BY AADL

Arrow Specifications		
Maximum Speed	7 MPH	
Seat Width Range (adjustable in 1" increments)	12" - 24"	
Seat Depth Range (adjustable in 1" increments)	12" - 19" Standard Base	20" - 22" Long Base
Seat-to-Floor	Standard Base	
	17 1/2" Standard	
	19 3/4" Optional	
	21" Optional	
Overall Length	29 1/2"	Short Base
	32 1/2"	Long Base
Overall Width	25"	
Weight Limits	300 lbs.	
	400 lbs.	
Measurement based on wheel base. Overall width is width picked plus 7 1/2" for armrest and joystick. Measured from headtube to anti-tipper. Based on 5° Tilt and 16" Seat Depth. Add 1/4" for additional 2" of Seat Depth. Field adjustable for 10° of total pre-tilt. <b>Note: All specifications and dominions are approximate.</b>		

**Chair Features and Options**

- Independent Suspension for RWD for Clinical and Functional Comfort
- Full Electronic Communication & Switch Option Capability
- Programmable Performance to Meet Individuals Needs
- Four Drives 1, 2, 3 & 4 - Four Chairs in One
- 5" Ground Clearance (RWD)
- Solid Seat Pan
- Convenient Rear Battery Access
- Automatic Self Connecting Battery Hookup
- Adjustable Depth Rigging Attachment 2" {1" increments}
- Automatic Dual Mode Battery Charger (Lester Brand)
- Multiple Colors to Choose From
- Option of Adjustable Tilt and Back Angle Seat

**Weight Limit 400 Pounds**  
 Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

**Note:** All weight limits are inclusive of add-on equipment and seat systems.

**Memory Card - BASIC**

- Standard with ALL Expandable Control Systems (CMPJ+, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

**Memory Card - PROFESSIONAL**

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file storage / retrieval
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

Invacare Canada reserves the right to change prices and specifications without notice.

HEAD OFFICE - 570 Matheson Blvd E., Unit #8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324 (Canada) Fax: (905) 890-5244 (800) 668-5478 (Canada)  
 Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120  
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.  
 WWW.INVACARE.CA

NOTE: All specifications and dimensions are approximate.  
 For the most current pricing information visit [www.invacare.ca](http://www.invacare.ca)