

**FOR AADL ONLY**  
**AADL Cat. #W801**

NAME \_\_\_\_\_ PHONE NO \_\_\_\_\_

ACCOUNT # \_\_\_\_\_ P.O. \_\_\_\_\_ DATE \_\_\_\_\_

ADDRESS \_\_\_\_\_

**BASE**

**CHAIR TYPE**

*TDXSP comes standard with: 300lbs. User weight capacity, 5.8 MPH top speed, 4 pole motor package (SSD Motors), MK6i SPJPLUS joystick, MK690 Controller, Quiet Stability Lock. Base only comes standard with MK690ACC Controller and SPJPLUS with PSS Joystick. Additional joystick options available.*

- TDXSP TDX SP with MK6i™ (w/ MK690 Cntrl) \$7,500
- TDXSPBASE TDX SP Base Only with MK6i™ (w/ MK690ACC Cntrl) \$7,500
- TDXSPSEAT TDX Seat Only See Seat Selection

**TRANSPORT TIE DOWN**

- TRBKTS Wheelchair Transport Brackets No Charge
  - TRRO Transport Ready Option (see chart) **\*NOT COVERED BY AADL** \$416
- See "TRRO Features For TDXSP" chart for allowable options.*

**USER WEIGHT LIMITS**

- U300 User Weight <300 lbs. No Charge
- Package includes 4-pole motors and 5.8 MPH top speed with <300 lbs. user weight limit.*
- U400 User Weight <400 lbs. \$548
- Package includes 4-pole motors and 5 MPH top speed with <400 lbs. user weight limit.*

**Note: For G-Trac Module, go to Controller area under MK6i Selection**

**SEAT TO FLOOR HEIGHTS**

- LOW Seat-to-Floor Low (16.5" at 0°) No Charge
- MED Seat-to-Floor Medium (18.5" at 0°) No Charge
- Not available with TRRO.*
- TALL Seat-to-Floor Tall (20.5" at 0°) No Charge
- Not available with TRRO.*

**WHEEL OPTION (PAIR)**

- 1430-3T 14" X 3" Pneumatic Tires No Charge
- Not available with TRRO.*
- 1431-3T 14" X 3" Tire w/Foam Filled Inserts **Standard**

**FORK OPTION**

- FKPKG One-sided Fork Package **\*NOT COVERED BY AADL** \$649

**FREE WHEEL HUB**

- FHUB Free Wheel Hub No Charge

**FRAME FINISH**

- 24P Wet Black No Charge
- 105P Midnight Blue No Charge

**SEAT**

**SEAT SELECTION**

- ADJASBA Adj. Rehab Seat w/Adj. Seat Tilt & Back Angle \$829
- ADJRECL Manual Recline for Adjustable ASBA \$1,606
- Not available with TRRO.*
- CURV Curved Back (Available for cantilever arms only) No Charge
- Curved back available with Cantilever arms only*

**Transport Tie Down\***

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSISRESNA WC Vol 1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lbs. crash dummy, which corresponds to a person with a weight of 114 lbs. to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

**TRRO Features for TDX SP**

<p><b>Required Features for TRRO</b></p> <ul style="list-style-type: none"> <li>• TDXSP</li> <li>• 70° Swingaway, 70° Tapered, or Manual Center Mount</li> <li>• Any Arm Style</li> <li>• Adjustable Rehab Seat with Adjustable Seat Tilt and Back Angle</li> <li>• Sectional or Straight Rear Uprights or No Push Handles</li> <li>• 14" x 3" Tires with Foam Filled Inserts</li> <li>• 90° or 95° Back Angle</li> <li>• 18" - 24" ASBA Back Height</li> <li>• Any Seat Width</li> <li>• Any Seat Depth</li> <li>• 300 lb. or 400 lb. user weight limit</li> <li>• Low Seat-to-Floor Height</li> <li>• 22NF Batteries</li> <li>• Any Color Frame Finish</li> </ul>	<p><b>Optional Features for TRRO</b></p> <ul style="list-style-type: none"> <li>• Adjustable Angle Flip Up Footplates, Flip-Up Composite</li> <li>• Footplates or Aluminum Footplates-Deluxe</li> <li>• Wheel Locks</li> <li>• Calf Strap</li> <li>• Heel Loops with Ankle Straps</li> <li>• Impact Guards</li> <li>• One Sided Fork Package</li> <li>• SPJ+, CMPJ+ Joystick</li> <li>• All PSR+ / PSF+ Joysticks</li> <li>• Proportional Attendant Control</li> <li>• "T" Handle Flexible Joystick Ext.</li> <li>• Left Hand Mounted Joystick</li> <li>• Straight Handle Flexible Joystick Ext.</li> <li>• Easy Remote Programmer</li> <li>• Reinforced Back Upholstery</li> </ul>
---	---

**ADJUSTABLE SEAT WIDTH RANGE**

- 1216W 12" to 16" Seat Width Range No Charge  
*Must select 12"-18" Depth Range (1218D) when ordering the 12"-16" Seat Width Range (1216W).*
- 1620W 16" to 20" Seat Width Range No Charge
- 2024W 20" to 24" Seat Width Range \$460

**ADJASBA SEAT WIDTH**

- W12 Seat Width 12" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- W13 Seat Width 13" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- W14 Seat Width 14" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- W15 Seat Width 15" No Charge
- W16 Seat Width 16" No Charge
- W17 Seat Width 17" No Charge
- W18 Seat Width 18" No Charge
- W19 Seat Width 19" No Charge
- W20 Seat Width 20" No Charge
- W21 Seat Width 21" No Charge
- W22 Seat Width 22" No Charge
- W23 Seat Width 23" No Charge
- W24 Seat Width 24" No Charge

**ADJUSTABLE SEAT DEPTH RANGE**

- 1218D 12" to 18" Seat Depth Range No Charge  
*Must select 12"-18" Depth Range (1218D) when ordering the 12"-16" Seat Width Range (1216W).*
- 1619D 16" to 19" Seat Depth Range No Charge
- 1922D 19" to 22" Seat Depth Range \$381

**ADJASBA SEAT DEPTH SETTING**

- D12 Seat Depth 12" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- D13 Seat Depth 13" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- D14 Seat Depth 14" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- D15 Seat Depth 15" No Charge  
*User weight limit is 150 lbs. Junior sizes only available with 2 " lower arms mounted independently from back canes and SRUP back canes.*
- D16 Seat Depth 16" No Charge
- D17 Seat Depth 17" No Charge
- D18 Seat Depth 18" No Charge
- D19 Seat Depth 19" No Charge
- D20 Seat Depth 20" No Charge
- D21 Seat Depth 21" No Charge
- D22 Seat Depth 22" No Charge

**ARM TYPE (PAIR)**

- 18F Full Length Fixed Height Conventional \$261
- 28F Desk Length Fixed Height Conventional \$261
- 19F Full Length Adjustable Height Conventional \$372
- 29F Desk Length Adjustable Height Conventional \$372

**ARM TYPE RIGHT**

- 29FR Desk Length Adjustable Height Right \$186
- 19FR Full Length Adjustable Height Right \$186

**ARM TYPE LEFT**

- 19FL Full Length Adjustable Height Left \$186
- 29FL Desk Length Adjustable Height Left \$186

**CANTILEVER ARM TYPE (PAIR)**

*Cantilever Arms only available with 300 lb. rated systems. Not available with BPO or 12"-15" seat width. **Must** use a Hard Back.*

- CLVF Full Length Arm \$488
- CLVD Desk Length Arm \$488

**CANTILEVER MIXED ARM TYPE (EACH)**

- CLVFR Full Length Arm Right \$244
- CLVDR Desk Length Arm Right \$244
- CLVFL Full Length Arm Left \$244
- CLVDL Desk Length Arm Left \$244

**ARMPAD OPTIONS (CANTILEVER ARMS)**

- WF Waterfall Armpads Standard
- RCL Reclining Armpads No Charge

Cantilever Arm Height Adjustment			
Back Type	Height	Adjustment	Adjustment with laterals
	20" or greater	11" to 16"	11" to 14"
CURV	19"	11" to 15"	11" to 13"
CURV	18"	11" to 14"	11" to 12"
CURV	17"	11" to 13"	no adjustment
CURV	16"	11" to 12"	not available

**ASBA SEAT BACK TYPE**

<input type="checkbox"/> SECT	Sectional Rear Uprights	No Charge
<input type="checkbox"/> SRUP	Straight Rear Uprights	No Charge
<input type="checkbox"/> 9720P	No Push Handles (Straight Canes)	\$119
<input type="checkbox"/> L8661	Omit Rear Uprights	Less Net (\$25)

**ASBA BACK ANGLE DEGREE**

<input type="checkbox"/> 90BA	90°	<b>Standard</b>
<input type="checkbox"/> 95BA	95°	\$71

**ASBA SEAT BACK HEIGHT**

<input type="checkbox"/> BH12	Back Height 12"	No Charge
<input type="checkbox"/> BH13	Back Height 13"	No Charge
<input type="checkbox"/> BH14	Back Height 14"	No Charge
<input type="checkbox"/> BH15	Back Height 15"	No Charge
<input type="checkbox"/> BH16	Back Height 16"	No Charge
<input type="checkbox"/> BH17	Back Height 17"	No Charge
<input type="checkbox"/> BH18	Back Height 18"	No Charge
<input type="checkbox"/> BH19	Back Height 19"	No Charge
<input type="checkbox"/> BH20	Back Height 20"	No Charge
<input type="checkbox"/> BH21	Back Height 21"	No Charge
<input type="checkbox"/> BH22	Back Height 22"	No Charge
<input type="checkbox"/> BH23	Back Height 23"	No Charge
<input type="checkbox"/> BH24	Back Height 24"	No Charge

**BACK HEIGHT RECLINER**

<input type="checkbox"/> BHR18	Back Height 18"	No Charge
<input type="checkbox"/> BHR20	Back Height 20"	No Charge
<input type="checkbox"/> BHR22	Back Height 22"	No Charge
<input type="checkbox"/> BHR24	Back Height 24"	No Charge
<input type="checkbox"/> BHR26	Back Height 26"	No Charge

**SEAT POSITIONING STRAPS**

<input type="checkbox"/> 1311BK	Airline Buckle Seat Positioning Strap	\$84
<i>1311BK not available on 12" - 15" wide.</i>		
<input type="checkbox"/> 1515	Auto Style Seat Positioning Strap	<b>Standard</b>

**CHEST POSITIONING STRAPS**

<input type="checkbox"/> 7311BK	Airline Buckle Chest Positioning Strap	\$84
<i>Not available on 12" - 15" wide.</i>		
<input type="checkbox"/> 9515	Auto Style Chest Positioning Strap	\$84
<input type="checkbox"/> 7321BK	Hook & Loop Chest Positioning Strap	\$66

**ELECTRONICS**

**MK6i™ CONTROLLERS**

<input type="checkbox"/> MK690ACC	90 Amp Controller w/Actuator Control	Standard
<input type="checkbox"/> GTRAC	G-Trac Module	\$988
<i>G-Trac provides Improved Capabilities and enhanced Traction. Does not require Special Motors. Not available with SPJPLUS joysticks.</i>		

**STANDARD DRIVER CONTROL**

<input type="checkbox"/> SPJPLUS	SPJPLUS Single Drive Joystick	Standard
----------------------------------	-------------------------------	----------

**BASE ONLY SPJPLUS OPTIONS**

*Base Only Systems for Multiple Actuator Powered Seating Systems will require MPJ+, or MK6i Display & Alternative Driver Control.*

<input type="checkbox"/> SPJAP	SPJPLUS With Powered Seating Switch	Standard
<input type="checkbox"/> SPJAPM	Single Actuator Operation through SPJPLUS	\$530

*Allows actuator Operation through Driver Control. Includes Egg Switch for attendant control.*

**MULTIPLE DRIVE CONTROL OPTIONS**

<input type="checkbox"/> PWH	Harness required for Expandable Electronics	No Charge
<i>Harness is required to interface joystick or MK6i display w/expandable controllers. Options is located under Electronics Accessories in configurator.</i>		
<input type="checkbox"/> CMPJM6U	MPJ+ Multiple Drive Joystick with Colour Display	\$1,024
<input type="checkbox"/> ASLRDYM6	MK6 Display Only (No Driver Control)	\$242
<i>Display Only, No Driver control. Allows choice from order form.</i>		

**ALTERNATIVE PROPORTIONAL CONTROL SYSTEMS**

<input type="checkbox"/> 1500M6	Prop RIM Head Control w/Display	\$2,425
<input type="checkbox"/> SMHD	Small Headrest	\$241
<input type="checkbox"/> LGHD	Large Headrest	\$241
<input type="checkbox"/> 1558MM6	Compact Joystick w/Display	\$1,097

**FOR ALL YOUR ASL DRIVE SYSTEM NEEDS PLEASE REFER TO THE ASL PRICE LIST FORM # 05-220C**

**ALTERNATIVE DIGITAL CONTROL SYSTEMS**

*Must also use either a Multiple Drive Joystick or MK6i Display.*

<input type="checkbox"/> SNPM6	Sip-N-Puff Digital Interface Box	\$2,135
<input type="checkbox"/> 5018M6	Wafer Board & Digital Interface Box	\$2,545
<input type="checkbox"/> 5020M6	Mini Tash Joystick & Digital Interface Box	\$2,687

**Systems**  
For systems with two or more actuators, NOT operating through driver control, choose 4WSB with either 4-way toggle or 4-push button.  
  
For systems with 2 or more actuators OPERATING THROUGH DRIVER CONTROL, choose S4WSB.  
Uses 4-way toggle or 4-push button as attendant control.

**SIP N PUFF KIT**

<input type="checkbox"/> PKG32666	Therafin Sip-N-Puff Breath Tube Kit	\$440
-----------------------------------	-------------------------------------	-------

**ADDITIONAL CONTROL CHOICES**

<input type="checkbox"/> 1558M6	Compact Joystick - Less Standard Mount	\$937
<input type="checkbox"/> PACM6	Proportional Attendant Control w/Quick Release Mount	\$1,024
<input type="checkbox"/> 1552M	Digital Attendant Control	\$567

*Requires SMNPM6 Sip-N-Puff Interface Box.*



**JOYSTICK MOUNTING HARDWARE**

<input type="checkbox"/> QLAM6	Quad Link Retract Joystick Mount CMPJ+	\$358
<i>QLAM6 and QLA come standard with Stealth Adj. Height Joystick Mount</i>		
<input type="checkbox"/> QLA	Quad Link Retract Joystick Mount SPJPLUS	\$358
<i>QLAM6 and QLA come standard with Stealth Adj. Height Joystick Mount</i>		
<input type="checkbox"/> LEFT	Left Hand Mounted Joystick	No Charge
<input type="checkbox"/> RIMHW	Rim Hardware For 1500	\$245
<input type="checkbox"/> PKG32669	Complete Bib Assembly (Tash/1558)	\$406
<input type="checkbox"/> RCM	Rear Cane Mount for Compact Joystick	\$159

**ELECTRONIC ACCESSORIES**

<input type="checkbox"/> 1813M6	MK6i Programmer with Pro Memory Card	\$685
<input type="checkbox"/> 1813SD	Pro Memory Card	\$112
<input type="checkbox"/> 1560	"T" Handle Flexible Joystick Extension	\$93
<input type="checkbox"/> 1561	Straight Handle Flexible Joystick Extension	\$69
<input type="checkbox"/> 1826	Chin Cup	\$38
<input type="checkbox"/> A24VPS	24V MK6i Auxiliary Power Source	\$252
<input type="checkbox"/> AUX12M6	Auxiliary Module For 1 & 2	\$706
<input type="checkbox"/> AUX34M6	Auxiliary Module For 3 & 4	\$706
<input type="checkbox"/> MPY	Mono Port "Y" Cable	\$22

*For use with MPJ+/PSR/PSF or MK6iDisplay to provide additional switch sites.*

<input type="checkbox"/> 2PB	Dual Push Button	\$182
------------------------------	------------------	-------

*Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems.*

*Compatible with SPJAP, SPJAPM, CMPJM6U. Not compatible with SPJPLUS.*

<input type="checkbox"/> 2SW	Dual Toggle	No Charge
------------------------------	-------------	-----------

*Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJPLUS Joystick.*

<input type="checkbox"/> PBMT	Push Button Mounting Kit	\$352
<input type="checkbox"/> RFM	Wireless (RF) Mouse Only Module <b>*NOT COVERED BY AADL</b>	\$811

*RFM includes Transmitter, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJPLUS.*

<input type="checkbox"/> IR	Infrared Module w/ Mouse Emulation <b>*NOT COVERED BY AADL</b>	\$910
-----------------------------	--	-------

*Capable of operating up to six remote Infra-Red controlled devices. Also allows wireless (RF) Mouse operation through the driver control. Compatible with RFM module for control of two wireless mice from one chair. Includes two button stereo switch (with hook/ loop mount) for mouse clicks. Not compatible with SPJPLUS Joysticks.*

**POWER SEATING ACCESSORIES**

*Capable of operating up to six remote Infra-Red controlled devices. Also allows wireless (RF) Mouse operation through the driver control. Compatible with RFM module for control of two wireless mice from one chair. Includes two button stereo switch (with hook/loop mount) for mouse clicks. Not compatible with SPJPLUS Joysticks.*

<input type="checkbox"/> 4WSB	Four-Way Switch Box (must select only one of FWT or QPB)	\$1,739
-------------------------------	--	---------

*Required with all multiple actuator systems. Provides a D-9 port for the 4-Way Toggle or 4-Push Button*

<input type="checkbox"/> S4WSB	Multiple Actuator Interface Box for Power Legs	\$2,113
--------------------------------	--	---------

*Replaces the 4-Way Switch Box and allows multiple actuator operation through driver control.*

<input type="checkbox"/> SANODE	Single Actuator Operation through Driver Control	\$375
---------------------------------	--	-------

*Multiple Drive Controls only. Not compatible with SPJPLUS Joysticks. The Egg Switch w/611 mount does not come standard when ordering a Sanode. [Use for operating Elevate through driver control.](#)*

**POWER SEATING SWITCH OPTIONS**

<input type="checkbox"/> FWT	Four-Way Toggle	No Charge
<input type="checkbox"/> QPB	Four Push Buttons	No Charge

**MISCELLANEOUS****BATTERY TRAY TYPE**

22TRY Base Width 24": 24TRY Base Width 25.5"

<input type="checkbox"/> 22TRY	22 NF Style Tray	Standard
<input type="checkbox"/> 24TRY	24 NF Style Tray	No Charge

**INSTALLATION OF BATTERIES**

<input type="checkbox"/> 22NFBATTERY	22 NF Battery (On Chair)	\$572
<input type="checkbox"/> 24BATTERY	24 Gel Battery (On Chair)	\$701

**BATTERY CHARGER OPTIONS**

<input type="checkbox"/> 110CHARGER	110 Volt Battery Charger	No Charge
<input type="checkbox"/> LESTR	LESTER 8 amp Battery Charger	\$356

**BACK ACCESSORIES**

<input type="checkbox"/> L8601	Omit Back Upholstery	Less Net (\$20)
<input type="checkbox"/> RBP	Reinforced Back Upholstery	\$90

**MISCELLANEOUS ACCESSORIES**

<input type="checkbox"/> 1303	Wheel Locks	\$93
<input type="checkbox"/> SEATO2	Oxygen Holder (ADJASBA Seat Only)	\$253

**FRONT RIGGING**

All Front rigging options include a standard footplate with the exception of the 70NHD.

**CENTRE MOUNT**

<input type="checkbox"/> CTMT-F	Centre Mount Adjustable Knee Angle 12 1/4"-15"	\$489
<i>Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 12.5" - 15"</i>		
<input type="checkbox"/> CTMT-FJ	Junior Centre Mount Adjustable Knee Angle 9 1/4"-12"	\$489
<i>Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 9.25" - 12"</i>		
<input type="checkbox"/> SM	Small Footplates (5.25" x 7.5")	No Charge
<input type="checkbox"/> MED	Medium Footplates (5.50" x 9.5")	No Charge
<input type="checkbox"/> LRG	Large Footplates (5.90" x 11.5")	No Charge
<input type="checkbox"/> CALF	Calf Pads For Center Mount	\$268

**CENTRE PIVOT STYLE**

<input type="checkbox"/> 70NHD	70° Non-Tapered S/A Footrest 13.25"-17" (Steel)	\$241
<i>Comes standard with 1651 footplates. With seat widths of 21" to 24" and depth of 16", must pick footplate 1350. The AT5543 is not available.</i>		
<input type="checkbox"/> 70STAPER	70° Tapered Footrests 13"-17" (Aluminum)	\$281
<i>Standard with impact guards. Not available with widths 19" - 24" and 16" deep seat. Comes with composite footplates.</i>		
<input type="checkbox"/> AT5544	Manual Elevating Legrests (Aluminum)	\$567
<i>Not available with 16" wide by 16" to 18" deep or 17" wide by 16" deep and low seat-to-floor.</i>		

**PIN STYLE HEMI (PAIR)**

<input type="checkbox"/> PHW93	70° Swingaway Footplates (Steel)	\$174
<input type="checkbox"/> PHAL4A	Manual Articulating/Elevating Legrests (Steel)	\$392

**POWER ELEVATING LEGRESTS - ARTICULATING \*NOT COVERED BY AADL**

To operate power legs, must select either 4WSB or S4WSB

<input type="checkbox"/> ELRPW	Power ELR w/Articulation 20" Extension - PAIR	\$3,060
<i>Independent powered elevating legrests including elevating and articulating legrest with angle adjustable footplates. Not available with the 16" or 17" seat depths. Extension range 13" - 20" (ELRPW) 15" - 22" (ELRPW22). Sold as pair. To operate power legs, must select with 4 way switch box (4WSB) or the multiple actuator interface box (S4WSB).</i>		
<input type="checkbox"/> ELRPW22	Power ELR w/Articulation 22" Extension - PAIR	\$3,060
<i>Not available with 16" wide by 16" - 18" deep or 17" wide by 16" deep and low seat-to-floor. Independent powered elevating legrests including elevating and articulating legrest with angle adjustable footplates. Not available with the 16" or 17" seat depths. Extension range 13" - 20" (ELRPW) 15" - 22" (ELRPW22).</i>		

**FOOTBOARD**

<input type="checkbox"/> 90FB	Footboard	\$224
-------------------------------	-----------	-------

**FOOTPLATE OPTIONS (PAIR)**

<input type="checkbox"/> 1651	Composite Footplates	No Charge
<i>Not available with AT5544 and 17" wide by 16" deep and low seat-to-floor.</i>		
<input type="checkbox"/> 1350	Extra Large Aluminum Footplates	\$106
<i>Not available with AT5544 and 16" wide by 16"-18" or 17" wide by 16" deep and low seat-to-floor.</i>		
<input type="checkbox"/> AT5543	Adjustable Angle Flip Up Footplates	\$132
<input type="checkbox"/> CTMTFB	Footboard for Center Mount	No Charge
<i>One piece footboard for Center Mount Rigging.</i>		

**FOOTREST/LEGREST ACCESSORIES**

<input type="checkbox"/> 1337	Calf Strap	\$63
<input type="checkbox"/> HLOOP	Heel Loops	\$84
<input type="checkbox"/> IMPACTG	Impact Guards	No Charge
<input type="checkbox"/> LPT2	Longer Pivot Slide Tube For 1350	\$132
<input type="checkbox"/> ALPT	Longer Pivot And Slide Tube	\$132
<input type="checkbox"/> ALPT4	Longer Pivot and Slide Tube 4"	\$132

**MATRIX SEATING APPROVED BY AADL**

TDX SP Specifications		
	Adult (Adjust)	Junior (Adjust)
Seat Width Range (adjustable in 1" increments)	16" - 24"	12" - 16"
Seat Depth Range	12" - 22"	12" - 18"
Back Height Range	12" - 24"	
Back Angle Range	85° - 105° in 5° increments	
Seat-to-Floor (approx.)		
Standard	16 1/2" at 0°	
Medium	18 1/2" at 0°	
Tall	20 1/2" at 0° at 5° add 1/2"	
Overall Length	24" without Joystick	
Overall Height (with 20" back height and 0° seat angle)		
Standard	35 1/2"	
Medium	37 1/2"	
Tall	39 1/2"	
Overall Length	35 1/4" without front rigging	43" with 90° front rigging
Weight		
4-Pole Motor	without 22NF Batteries	166 lbs.
	with two 22NF Batteries	264 lbs.
Drive Axle	Non-Adjustable	
Drive Wheels/Tires	(Foam-Filled or Pneumatic) Standard	14" x 3"

**Extended Warranty Information:**  
 Electrical Components: **2 Years**  
 Motors (2 and 4-pole): **2 Years**  
 GB Motors: **5 Years**

\* Warranty valid to original purchaser who purchases this product within Canada  
 \* For more product warranty information, please refer to the product owner's manual

**Weight Limit 300 Pounds**  
 Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

**Note:** All Weight limits are inclusive of add-on equipment and seating systems. All specifications and dimensions are approximate.

**Batteries**  
 22NF batteries with terminal configuration (positive on the left and negative on the right) **MUST** be used. 22NF batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection.  
 GP24 batteries with terminal configuration (negative on the left and positive on the right ) **MUST** be used. GP24 batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations **MUST** be followed otherwise injury and damage may occur.

**Memory Card - BASIC**

- Standard with ALL Expandable Control Systems (CMPJ+, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

**Memory Card - PROFESSIONAL**

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file storage / retrieval
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

Invacare Canada reserves the right to change prices and specifications without notice.  
 HEAD OFFICE - 570 Matheson Blvd E., Unit #8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324 (Canada) Fax: (905) 890-5244 (800) 668-5478 (Canada)  
 Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120  
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.  
 WWW.INVACARE.CA