



MEDmobility

5711- Calgary Trail NW
Edmonton AB T6H 2K1
P: 780-437-3300
F: 780-430-9381
www.medmobility.ca

FOR AADL ONLY
AADL Cat. #W657

Invacare® TDX™ Spree Rehab Seat
Power Wheelchair
Suggested Canadian Price List
July 1st, 2016

NAME _____ PHONE NO _____

ACCOUNT # _____ P.O. _____ DATE _____

ADDRESS _____

CHAIR TYPE

- TDXSPREE TDX Spree w/MK6i™ \$6,215
TDX Spree comes standard with: 165 lb user weight capacity, 4.8 mph top speed, 2-pole motor package & MK6i SPJ™ + Joystick, MK660ACC Controller, Quiet Stability Lock.
- TDXSPREESEAT TDX Spree Seat Only See Seat Selection

Note: For G-Trac Module, go to Controller area under MK6i Selection

BASE

TRANSPORT TIE DOWN (REQUIRED)

Must select either TRRO or TRBKTS

- TRRO Transport Ready Option (see chart) ***NOT COVERED BY AADL** No Charge
- TRBKTS Wheelchair Transport Brackets No Charge

WHEEL OPTION (PAIR)

- DW10535FF 10.5" x 3.5" Flat Free Tires **Standard**

USER WEIGHT LIMIT

- U165 User Weight <165 lbs. **Standard**

FORK OPTION

- FKPKG One-sided Fork Package ***NOT COVERED BY AADL** \$649

FRAME FINISH

- 24P Wet Black No Charge
- 62P Electric Blue No Charge

MANUAL TILT

**Note* Manual Tilt comes standard with Stroller Handles*

- MT Manual Tilt 45° \$524

SEAT TO FLOOR HEIGHTS

Due to variation in options the listed seat-to-floor heights have a tolerance of +/- 0.5"

- LOW 14.5" at 0° No Charge
- MED 16.5" at 0° (N/A on TRRO) No Charge
Not Available with TRRO.
- TALL 18.5" at 0° No Charge
Not Available with TRRO.

SEAT

SEAT SELECTION

- ADJASBA Seat w/Adjustable Seat Tilt & Back Angle \$829
- CNB Conventional Back No Charge
Not Available with TRRO. Only available with seat widths and depths 12" - 15".
- CURV Curved Back No Charge
Not Available with TRRO. Only available with seat widths 16".

ADJUSTABLE SEAT WIDTH RANGE

- 1216W 12" to 16" Seat Width Range No Charge

ADJASBA SEAT WIDTH

- W12 Seat Width 12" No Charge
- W13 Seat Width 13" No Charge
- W14 Seat Width 14" No Charge
- W15 Seat Width 15" No Charge
- W16 Seat Width 16" No Charge

TRRO Features for TDX SPREE

<p>Required Features</p> <ul style="list-style-type: none"> • TDX Spree • Manual Center Mount Front Riggings • T-Arms • 19F,29F with 16-18" deep only • Adjustable Rehab Seat with Adjustable Seat Tilt and Back Angle • Sectional or Straight Rear Uprights or No Push Handles • 10 1/2" x 3 1/2" Tires with Foam Filled Inserts • 90° or 95° Back Angle • 18" - 22" ASBA Back Height • Any Seat Width • Any Seat Depth • 165 lbs. user weight limit • Low Seat-to-Floor Height • U1 Batteries • Any Color Frame Finish 	<p>Optional Features</p> <ul style="list-style-type: none"> • Adjustable Angle Flip Up Footplates, Flip-Up Composite Footplates or Aluminum Footplates-Deluxe • Wheel Locks • Calf Strap • Heel Loops with Ankle Straps • Impact Guards • One Sided Fork Package • SPJ+, CMPJ+ Joysticks • All PSR+ / PSF+ Joysticks • Proportional Attendant Control • "T" Handle Flex. Joystick Ext. • Left Hand Mounted Joystick • Straight Handle Flexible Joystick Ext. • Easy Remote Programmer • Reinforced Back Upholstery • Manual Tilt
--	--

Please note that all TRRO chairs are set at 0 degree seat angle

TRANSPORT TIE-DOWN*

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol 1, Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lbs. crash dummy, which corresponds to a person with a weight of 114 lbs. to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

ADJUSTABLE SEAT DEPTH RANGE

- 1218D 12" to 18" Seat Depth Range No Charge

ADJASBA SEAT DEPTH SETTING

- D12 Seat Depth 12" No Charge
- D13 Seat Depth 13" No Charge
- D14 Seat Depth 14" No Charge
- D15 Seat Depth 15" No Charge
- D16 Seat Depth 16" No Charge
- D17 Seat Depth 17" No Charge
- D18 Seat Depth 18" No Charge

Conventional Back Height Chart									
Height Width	12"	13"	14"	15"	16"	17"	18"	19"	20"
12" - 13"	X	X	X	X					X
14" - 15"	X	X	X	X					

X = Not Available

ADJUSTABLE ARM TYPE (PAIR)

All arms are detachable

- 19F Full Length Adjustable Height Conventional \$372
- 29F Desk Length Adjustable Height Conventional \$372
- TADM T-arms, Desk Length Adj Hgt Arm (8"-12") \$372
- T-Arms not available with Conventional Back.*
- TAFM T-arms Full Length Adj Hgt Arm (8"-12") \$372
- T-Arms not available with Conventional Back.*

MIXED ARM TYPE (EACH)

- 29FR Desk Length Adjustable Height Right \$186
- 19FR Full Length Adjustable Height Right \$186
- 19FL Full Length Adjustable Height Left \$186
- 29FL Desk Length Adjustable Height Left \$186

ASBA SEAT BACK TYPE

- SRUP Straight Rear Uprights No Charge
- L8661 Omit Rear Uprights Less Net (\$25)

ASBA BACK ANGLE DEGREE

- 90BA 90° **Standard**
- 95BA 95° \$71

ASBA SEAT BACK HEIGHT

- BH12 Back Height 12" No Charge
- BH13 Back Height 13" No Charge
- BH14 Back Height 14" No Charge
- BH15 Back Height 15" No Charge
- BH16 Back Height 16" No Charge
- BH17 Back Height 17" No Charge
- BH18 Back Height 18" No Charge
- BH19 Back Height 19" No Charge
- BH20 Back Height 20" No Charge

SEAT POSITIONING STRAPS

- 1311BK Airline Buckle Seat Positioning Strap \$84
- Not available on 12"-15" wide.*
- 1515 Auto Style Seat Positioning Strap **Standard**

CHEST POSITIONING STRAPS

- 7311BK Airline Buckle Chest Positioning Strap \$84
- Not available on 12"-15" wide.*
- 9515 Auto Style Chest Positioning Strap \$84
- 7321BK Hook & Loop Chest Positioning Strap \$66

HEADREST TYPE (OPTIONAL FOR MANUAL TILT AND CONVENTIONAL BACK ONLY)

All arms are detachable

- TAR127700 Curved Headrest **Standard**
- TAR127700HW Curved Headrest Removable & Adjustable Hardware No Charge
- TAR128000 Two-Step Headrest No Charge
- TAR128000HW Two-Step Headrest Removable & Adjustable Hardware No Charge
- T0022400 Large Headrest \$104
- TAR22400HW Large Headrest Removable & Adjustable Hardware No Charge
- T0022600 Small Headrest \$104
- TAR22600HW Small Headrest Removable & Adjustable Hardware No Charge

ELECTRONICS

MK6i™ CONTROLLER

- MK660ACC 60 Amp Controller Standard
- GTRAC G-Trac Modue \$988

G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Only available on 4-pole motors. Not available w/SPJ+ joysticks or MK6TT.

STANDARD DRIVER CONTROL

- SPJAP SPJ™+ for Power Seating Standard

Includes Egg Switch with 611 mount to operate single actuator.

ACTUATOR OPERATION THROUGH SPJ+

- SPJAPM SPJ+ w/Joystick Actuator Control \$1,024

Allows actuator operation through the Driver Control. Includes port for the Attendant Switch.

EXPANDABLE CONTROLLER SYSTEMS

- PWH Harness required for Expandable Electronics No Charge
- Harness is required to interface joystick or MK6i display w/expandable controllers. Options is located under Electronics Accessories in configurator.*
- MPJM6U MPJ™+ Multiple Drive Joystick \$1,024
- ASLRDYM6 MK6 Display Only (No Driver Control) \$242

Display Only, No Driver control. Allows choice from order form.

ALTERNATIVE PROPORTIONAL CONTROL SYSTEMS

- 1500M6 Prop RIM Head Control w/Display \$2,425
- SMHD Small Headrest \$241
- LGHD Large Headrest \$241
- 1558MM6 Compact Joystick w/Display \$1,097

**FOR ALL YOUR ASL DRIVE SYSTEM NEEDS
PLEASE REFER TO THE ASL PRICE LIST
FORM # 05-220C**

ALTERNATIVE DIGITAL CONTROL SYSTEMS

Must also use either a Multiple Drive Joystick or MK6i Display.

- SNPM6 Sip-N-Puff Digital Interface Box \$2,135
- 5018M6 Wafer Board & Digital Interface Box \$2,545
- 5020M6 Mini Tash Joystick & Digital Interface Box \$2,687

SIP N PUFF KIT

- PKG32666 Therafin Sip-N-Puff Breath Tube Kit \$440

ADDITIONAL CONTROL CHOICES

- 1558M6 Compact Joystick - Less Standard Mount \$937
- PACM6 Proportional Attendant Control w/Quick Release Mount \$1,024
- 1552M Digital Attendant Control \$567

Requires SMNPM6 Sip-N-Puff Interface Box.

JOYSTICK MOUNTING HARDWARE

- QLAM6 Quad Link Retract Joystick Mount MPJ+ \$358
- QLA and QLAM6 include Stealth Adj. Height Joystick Mount.*
- QLA Quad Link Retract Joystick Mount SPJ+ \$358
- QLA and QLAM6 include Stealth Adj. Height Joystick Mount.*
- LEFT Left Hand Mounted Joystick No Charge
- RIMHW Rim Hardware For 1500 \$245
- PKG32669 Complete Bib Assembly (Tash/1558) \$406
- RCM Rear Cane Mount for Compact Joystick \$159

ELECTRONIC ACCESSORIES

- 1813M6 MK6i Programmer with Pro Memory Card \$685
- 1813SD Pro Memory Card \$112
- 1560 "T" Handle Flexible Joystick Extension \$93
- 1561 Straight Handle Flexible Joystick Extension \$69
- 1826 Chin Cup \$38
- AUX12M6 Auxiliary Module For 1 & 2 \$706
- AUX34M6 Auxiliary Module For 3 & 4 \$706
- MPY Mono Port "Y" Cable \$22

For use in the mode switch port of the MK6i Display, MPJ+ joysticks to provide two programmable switch functions (Monoport 1 and Mono-port 2 of the Calibrations menu). Not compatible with SPJ+ joysticks.

- 2PB Dual Push Button \$182

Option to replace Monoport "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options. "Y" Cable standard when ordering powered seating.

- 2SW Dual Toggle \$214

Option to replace Monoport "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options. "Y" Cable standard when ordering powered seating.

- PBMT Push Button Mounting Kit \$352
- RFM Wireless (RF) Mouse Only Module ***NOT COVERED BY AADL** \$811

RFM includes Transmitter, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJ+.

- IR Infrared Module with Mouse Emulation ***NOT COVERED BY AADL** \$910

Capable of operating up to six remote Infra-Red controlled devices. Also allows wireless (RF) Mouse operation through the driver control. Compatible with RFM module for control of two wireless mice from one chair. Includes two button stereo switch (with hook/loop mount) for mouse clicks. Not compatible with SPJ+ Joysticks.

POWERED SEATING ACCESSORIES

- SANODE Single Actuator Operation through Driver Control \$375
Multiple Drive Controls only. Not compatible with SPJ+ Joysticks. The Egg Switch w/611 mount does not come standard when ordering a Sanode. Use for operating Elevate through driver control.
- 4WSB Four-Way Switch Box (must select only one of FWT or QPB) \$1,739
Required with all multiple actuator systems. Provides a D-9 port for the 4-Way Toggle or 4-Push Button.
- S4WSB Multiple Actuator Interface Box for Power Legs \$2,113
Replaces the 4-Way Switch Box and allows multiple actuator operation through driver control.

POWER SEATING SWITCH OPTIONS

- FWT Four-Way Toggle No Charge
- QPB Four Push Buttons No Charge

MISCELLANEOUS

BACK ACCESSORIES

- L8601 Omit Back Upholstery Less Net (\$20)
- RBP Reinforced Back Upholstery \$90

MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks \$93

BATTERY CHARGER OPTIONS

- 110CHARGER 110 Volt Battery Charger No Charge
- LESTR Lester 8 Amp Battery Charger \$356
- L8900 Omit Charger No Charge

BATTERIES (REQUIRED)

Mandatory pick. All Elevating Seats must have batteries installed.

- U1INSTAL U1 Battery Installation (On Chair) No Charge

FRONT RIGGING

HANGER BRACKET TYPE

- ASB Centre Pivot Style Bracket No Charge
- PSB Pin Style Bracket No Charge

CENTRE MOUNT

For a 14"-18" extension range, available through special #SM-071217095848 with Tall STF Only and 5 Degree Seat-Tilt Angle.

- CTMT-F Centre Mount Adjustable Knee Angle 12.25"-15" \$489
Allows 60° to 90° static knee angle positioning with a drop back lever for easier transferring. Extension range 12 1/2" - 15". Footplates are adjustable angle. Must choose either SM, MED or LRG footplate.
- CTMT-FJ Junior Centre Mount Adjustable Knee Angle 9.25"-12" \$489
Allows 60° to 90° static knee angle positioning with a drop back lever for easier transferring. Extension range 9 1/4" - 12". Footplates are adjustable angle. Available on low seat-to-floor only. Must choose either SM, MED or LRG footplate.
- SM Small Footplates (5.25" x 7.5") No Charge
- MED Medium Footplates (5.50" x 9.5") No Charge
- LRG Large Footplates (5.90" x 11.5") No Charge
- CALF Calf Pads For Center Mount \$268

PIN STYLE HEMI (PAIR)

- PHW93 70° Swingaway Footplates 13.5" - 19" (Steel) \$174
Standard with aluminum footplates
- PHAL4A Manual Articulating/Elevating Legrests 17.25" - 21.5" (Steel) \$392

CENTRE PIVOT STYLE

- 90SWING 90° Swingaway Footrest \$248
Only available with AT5543 Adjustable Angle Flip-up footplates

FOOTPLATE OPTIONS (PAIR)

- AT5543 Adjustable Angle Flip Up Footplates \$132
- CTMTFB Footboard for Center Mount No Charge
One piece footboard for Center Mount (CTMT-F & CTMT-FJ) Riggings only.

FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap \$63
- HLOOP Heel Loops \$84
- IMPACTG Impact Guards No Charge

MATRIX SEATING APPROVED BY AADL

Systems
For systems with two or more actuators, NOT operating through driver control, choose 4WSB with either 4-way toggle or 4-push button.

For systems with 2 or more actuators OPERATING THROUGH DRIVER CONTROL, choose S4WSB.
Uses 4-way toggle or 4-push button as attendant control.

FWT or QPB is required when choosing the 4WSB or S4WSB.



TDX SPREE Specifications		
Seat Width Range: (in 1" increments)	12 - 16 inches	
Seat Depth Range:	12 - 18 inches	
Back Height Range:	12 - 20 inches (in 1" increments)	
Back Angle Range:	85° to 105° in 5" increments	
Seat-to-Floor (approximate)	@ 0°	
Standard	14.5 inches	
Medium	16.5 inches	
Tall	18.5 inches	
Overall Width of Base:	24 inches (w/o Joystick)	
Overall Height (with 20" back height & 0° seat angle)		
Standard:	34.5 inches	
Medium:	36.5 inches	
Tall:	38.5 inches	
Overall Length:	w/o front rigging	34"
	w/ 90° front rigging	39"
Weight:		
2 Pole Motor	w/o U1 Batteries	183 lb
	w/ two (2) U1 Batteries	230 lb
Drive Axle:	Non-Adjustable	
Drive Wheels/Tires:	(10.5" x 3.5" Foam-Filled)	

Memory Card - BASIC

- Standard with ALL Expandable Control Systems (CMPJ+, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

Memory Card - PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file storage / retrieval
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

Extended Warranty Information:

Electrical Components: **2 Years**
 Motors (2 and 4-pole): **2 Years**
 GB Motors: **5 Years**

* Warranty valid to original purchaser who purchases this product within Canada
 * For more product warranty information, please refer to the product owner's manual

Invacare Canada reserves the right to change prices and specifications without notice.
 HEAD OFFICE - 570 Matheson Blvd E., Unit #8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324 (Canada) Fax: (905) 890-5244 (800) 668-5478 (Canada)
 Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.
 WWW.INVACARE.CA