



160 Armand-Majeau Sud  
 Saint-Roch-de-l'Achigan, QC, Canada J0K 3H0  
 T.450 588-6555 1 866 650-6555 F.450 588-0200  
[orders@motioncomposites.com](mailto:orders@motioncomposites.com)  
[www.motioncomposites.com](http://www.motioncomposites.com)

4.4

MEDmobility

5711- Calgary Trail NW  
 Edmonton AB T6H 2K1  
 P: 780-437-3300  
 F: 780-430-9381  
[www.medmobility.ca](http://www.medmobility.ca)



## Helio C2

ORDER FORM - CANADA - AADL #

P.O. number: \* \_\_\_\_\_

Company Name: \* \_\_\_\_\_

Date: \_\_\_\_\_

Contact name: \* \_\_\_\_\_ Phone: \* \_\_\_\_\_

Email: \_\_\_\_\_

Marked for: \_\_\_\_\_

Ship to: \* \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Prov: \_\_\_\_\_

Zip Code: \_\_\_\_\_

Phone: \_\_\_\_\_

\* Required - Missing information may cause delays

Manual English  Manuel Français  Taxes not included

MODEL									
1	C2WC05	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (250 lbs. weight capacity)			\$3 395	<input type="checkbox"/>			
2	C2WC09	HD kit (350 lbs. weight capacity)			\$165	<input type="checkbox"/>			
3	C2WC10	E-Motion adaptor Kit (4 adaptors)			\$196	<input type="checkbox"/>			
FRAME COLOR (with carbon finish crossbrace)									
4	C2FC01	Carbon black <input type="checkbox"/>			STD	<input type="checkbox"/>			
5	C2FC03	Sapphire Blue <input type="checkbox"/>			NC	<input type="checkbox"/>			
SEAT WIDTH <sup>3</sup>									
6	C2SW	Seat width:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <input type="checkbox"/>	NC	<input type="checkbox"/>
7	C2SW	Seat width:	19" <input type="checkbox"/>	20" <input type="checkbox"/>	21" <input type="checkbox"/>	22" <input type="checkbox"/>		\$328	<input type="checkbox"/>
SEAT DEPTH									
8	C2SD	Seat depth:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <input type="checkbox"/>	NC	<input type="checkbox"/>
9	C2SD	Seat depth:	19" <input type="checkbox"/>	20" <input type="checkbox"/>				\$248	<input type="checkbox"/>

1. Available with HD Kit (350 lb)

2. Only with HD Kit (350 lb)

3. Width calculator

NEWTON ULTRALIGHT PACKAGE						
10	C2PK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels *			A value of \$720 Save \$230	\$490 <input type="checkbox"/>

STRAIGHT BACK (90° cane angle)									
11	C2BC06	Carbon fiber back cane	9 - 12" <input type="checkbox"/>	12 - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD	NC	<input type="checkbox"/>
<b>Set height to: *</b>		(measured from seat sling to top of back upholstery / see drawing at the end of the order form)							

8° BEND BACK									
12	C2BC12	Aluminum back cane	13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD	\$80	<input type="checkbox"/>	
13	C2BC08	Carbon fiber back cane *	13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD	\$150	<input type="checkbox"/>	
<b>Set height to: *</b>		(measured from seat sling to top of back upholstery / see drawing at the end of the order form)							

ADJUSTABLE ANGLE BACK									
14	C2BC09	Carbon fiber back cane <b>straight</b>	13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD	\$300	<input type="checkbox"/>	
15	C2BC10	Carbon fiber back cane <b>8° bend</b>	13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD	\$350	<input type="checkbox"/>	
16		Select back cane angle:	85° <input type="checkbox"/>	90° <input type="checkbox"/>	95° <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>	
<b>Set height to: *</b>		(measured from seat sling to top of back upholstery / see drawing at the end of the order form)							

\* If not indicated, default height setting is at the lowest position

PUSH HANDLES						
17	C2PH01	Push handles, 0 - 3" height adjustable			STD	<input type="checkbox"/>
18	C2PH02	Straight extensions, 0 - 3" height adjustable			NC	<input type="checkbox"/>
19	C2PH04	Stroller handle (only available with push handle) - (not available with the HD option) *			\$210	<input type="checkbox"/>
20	C2PH03	Folding Stabilizer bar (only available with push handle) *			\$250	<input type="checkbox"/>

\* Client's responsibility

SEAT CUSHION										
21	C2SC01	2" Cushion							\$168	<input type="checkbox"/>
22	C2SC02	3" Cushion							\$195	<input type="checkbox"/>
23		nXt FIT cushion series (See nXt FIT pricelist)			See pricelist					<input type="checkbox"/>
BACK UPHOLSTERY										
24	C2BH01	Slip on back upholstery							STD	<input type="checkbox"/>
25	C2BH02	Adjustable tension back upholstery							\$195	<input type="checkbox"/>
26	C2BH99	Omit Back upholstery							STD	<input type="checkbox"/>
FLIP BACK ARMREST (Convertible to "T" armrest)										
			Height Adjustment			Removable function				
26	C2AR01	10" Desk Length *	8 - 12" <input type="checkbox"/>	STD	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/>	STD	\$370	<input type="checkbox"/>
27	C2AR02	14" Full Length	8 - 12" <input type="checkbox"/>	STD	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/>	STD	\$370	<input type="checkbox"/>
"T" ARMREST										
			Height Adjustment							
28	C2AR03	10" Desk Length *	8 - 12" <input type="checkbox"/>	STD	10 - 14" <input type="checkbox"/>				\$350	<input type="checkbox"/>
29	C2AR04	14" Full Length	8 - 12" <input type="checkbox"/>	STD	10 - 14" <input type="checkbox"/>				\$350	<input type="checkbox"/>
SWING AWAY ARMREST										
			Height Adjustment							
30	C2AR05	Tubular arm pad			8 - 11"				\$288	<input type="checkbox"/>
31	C2AR06	10" Desk length arm pad			8 - 11"				\$288	<input type="checkbox"/>

SIDE GUARDS (not available with Flip Back and "T" Armrest)										
32	C2SG01	Plastic side guards (removable)							\$220	<input type="checkbox"/>
33	C2SG02	Carbon fiber side guards (fixed) *							\$248	<input type="checkbox"/>
34	C2SG04	Carbon fiber mud guards (removable) *							\$490	<input type="checkbox"/>

SWING-IN/SWING-OUT FOOTREST										
Set length at:										
35	C2FR03	60° Swing-in/swing-out footrest	Range guide: 13.5 - 17.5" <input type="checkbox"/>	15.75 - 20" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>	Set at:			NC	<input type="checkbox"/>
36	C2FR04	70° Swing-in/swing-out footrest	Range guide: 13.5 - 17.5" <input type="checkbox"/>	15.75 - 20" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>	Set at:			NC	<input type="checkbox"/>
37	C2FR05	90° Swing-in/swing-out footrest	Range guide: 11 - 13.75" <input type="checkbox"/>	13.5 - 15.5" <input type="checkbox"/>		Set at:			NC	<input type="checkbox"/>
38	C2FR06	90° Swing-in/swing-out footrest front mount (Footplate mounted to hanger tube)			8"-14" <input type="checkbox"/>	Set at:			NC	<input type="checkbox"/>
39	C2FR10	Elevating legrest with calf pad, 14" - 20" Length adjustable *		Left <input type="checkbox"/>	Right <input type="checkbox"/>	Set at:			\$290	<input type="checkbox"/>
40	C2FR11	Length modification, between 12.5" and 13.5"				Set at:			\$90	<input type="checkbox"/>

\*The elevating legrest replaces the footrest. If the same side footrest is required, it will need to be ordered separately.

STUMP SUPPORT (Height and angle adjustable)										
41	C2FR12	Swing away stump support: **	8" x 11"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				\$375	<input type="checkbox"/>
** AADL will only purchase one side										

FOOTPLATES *										
42	C2FP01	Standard (Composite)							STD	<input type="checkbox"/>
43	C2FP02	Newton adjustable angle (Composite)				<b>New</b>			\$140	<input type="checkbox"/>
44	C2FP03	Newton Adjustable angle (Aluminum)							\$160	<input type="checkbox"/>
45	C2FP04	Newton Adjustable angle (Carbon fiber with rubber inserts)							\$370	<input type="checkbox"/>
46	C2FP06	One piece adjustable angle flip-up (Aluminum)							\$200	<input type="checkbox"/>
47	C2FP07	One piece adjustable angle flip-up (Carbon fiber with rubber inserts)							\$440	<input type="checkbox"/>
48	C2FP08	Length adjustable heel loop (not available with one piece footplate)							NC	<input type="checkbox"/>
49	C2FP09	Calf strap							\$50	<input type="checkbox"/>
50	C2FP10	Padded calf strap							\$80	<input type="checkbox"/>

\* Client's responsibility

CASTERS													
50	C2CA01	Composite wheel w/ PU tire (1" width)	3" <input type="checkbox"/>	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	7" <input type="checkbox"/>	8" <input type="checkbox"/>				NC	<input type="checkbox"/>
51	C2CA10	Pneumatic casters 6" x 1 1/4"										\$160	<input type="checkbox"/>
52	C2CA11	Pneumatic casters 8" x 1 1/4"										\$160	<input type="checkbox"/>
NEWTON ULTRACASTER (Soft-Roll)													
53	C2CA14	Newton UltraCaster Composite wheels <sup>1</sup>	4" x 1 1/2"			<b>New</b>						\$120	<input type="checkbox"/>
54	C2CA15		5" x 1 1/2"									\$130	<input type="checkbox"/>
55	C2CA16		6" x 1 1/2"									\$140	<input type="checkbox"/>
56	C2CA17	Newton UltraCaster Aluminum wheels <sup>1</sup>	4" x 1 1/2"									\$175	<input type="checkbox"/>
57	C2CA18		5" x 1 1/2"									\$185	<input type="checkbox"/>
58	C2CA19		6" x 1 1/2"								\$195	<input type="checkbox"/>	
CASTER OPTIONS *													
59	C2CA12	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) *										\$250	<input type="checkbox"/>
60	C2CA13	Frog Legs suspension forks (Not available with caster pin locks) *			Specify weight of user <sup>2</sup> :						\$475	<input type="checkbox"/>	

1: Newton Ultracaster wheels are designed to absorb vibrations

2: Max weight: 220 lbs

### FRONT Seat-to-floor Height - Please circle your choice

Forks		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13	14	15	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14	15	16	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14 1/4"	15 1/4"	16 1/4"	14 3/4"	15 3/4"	16 3/4"									
	P3	14 1/4"	15 1/4"	16 1/4"	14 3/4"	15 3/4"	16 3/4"	15 1/4"	16 1/4"	17 1/4"	15 3/4"	16 3/4"	17 3/4"	16 1/4"	17 1/4"	18 1/4"	16 3/4"	17 3/4"	18 3/4"
	P4	14 3/4"	15 3/4"	16 3/4"	15 1/4"	16 1/4"	17 1/4"	15 3/4"	16 3/4"	17 3/4"	16 1/4"	17 1/4"	18 1/4"	16 3/4"	17 3/4"	18 3/4"	16 3/4"	17 3/4"	18 3/4"
7"	P1												16 1/4"	17 1/4"	18 1/4"	16 3/4"	17 3/4"	18 3/4"	
	P2							16 1/4"	17 1/4"	18 1/4"	16 3/4"	17 3/4"	18 3/4"	17 1/4"	18 1/4"	19 1/4"			
	P3							16 3/4"	17 3/4"	18 3/4"	17 1/4"	18 1/4"	19 1/4"	17 3/4"	18 3/4"	19 3/4"	18 1/4"	19 1/4"	20 1/4"
	P4				16 3/4"	17 3/4"	18 3/4"	17 1/4"	18 1/4"	19 1/4"	17 3/4"	18 3/4"	19 3/4"	18 1/4"	19 1/4"	20 1/4"	18 3/4"	19 3/4"	20 3/4"
	P5	16 3/4"	17 3/4"	18 3/4"	17 1/4"	18 1/4"	19 1/4"	17 3/4"	18 3/4"	19 3/4"	18 1/4"	19 1/4"	20 1/4"	18 3/4"	19 3/4"	20 3/4"	19 1/4"	20 1/4"	21 1/4"

REAR WHEELS														
61	C2RW01	Mag			20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>						\$125	<input type="checkbox"/>
62	C2RW02	Newton One - spoke wheel					22" <input type="checkbox"/>	24" <input type="checkbox"/>					NC	<input type="checkbox"/>
63	C2RW03	Newton Gravity - ultralight wheel *			20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>				\$350	<input type="checkbox"/>
64	C2RW04	Spinergy Spox *					22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>			\$800	<input type="checkbox"/>
65		Spinergy Spox spokes colors <sup>1</sup>			Blk <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>				NC	<input type="checkbox"/>
66	C2RW05	Spinergy LX *					22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>			\$995	<input type="checkbox"/>
67		Spinergy LX spokes colors <sup>1</sup>			Blk <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>	NC	<input type="checkbox"/>

<sup>1</sup> Black spokes standard lead-time / Colour spokes up to 2 weeks extra lead-time

TIRES										Available		
68	C2TI01	Soft Urethane 1 1/4" "								20", 22" 24"	STD	<input type="checkbox"/>
69	C2TI02	Soft Urethane knobby 1 3/8" *								24"	\$110	<input type="checkbox"/>
70	C2TI04	Soft Urethane - Shox 1" *								24", 25"	\$130	<input type="checkbox"/>
71	C2TI05	Pneumatic 1 3/8" **								20", 22", 24", 25", 26"	NC	<input type="checkbox"/>
72	C2TI06	Pneumatic HP - Schwalbe Right Run 1" *								20", 22", 24", 25", 26"	\$110	<input type="checkbox"/>
73	C2TI07	Pneumatic HP - Schwalbe Marathon Plus 1" *								24", 25", 26"	\$190	<input type="checkbox"/>

\* Client's responsibility

### REAR Seat-to-floor Height

WHEEL SIZES	Height available +/- 1/4"	Specify desired height: <hr style="width: 100%; border: none; border-top: 1px solid black;"/>
20" wheel	12 1/2" to 17"	
22" wheel	13 1/2" to 18"	
24" wheel	14 1/2" to 19"	
25" wheel	15" to 19 1/2"	
26" wheel	15 1/2" to 20"	

HANDRIM			Assembly				
74	C2HR01	Aluminum anodized	Regular STD <input type="checkbox"/> Narrow* <input type="checkbox"/>			STD	<input type="checkbox"/>
75	C2HR07	Newton Air Grip* <span style="margin-left: 100px;">Black <input type="checkbox"/></span>		<b>New</b>		\$150	<input type="checkbox"/>
76	C2HR	Newton Air Grip* <span style="margin-left: 20px;">08 Orange <input type="checkbox"/></span> <span style="margin-left: 20px;">09 Burgundy <input type="checkbox"/></span> <span style="margin-left: 20px;">10 Blue Sapphire <input type="checkbox"/></span> <span style="margin-left: 20px;">11 Monster Green <input type="checkbox"/></span> <span style="margin-left: 20px;">12 Charcoal <input type="checkbox"/></span> <span style="margin-left: 20px;">13 Fuchsia <input type="checkbox"/></span> <span style="margin-left: 20px;">14 Steel Blue <input type="checkbox"/></span> <span style="margin-left: 20px;">15 Red <input type="checkbox"/></span> <span style="margin-left: 20px;">16 Acid Green <input type="checkbox"/></span> <span style="margin-left: 20px;">17 White <input type="checkbox"/></span>		<b>New</b>		\$330	<input type="checkbox"/>
77	C2HR02	Plastic coated				\$150	<input type="checkbox"/>
78	C2HR03	Q-Grip High friction Neoprene coated*				\$230	<input type="checkbox"/>
79	C2HR05	Surge LT* <sup>1</sup> (oval aluminum handrim w/ a rubber high friction strip)				\$370	<input type="checkbox"/>
80	C2HR04	Natural Fit* <sup>2</sup> (oval aluminum handrim w/thumb piece)				\$370	<input type="checkbox"/>
81	C2HR06	Bbraver <sup>1</sup> (ultra-performance aluminum handrim , adjustable) <span style="margin-left: 20px;">Orange <input type="checkbox"/></span> <span style="margin-left: 20px;">White <input type="checkbox"/></span> <span style="margin-left: 20px;">Black <input type="checkbox"/></span>			See pricelist		<input type="checkbox"/>
82	C2HR99	Omit handrim				NC	<input type="checkbox"/>

\* Not available with Mag wheels      1 - Not available in 20" and 26"      2 - Not available in 20"

AXLE							
83	C2AX01	Quick release axle			STD	<input type="checkbox"/>	
84	C2AX02	Permanent axle			NC	<input type="checkbox"/>	
85	C2AX03	Quad release axle (clinical justification required)			\$170	<input type="checkbox"/>	

AXLE PLATE							
86	C2AX04	Amputee adjustable axle plate (may interfere with swing away armrest)			\$240	<input type="checkbox"/>	

REAR WHEEL CAMBER ANGLE							
87	C2CM00	0° camber			STD	<input type="checkbox"/>	
88	C2CM03	3° camber			NC	<input type="checkbox"/>	
89	C2CM06	6° camber (not available with amputee axle plate) *			\$80	<input type="checkbox"/>	

WHEEL LOCK							
90	C2WL08	Newton Wheel lock - push to lock	<b>New</b>		STD	<input type="checkbox"/>	
91	C2WL09	Newton wheel lock with 6" removable extension handle	<b>New</b>		\$65	<input type="checkbox"/>	
92	C2WL02	Pull to lock			NC	<input type="checkbox"/>	
93	C2WL03	Pull to lock with 6" removable extension handle			\$65	<input type="checkbox"/>	
94	C2WL04	Newton Grade aid push to lock (suggested with pneumatic or high pressure tire)			\$165	<input type="checkbox"/>	
95	C2WL07	Newton Grade aid push to lock with 6" removable extension handle			\$230	<input type="checkbox"/>	
96	C2WL05	Scissor Lock *			\$300	<input type="checkbox"/>	

POSITIONING BELT							
97	C2SB01	Velcro adjustable			\$40	<input type="checkbox"/>	
98	C2SB02	Auto buckle			\$50	<input type="checkbox"/>	
99	C2SB07	Hardware attachment for 2 point seatbelt (1 pair)	<b>New</b>		NC	<input type="checkbox"/>	
100	C2SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)	<b>New</b>		\$12	<input type="checkbox"/>	

HEADREST							
101	C2AC01	Profiled Headrest * <span style="margin-left: 40px;">Small <input type="checkbox"/></span> <span style="margin-left: 40px;">Medium <input type="checkbox"/></span> <span style="margin-left: 40px;">Large <input type="checkbox"/></span>			\$200	<input type="checkbox"/>	
102	C2AC02	Headrest mounting hardware with tension bar * <sup>1</sup>			\$328	<input type="checkbox"/>	


<sup>1</sup> Only available with push handles      \* Client's responsibility

ACCESSORIES							
103	C2AC03	Anti tippers			\$110	<input type="checkbox"/>	
104	C2AC04	Transit Tie Down - Unoccupied *			NC	<input type="checkbox"/>	
105	C2AC06	Cane Carrier * <span style="margin-left: 40px;">Left <input type="checkbox"/></span> <span style="margin-left: 40px;">Right <input type="checkbox"/></span>			\$98	<input type="checkbox"/>	
106	C2AC07	Oxygen tank holder - D Type <span style="margin-left: 40px;">Left <input type="checkbox"/></span>			\$360	<input type="checkbox"/>	
107	C2AC08	Spoke guards * <sup>1</sup> <span style="margin-left: 20px;">Available: 20", 22", 24", 26"</span>			\$140	<input type="checkbox"/>	
108	C2AC09	Footrest neoprene impact guard * (pr) - Black			\$75	<input type="checkbox"/>	
109	C2AC10	Seat pouch *			\$95	<input type="checkbox"/>	
110	C2AC11	Backpack *			\$120	<input type="checkbox"/>	
111	C2AC12	Velcro Closing Strap *			\$50	<input type="checkbox"/>	
112	C2AC13	Tool kit *			\$50	<input type="checkbox"/>	
113	C2AC14	Motion Composites T-Shirt <span style="margin-left: 20px;">S <input type="checkbox"/></span> <span style="margin-left: 20px;">M <input type="checkbox"/></span> <span style="margin-left: 20px;">L <input type="checkbox"/></span> <span style="margin-left: 20px;">XL <input type="checkbox"/></span> <span style="margin-left: 20px;">XXL <input type="checkbox"/></span>			\$28	<input type="checkbox"/>	

\* Client's responsibility

<b>TOTAL</b>							
--------------	--	--	--	--	--	--	--

**CENTER OF GRAVITY**



**Choose position of rear wheel axle plate:**

Measure distance X from front of back post to center of axle receiver.

X =	Plus Stable								Plus agile				
	1"	1" 1/4	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


**If not indicated, default setting is at 1.5"**

*Possible conflict between a seat depth under 16" and a center of gravity over 2.5".*

*Possible conflict between a 26" rear wheel and a center of gravity over 2.5".*

*If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG by one inch without notice*

**BACK UPHOLSTERY HEIGHT**



**3" of adjustability**

The slip-on or adjustable tension back upholstery is attached to the push handle offering 3" of height adjustment with increment of 1/2".

**Back upholstery height**

Rigid backs are attached to the back cane and the height of the push handle is adjusted independently.

**Fork and Stem bolt combinations**

