

### Customer and Order Information

Purchase Order *	Tag	v.040518
<b>MEDmobility Reference Only</b>		
Dealer/Provider Name *		
Purchase Order Number *		
Billing Address *		
Shipping Address *		

### Frame Type

<input checked="" type="checkbox"/> 1501000	<b>Fuze T50 50° Manual Tilt Wheelchair</b>	\$ 3,995
---	--	----------

### Frame Options

<b>Fixed Base and Seat Frame</b> Select Fixed Seat Width below.		
<input type="checkbox"/> 1502010	300 lbs Weight Capacity	
<input type="checkbox"/> 1502011	350 lbs Weight Capacity Not compatible with Transit Tie Down System. Requires Flat-free Rear Tires or Heavy Duty Spoke Rear Wheels.	
<input type="checkbox"/> 1502025	<b>Adjustable Base and Seat Frame</b> 250 lbs Weight Capacity. Select Adjustable Seat Width below.	\$ 100
<input type="checkbox"/> 1502300	<b>Transit Tie Down System (TTDS)</b> TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RENSA WC 19. See Owners Manual for complete details. Tested to max. Weight Capacity of 300 lbs.	

### Seat Width Overall chair width is +7.5" for 12/16" RW and +8.5" for 20/22/24" RW

<b>Fixed Seat Widths</b> Order with Fixed Base and Seat Frame.						
<input type="checkbox"/> 1503015	15" Seat Width	<input type="checkbox"/> 1503016	16" Seat Width	<input type="checkbox"/> 1503017	17" Seat Width	
<input type="checkbox"/> 1503018	18" Seat Width	<input type="checkbox"/> 1503019	19" Seat Width	<input type="checkbox"/> 1503020	20" Seat Width	
<input type="checkbox"/> 1503021	21" Seat Width	<input type="checkbox"/> 1503022	22" Seat Width			\$ 215
<input type="checkbox"/> 1503023	23" Seat Width	<input type="checkbox"/> 1503024	24" Seat Width			\$ 325
<b>Adjustable Seat Widths</b> Order with Adjustable Base and Seat Frame.						
<input type="checkbox"/> 1503112	12"-15" Range - Set at 12"	<input type="checkbox"/> 1503113	12"-15" Range - Set at 13"	<input type="checkbox"/> 1503114	12"-15" Range - Set at 14"	
<input type="checkbox"/> 1503115	12"-15" Range - Set at 15"					
<input type="checkbox"/> 1503215	15"-20" Range - Set at 15"	<input type="checkbox"/> 1503216	15"-20" Range - Set at 16"	<input type="checkbox"/> 1503217	15"-20" Range - Set at 17"	
<input type="checkbox"/> 1503218	15"-20" Range - Set at 18"	<input type="checkbox"/> 1503219	15"-20" Range - Set at 19"	<input type="checkbox"/> 1503220	15"-20" Range - Set at 20"	
<input type="checkbox"/> 1503321	21"-22" Range - Set at 21"	<input type="checkbox"/> 1503322	21"-22" Range - Set at 22"			\$ 215

### Seat Depth

<b>Standard Seat Depths (Adjustable)</b>						
<input type="checkbox"/> 1504015	15" Seat Depth	<input type="checkbox"/> 1504016	16" Seat Depth	<input type="checkbox"/> 1504017	17" Seat Depth	
<input type="checkbox"/> 1504018	18" Seat Depth	<input type="checkbox"/> 1504019	19" Seat Depth	<input type="checkbox"/> 1504020	20" Seat Depth	
<b>Custom Seat Depths</b> Requires 25" Push Bar Back Straight, Angle/Height Adjustable Push Bar. Not compatible with Reclining or Fold Down Back.						\$ 325
<input type="checkbox"/> 1504021	21" Seat Depth	<input type="checkbox"/> 1504022	22" Seat Depth			

### Frame Colour

<b>PDG Premium Colours</b>						
<input type="checkbox"/> 1505000	Tracer Red	<input type="checkbox"/> 1505001	Gloss Black	<input type="checkbox"/> 1505002	Silver	
<input type="checkbox"/> 1505003	Black Shimmer	<input type="checkbox"/> 1505004	Orange Fusion	<input type="checkbox"/> 1505005	Karl's Imagination	
<input type="checkbox"/> 1505006	Blue Shimmer	<input type="checkbox"/> 1505007	Gloss White	<input type="checkbox"/> 1505008	Dark Titanium	
<input type="checkbox"/> 1505009	Geyser Green	<input type="checkbox"/> 1505010	Lollypop Blue	<input type="checkbox"/> 1505011	Lollypop Red	
<input type="checkbox"/> 1505012	Bubble Gum Pink	<input type="checkbox"/> 1505013	Berry Purple	<input type="checkbox"/> 1505014	Safety Yellow	
<input type="checkbox"/> 1505200	<b>Custom Colour</b> Contact PDG for specifications.					\$ 300

Arm Type			
<input type="checkbox"/>	1506000	<b>No Armrest</b>	
<input type="checkbox"/>	1506100	<b>Single Post Fixed Height (12")</b>	
<input type="checkbox"/>	1506114	<b>Single Post Adjustable Height (10"-14")</b>	\$ 255
<input type="checkbox"/>	1506200	<b>Dual Post Fixed Height (12")</b> Full Length Armpad only.	
		<b>Dual Post Adjustable Height</b>	\$ 255
<input type="checkbox"/>	1506214	10"-14"	<input type="checkbox"/>
			<input type="checkbox"/> 1506216 12"-16"
		<b>Locking Flip-up</b> Not recommended for users with excessive strength or tone. Not compatible with Fold Down Back, Back Upholstery.	\$ 255
<input type="checkbox"/>	1506310	Set at 10"	<input type="checkbox"/>
			<input type="checkbox"/> 1506311 Set at 11"
			<input type="checkbox"/> 1506312 Set at 12"
<input type="checkbox"/>	1506313	Set at 13"	<input type="checkbox"/>
			<input type="checkbox"/> 1506314 Set at 14"

Armrests			
<input type="checkbox"/>	1507095	<b>Curved Armpads</b> Not compatible with Lap Tray, Locking Flip-up Armrests, Dual Post Armrests.	
		<b>Regular Armpads</b>	
<input type="checkbox"/>	1507100	Desk Length - 2" x 10"	<input type="checkbox"/>
			<input type="checkbox"/> 1507101 Full Length - 2" x 14"
<input type="checkbox"/>	1507102	Full Length Premium Grade - 2" x 14"	\$ 35
		<b>Wide Armpads</b> May interfere with wheels in some tilt configurations.	\$ 115
<input type="checkbox"/>	1507110	Desk Length - 3" x 10"	<input type="checkbox"/>
			<input type="checkbox"/> 1507111 Full Length - 3" x 12"
		<b>Gel Armpads</b> May interfere with wheels in some tilt configurations.	\$ 125
<input type="checkbox"/>	1507120	Full Length - 2" x 12"	<input type="checkbox"/>
			<input type="checkbox"/> 1507121 Full Length - 3.5" x 12"
		<b>Contour Arm Trough with Hand Pad</b>	\$ 125
		Not compatible with Lap Tray, Locking Flip-up Armrests, Dual Post Armrests. May interfere with wheels in some tilt configurations.	
<input type="checkbox"/>	1507130	Right (4.5" x 18")	<input type="checkbox"/>
			<input type="checkbox"/> 1507131 Left (4.5" x 18")

Seat Pan			
<input type="checkbox"/>	1508000	<b>No Seat Pan</b>	
<input type="checkbox"/>	1508001	<b>Solid Aluminum Seat Pan</b>	\$ 120

Cushion			
<input type="checkbox"/>	1509000	<b>No Cushion</b>	
		<b>nxt BioFit</b>	
<input type="checkbox"/>	1509101	12"-20" width, 14"-20" depth	\$ 595
<input type="checkbox"/>	1509102	22"-24" width, 14"-20" depth	\$ 625
		<b>Cushion Size</b> Available in even number sizes only.	
<input type="checkbox"/>	1509400	Specify Size (Width" x Depth") _____	



### Seat Height

#### Select desired Seat-to-Floor Height

##### Standard T50 Options

STF Height is approximate and can vary by as much as 1" depending on Rear Wheel type and pre-tilt setting. To resolve, STF can be adjusted down by removing the pre-tilt bumper.

RW	5" Casters					
12"	13"	14"				
16"		14"	15"	16"		
20"				16"	17"	
22"					17"	

RW	6" Casters & 6" Forks					
12"		14"				18"
16"		14"	15"	16"		
20"				16"	17"	18"
22"					17"	18"
24"						18"

RW	6" Casters & 8" Forks					
12"					18"	19"
16"			15"	16"		
20"				16"	17"	18"
22"					17"	18"
24"						18"

RW	8" Casters & 8" Forks					
12"					18"	19"
16"				16"		20"
20"				16"	17"	18"
22"					17"	18"
24"					18"	19"

RW	6" Soft Roll & Ultra Sport Forks					
16"				16"		
20"				16"	17"	18"
22"					17"	18"
24"						18"

##### Wide T50 Options

Increases the overall width of the Chair by 2".

RW	5" Casters					
12"	13"					
16"	13"	14"	15"			
20"	13"	14"	15"	16"	17"	
22"		14"	15"	16"	17"	
24"			15"	16"	17"	

RW	6" Casters & 6" Forks					
16"		14"	15"			
20"		14"	15"	16"	17"	
22"		14"	15"	16"	17"	18"
24"			15"	16"	17"	18"

RW	6" Casters & 8" Forks					
16"			15"			
20"			15"	16"	17"	
22"			15"	16"	17"	18"
24"			15"	16"	17"	18"

RW	8" Casters & 8" Forks					
20"				16"	17"	
22"				16"	17"	18"
24"				16"	17"	18"

- Standard  
 Wide

Wheel size \_\_\_\_\_

Caster size \_\_\_\_\_

Fork size \_\_\_\_\_

STF height \_\_\_\_\_

### Casters

#### Urethane

- 1511051 5" x 1.25" Caster size
- 1511061 6" x 1.25" Caster size
- 1511063 6" x 1.50" Caster size \$ 85
- 1511081 8" x 1.25" Caster size
- 1511084 8" x 2.00" Caster size \$ 135

#### Pneumatic

- 1511161 6" x 1.25" Caster size \$ 110
- 1511181 8" x 1.25" Caster size \$ 120
- 1511184 8" x 2.00" Caster size \$ 150

- 1511260 **6" Soft Roll** \$ 95

- 1511400 **Ultra Sport Fork** Not compatible with 12" Rear Wheels. Requires 6" Soft Roll Caster. \$ 395

### Rear Wheels

#### Composite

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> 1512012 12" Wheel size | <input type="checkbox"/> 1512016 16" Wheel size | <input type="checkbox"/> 1512020 20" Wheel size |
| <input type="checkbox"/> 1512022 22" Wheel size | <input type="checkbox"/> 1512024 24" Wheel size |   |

#### Spoke

- |  |   |   |        |
|--|---|---|--------|
| <input type="checkbox"/> 1512120 20" Wheel size              | <input type="checkbox"/> 1512122 22" Wheel size | <input type="checkbox"/> 1512124 24" Wheel size | \$ 75  |
| <input type="checkbox"/> 1512224 <b>24" Heavy Duty Spoke</b> |   |   | \$ 350 |

### Axle Type

- |  |
|--|
| <input type="checkbox"/> 1513000 <b>Quick Release Rear Axles</b> |
| <input type="checkbox"/> 1513010 <b>Fixed Rear Axles</b>         |

### Rear Tires

- |  |  |       |
|--|--|-------|
| <input type="checkbox"/> 1514000 <b>Urethane</b>                         |  |       |
| <input type="checkbox"/> 1514010 <b>Pneumatic</b>                        | Pneumatic Tires may result in a finished Seat Height 1/2" greater than stated.   | \$ 60 |
| <input type="checkbox"/> 1514020 <b>Pneumatic with Flat-Free Inserts</b> | Pneumatic Tires may result in a finished Seat Height 1/2" greater than stated. Not compatible with Spoke Wheels. Required for 350 lbs Weight Capacity. | \$ 95 |

### Hand Rims

- |  |                                     |        |
|--|-------------------------------------|--------|
| <input type="checkbox"/> 1515000 <b>No Hand Rims</b>   |                                     |        |
| <input type="checkbox"/> 1515010 <b>Standard</b>       | 20", 22", and 24" Rear Wheels only. |        |
| <input type="checkbox"/> 1515020 <b>Plastic Coated</b> | 20", 22", and 24" Rear Wheels only. | \$ 135 |

### Wheel Locks

- |   |  |        |
|---|--|--------|
| <input type="checkbox"/> 1516005 <b>Foot Operated Wheel Lock</b>            | Not compatible with One Arm Drive.         | \$ 200 |
| <input type="checkbox"/> 1516010 <b>Push to Lock</b>                        |  |        |
| <input type="checkbox"/> 1516020 <b>Pull to Lock</b>                        |  |        |
| <input type="checkbox"/> 1516030 <b>Attendant Wheel Lock (Push to Lock)</b> | Not compatible with Wheel Lock Extensions. | \$ 85  |
| <input type="checkbox"/> 1516040 <b>User &amp; Attendant Wheel Lock</b>     |  | \$ 125 |
| <input type="checkbox"/> 1516100 <b>Wheel Lock Extensions</b>               | Not compatible with Attendant Wheel Lock.  | \$ 60  |

### Anti-Tippers

- |  |                         |       |
|--|-------------------------|-------|
| <input checked="" type="checkbox"/> 1517010 <b>Rear Anti-Tippers</b> | Required Safety Option. | \$ 60 |
|--|-------------------------|-------|

### Back Post Style

#### Push Bar Back

- |   |  |       |
|---|--|-------|
| <input type="checkbox"/> 1518010 Straight |  |       |
| <input type="checkbox"/> 1518030 8° Bend  |  | \$ 75 |

#### Cane Handle Back

Not compatible with Headrest Mounting Plate.

- |   |  |       |
|---|--|-------|
| <input type="checkbox"/> 1518020 Straight |  |       |
| <input type="checkbox"/> 1518040 8° Bend  |  | \$ 75 |

#### Back Post Height

Seat Pan to Handle.

- |   |   |
|---|---|
| <input type="checkbox"/> 1518420 20" Height | <input type="checkbox"/> 1518425 25" Height |
|---|---|

Back Options		
<b>Angle/Height Adjustable Push Bar Handle</b> Not compatible with Headrest Mounting Plate or Cane Handle Back. \$ 150		
<input type="checkbox"/> 1519010	Button on Outside	<input type="checkbox"/> 1519011 Button on Inside
<b>Removable Cane Handle Push Bar</b> Not compatible with Push Bar Back. \$ 140		
<b>Seat to Back Angle</b>		
<input type="checkbox"/> 1519090	Set at 90°	<input type="checkbox"/> 1519096 Set at 96°
<input type="checkbox"/> 1519108	Set at 108°	<input type="checkbox"/> 1519114 Set at 114°
<input type="checkbox"/> 1519102	Set at 102°	<input type="checkbox"/> 1519120 Set at 120°
<b>Fold Down Back</b>		
<input type="checkbox"/> 1519221	<b>Non Fold Down Back</b>	
		\$ 75

Back Upholstery		
<input type="checkbox"/> 1520000 <b>No Back Upholstery</b>		
<b>Standard</b> Back height measured from Seat Pan to top of Upholstery. Not available with Cane Handle Back. \$ 155		
<input type="checkbox"/> 1520018	Set at 18"	<input type="checkbox"/> 1520019 Set at 19"
<input type="checkbox"/> 1520021	Set at 21"	<input type="checkbox"/> 1520022 Set at 22"
<input type="checkbox"/> 1520020	Set at 20"	<input type="checkbox"/> 1520023 Set at 23"
<b>Adjustable Tension</b> Back height measured from Seat Pan to top of Upholstery. Not available with Cane Handle Back. \$ 295		
<input type="checkbox"/> 1520321	Set at 21"	<input type="checkbox"/> 1520322 Set at 22"
<input type="checkbox"/> 1520323	Set at 23"	

Backrest		
<input type="checkbox"/> 1521000 <b>No Backrest</b>		
<b>nxt Optima HA Active Contour</b>		
<input type="checkbox"/> 1521100	16"-20" width, 16"-20" height	\$ 690
<input type="checkbox"/> 1521105	22"-24" width, 16"-20" height	\$ 720
<b>nxt Optima HA Plus Contour</b>		
<input type="checkbox"/> 1521101	16"-20" width, 16"-20" height	\$ 690
<input type="checkbox"/> 1521106	22"-24" width, 16"-20" height	\$ 720
<b>Backrest Size</b> Available in even number sizes only.		
1521400	Specify Size (Width" x Height")	_____

Tilt/Recline Options		
<b>Attendant Tilt only</b>		
<input type="checkbox"/> 1523011	Trigger on Right Back Post	<input type="checkbox"/> 1523012 Trigger on Left Back Post
<b>Tilt Limit</b>		
<input type="checkbox"/> 1523220	Set at 20°	<input type="checkbox"/> 1523225 Set at 25°
<input type="checkbox"/> 1523235	Set at 35°	<input type="checkbox"/> 1523240 Set at 40°
<input type="checkbox"/> 1523230	Set at 30°	<input type="checkbox"/> 1523245 Set at 45°
<input type="checkbox"/> 1523250	Set at 50°	
<b>Reclining Backrest (Manual)</b> \$ 875		
30° maximum recline. Not compatible with Cane Handle Back, Fold Down Back, Tension Adjustable Upholstery. Requires 25" Angle/Height Adjustable Push Bar with 8" Bend. Not available with 15", 16", 21", or 22" Seat Depth.		
<b>Power Tilt</b> 250 lbs Weight Capacity. 4° to 45° tilt range. Includes 2 batteries for off-chair charging. Minimum Seat Width is 15". \$ 1,695		
<input type="checkbox"/> 1523400	Toggle Switch	<input type="checkbox"/> 1523421 Installed on Right side
	Button Switch	<input type="checkbox"/> 1523422 Installed on Left side
	Egg Switch	<input type="checkbox"/> 1523431 Installed on Right side
		<input type="checkbox"/> 1523432 Installed on Left side
		<input type="checkbox"/> 1523440 Not installed
<input type="checkbox"/> 1523445	Egg Switch Swing Away Mounting Hardware	\$ 625
Not compatible with all Headrests. Specify make and model to be used: _____		

Headrest			
<input type="checkbox"/>	1524000	<b>No Headrest</b>	
<input type="checkbox"/>	1524010	<b>Headrest Mounting Plate</b> Not compatible with Angle/Height Adjustable Push Bar, Cane Handle Back. Not required if mounting to a solid Back.	\$ 75
<input type="checkbox"/>	1524100	<b>nxt MultiFit Head Support Hardware</b>	\$ 235
<input type="checkbox"/>		<b>nxt MultiFit Head Support Pad</b>	\$ 245
<input type="checkbox"/>	1524105	Regular (9" x 5")	
<input type="checkbox"/>	1524106	Large (10" x 5")	
<input type="checkbox"/>	1524107	X-Large (14" x 5")	

Front Rigging			
<input type="checkbox"/>	1525000	<b>No Front Rigging</b>	
<input type="checkbox"/>		<b>PDG Easy-Out™ Front Rigging</b> Effortless insertion and removal. No Hanger Bracket remains on frame.	
<input type="checkbox"/>	1525410	Fixed 70°	Available in March \$ 95
<input type="checkbox"/>	1525420	Swing In/Away Universal Angle Adjustable (0°-110°) Set at (use increments of 10°): _____	Available in April \$ 195
<input type="checkbox"/>	1525430	Swing In/Away Elevating Legrests High knee pivot. Includes reinforced premium Calf Pad mount.	Available in April \$ 495
<input type="checkbox"/>		<b>Standard Front Rigging</b> Legacy Design. Not compatible with Easy-Out™.	
<input type="checkbox"/>	1525140	Swing Away 70°	
<input type="checkbox"/>	1525160	Swing Away 90° Not compatible with 8" Casters.	\$ 55
<input type="checkbox"/>	1525200	Swing Away Elevating Legrest	\$ 375
<input type="checkbox"/>	1525300	1" Offset Hangers for Swing Away	\$ 75

Foot Plates			
<input type="checkbox"/>	1526010	<b>Composite</b>	
<input type="checkbox"/>	1526020	<b>Aluminum Angle Adjustable</b>	\$ 155
<input type="checkbox"/>	1526040	<b>One Piece Flip-up</b> Requires selection of Composite or Aluminum Angle Adjustable.	\$ 395
<input type="checkbox"/>	1526050	<b>Interlocking Angle Adjustable</b> Seat Widths of 14"-21" only.	\$ 195

Footrest/Legrest Accessories			
<input type="checkbox"/>	1527015	<b>Swing Away 70° Calf Pad</b> Not compatible with 70° Gel Padding.	\$ 135
<input type="checkbox"/>	1527020	<b>Swing Away 70° Gel Padding</b> Not compatible with 70° Swing Away Calf Pad, Easy-Out Front Rigging.	\$ 100
<input type="checkbox"/>	1527030	<b>Swing Away ELR Gel Knee Pad</b>	\$ 100
<input type="checkbox"/>	1527040	<b>Adjustable Length Heel Loops</b>	\$ 50
<input type="checkbox"/>	1527050	<b>Bodypoint - Padded Calf Strap</b>	\$ 105
<input type="checkbox"/>	1527060	<b>Miller's Dynamic Footrest Mounts</b> Not compatible with Easy-Out Front Rigging.	\$ 190

Extension Tubes			
<input type="checkbox"/>	1528010	<b>Short</b> 13"-17" for Easy-Out SA Angle Adjustable 10"-13.5" for Easy Out SA ELR 13"-17" for Standard Front Rigging	
<input type="checkbox"/>	1528020	<b>Long</b> 16"-22.5" for Easy-Out SA Angle Adjustable 12.5"-19.5" for Easy-Out SA ELR 15"-19" for Standard Front Rigging	\$ 75
<input type="checkbox"/>	1628200	<b>For 90° FR (11"-16")</b> Not compatible with Easy-Out, Standard 70° or ELR	\$ 75

Positioning Straps			
<input type="checkbox"/>	1529005	<b>Lap Belt Mount</b>	\$ 55
<input type="checkbox"/>		<b>Bodypoint - Hip Belts</b>	
<input type="checkbox"/>	1529010	Center-Pull Auto Style	\$ 105
<input type="checkbox"/>	1529015	Center-Pull Auto Style, Padded	\$ 155
<input type="checkbox"/>	1529020	4-Point, Padded	\$ 175
<input type="checkbox"/>	1529030	<b>Bodypoint - Chest Strap</b>	\$ 85

Miscellaneous Options		
<b>One-Arm Drive</b> Requires 24" Composite Rear Wheels and forward wheel position. Available with 18" and 20" STF only. Not compatible with Attendant or Foot Operated Wheel Locks.		
<input type="checkbox"/> 1530010	Installed on Right side	<input type="checkbox"/> 1530011 Installed on Left side
<input type="checkbox"/> 1530060	<b>Stealth Flip Down Abductor</b>	
<input type="checkbox"/> 1530070	<b>QR Bracket - Accessory Mount</b>	
<input type="checkbox"/> 1530080	<b>Gel Hip Guides</b> Not compatible with Dual Post Arms.	
<input type="checkbox"/> 1530110	<b>IV Pole</b>	
<input type="checkbox"/> 1530120	<b>O2 Holder</b> May add to overall width of the Chair.	
<input type="checkbox"/> 1530150	<b>Ventilator Tray</b> Reduces ground clearance. Chair may be unstable when unoccupied. Minimum Seat Width is 16". Not compatible with O2 Holder, Power Tilt.	
<input type="checkbox"/> 1530152	<b>Ventilator Bracket</b> Compatible with LTV1 (laptop) ventilator.	
<input type="checkbox"/> 1530154	<b>Ventilator Battery Tray</b> 16" minimum Seat Width. Reduces ground clearance. Fits U1 Battery only. Restricted to 20", 22", and 24" Rear Wheels with STF restrictions.	
<input type="checkbox"/> 1530160	<b>Clear Lap Tray (Slide On)</b> Not compatible with 8"- 11" Dual Post, Curved Armpads, Contour Arm Trough. Seat Widths of 15"-20" only. Premium Grade or Gel Armpads recommended to ensure snug fit of the Tray.	
<input type="checkbox"/> 1530170	<b>Adhesive Back Hook Strip, 2" x 30"</b> For Cushion mounting.	
<input type="checkbox"/> 1530300	<b>Fuze T50 to T20 Conversion Kit</b>	

Order Notes

Please send your completed order form by email to [info@pdgmobility.com](mailto:info@pdgmobility.com) or by fax to 877 323 9093.



Scan this code or go to [pdgmobility.com/products/fuze-T50/](http://pdgmobility.com/products/fuze-T50/) to learn more about the **Fuze T50 50° Manual Tilt Wheelchair**

