



FOR AADL ONLY
AADL Cat. #W558/W990

Invacare® Formula™ CG
Tilt & Recline for Storm Bases
Suggested Canadian Price List
July 1st, 2015

MEDmobility Reference Only

ADDRESS _____

BASE

CHAIR TYPE/POWER SEATING BASE

- 3GAR-CG Arrow for Formula CG w/ MK6i \$8,100
When selecting 3GAR-CG, remember to choose your Drive Type Option and User Weight Limits.
- 3GRX-CG Ranger X for Formula CG w/ MK6i \$7,477
The Ranger X base comes standard with heavy duty 4-pole motors and top speed of 5 mph.
- 3GTQ-MCG Torque SP for Formula CG w/ MK6i \$7,187
The Torque SP base comes standard with performance 4-pole motors and a top speed of 6.5 mph.

TRANSPORT TIE DOWN

- TRBKTS Wheelchair Transport Brackets No Charge
Only Available with MED or TALL Seat to Floor Height.

OMIT SEAT FRAME

- OSF Omit Seat Frame for Base Only No Charge

USER WEIGHT LIMITS

ARROW

- U300 Under 300 lbs. No Charge
Performance 4-pole motors, <300 lb. weight limit and 6.5 mph max. speed. When chosen with 3GAR-CG, U300 requires you to pick one of PERF or TRUTK.
- U400 Under 400 lbs. No Charge
U400 comes standard with 4-pole motors/HD Gearboxes Reduces speed to 4.5 mph. When chosen with 3GAR-CG, a Drive Type is not needed. If GB motors are required, please choose TRUTK. Standard with heavy duty suspension shocks.

RANGER X

- U400 Under 400 lbs. No Charge
U400 comes standard with 4-pole motors/HD Gearboxes Reduces speed to 4.5 mph. When chosen with 3GAR-CG, a Drive Type is not needed. If GB motors are required, please choose TRUTK. Standard with heavy duty suspension shocks.

TORQUE SP

- U300 Under 300 lbs. No Charge
Performance 4-pole motors, <300 lb. weight limit and 6.5 mph max. speed. When chosen with 3GAR-CG, U300 requires you to pick one of PERF or TRUTK.

DRIVE TYPE OTION

- TRUTK True Track upgrade \$1,509
TrueTrack includes Gearless Brushless GB Motors which reaches 7 mph and Monroe® Spring Shock Suspension. Must upgrade to MK6TT Controller. Must upgrade to Expandable Controller System. Not compatible with SPJ+ joystick. N/A with GTRAC.
- PERF Performance 4-Pole Motor No Charge
Standard on Torque SP 6.5 mph.

VENT TRAYS

Vent tray on chair reduces chair weight capacity by approximately 50 lbs..

- VENT Articulating Vent Tray \$1,175

FRAME TYPE

- SFS Short Base No Charge
Not available with 9213-6 Shock Fork for 6" Casters or Seat depth range 19-22D. Must pick long base.
- LFS Long Base \$415

CASTER OPTIONS

- 1259 6" X 2" Semi-Pneumatic Casters \$126
- 1228-3 8" X 2 1/4" Semi Pneumatic Casters Light Grey **Standard**
- 1251-3 8" X 2" Pneumatic Casters No Charge
- 1220-3 9" X 2 3/4" Pneumatic Casters \$156
Not available with short base or with TRBKTS
- 1465-3 9" X 2 3/4" Foam Filled Casters \$284
Not available with short base or with TRBKTS

CASTER SUSPENSION

Not available with 9" casters or with TRBKTS.

- 9213-6 Shock Fork For 6" Casters \$201
- 9213-8 Shock Fork For 8" Casters \$201

WHEEL OPTIONS

- 1430-3 14" X 3" Pneumatic Tires **Standard**
- 1431-3 14" X 3" Tire w/Foam Filled Inserts \$190
- 1440 14" X 4" Pneumatic Tires \$238
14 x 4" wheels increase the overall width of the base by 2.5" Does not include Storm Series design wheel. Not available with True Track.
- 1441 14" X 4" Tires w/Foam Filled Inserts \$414
14 x 4" wheels increase the overall width of the base by 2.5" Does not include Storm Series design wheel. Not available with True Track.

Transport Tie Down*
 TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.
 As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.
 * Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

NOTE: All specifications and dimensions are approximate.
 For the most current pricing information visit www.invacare.ca

FREE WHEEL HUB

Will add 75" overall width Does not include 3G design wheel or fender. Not available with TRUTK TrueTrack Package.

- FHUB Free Wheel Hub \$177

FRAME FINISH

- 24P Wet Black No Charge
- 105P Midnight Blue No Charge

SEAT

SYSTEM TYPE

- CGTR Tilt & Recl. w/Mechanical Shear Reduction \$11,124
- CNVACTS Conventional Actuators Standard
- SMTACTS Smart Actuators \$773

Must select MK690 Controller when selecting SMTACT (Smart Actuator). Does not apply when selecting MK6TT. SMTACT is standard when selecting 3GAR-CG.

SEAT-TO-FLOOR HEIGHT

- LOW 17.75" @ 0° No Charge
- Not available with Transport Tie Down option.*
- MED 18.75" @ 0° No Charge
- TALL 19.75" @ 0° No Charge

18 1/4" STF (if TRBKTS has been selected)..... No Charge
 Note: This is the lowest STF that you can get with the TRBKTS option and it must be done by a special quote. **SM-080728040350**

SEAT SELECTION

- CNB Conventional Back Standard

PUSH HANDLES

- PCNB Push Handles for Conventional and BPO No Charge

Push handles will add an additional 3.5" to back-cane height.

SEAT WIDTH RANGE

- 1620W 16" to 20" Width (Adjustable) No Charge
- 2024W 20" to 24" Width (Adjustable) \$442

SEAT WIDTH SETTING

- W16 16" Seat Width No Charge
- W17 17" Seat Width No Charge
- W18 18" Seat Width No Charge
- W19 19" Seat Width No Charge
- W20 20" Seat Width No Charge
- W21 21" Seat Width No Charge
- W22 22" Seat Width No Charge
- W23 23" Seat Width No Charge
- Available only with 400 lb. package.*
- W24 24" Seat Width No Charge
- Available only with 400 lb. package.*

ADJUSTABLE SEAT DEPTH RANGE

- 1619D 16" to 19" Seat Depth Range (short base) No Charge
- 1922D 19" to 22" Seat Depth Range (long base) \$366

CONVENTIONAL SEAT DEPTH SETTING

- D16 Seat Depth 16" No Charge
- D17 Seat Depth 17" No Charge
- D18 Seat Depth 18" No Charge
- D19 Seat Depth 19" \$286
- D20 Seat Depth 20" \$286
- D21 Seat Depth 21" \$468
- D22 Seat Depth 22" \$468

SEAT TILT

Indicates static tilt of seat. Impacts seat-to-floor height, every 5 degrees raises the seat-to-floor height.

- OSA 0° Standard
- 5SA 5° No Charge

BACK HEIGHT

- TSBH20 Back Height 20" No Charge
- TSBH21 Back Height 21" No Charge
- TSBH22 Back Height 22" No Charge
- TSBH23 Back Height 23" No Charge
- TSBH24 Back Height 24" No Charge
- TSBH25 Back Height 25" \$320
- TSBH26 Back Height 26" \$320

HEADREST TYPE (OPTIONAL)

<input type="checkbox"/>	TAR127700	Curved Headrest	Standard
<input type="checkbox"/>	TAR127700HW	Curved Headrest Removable & Adjustable Hardware	No Charge
<input type="checkbox"/>	TAR128000	Two-Step Headrest	No Charge
<input type="checkbox"/>	TAR128000HW	Two-Step Headrest Removable & Adjustable Hardware	No Charge
<input type="checkbox"/>	T0022400	Large Headrest	\$100
<input type="checkbox"/>	TAR22400HW	Large Headrest Removable & Adjustable Hardware	No Charge
<input type="checkbox"/>	T0022600	Small Headrest	\$100
<input type="checkbox"/>	TAR22600HW	Small Headrest Removable & Adjustable Hardware	No Charge

ARM TYPE (PAIR)

<input type="checkbox"/>	RA19FL	Reclining Full Length Adjustable Height - Left	No Charge
<input type="checkbox"/>	RA19FR	Reclining Full Length Adjustable Height - Right.	No Charge
<input type="checkbox"/>	RA29FL	Reclining Desk Length Adjustable Height - Left.	No Charge
<input type="checkbox"/>	RA29FR	Reclining Desk Length Adjustable Height - Right	No Charge

SEAT POSITIONING STRAPS

<input type="checkbox"/>	1311BK	Airline Buckle Seat Positioning Strap	\$81
<input type="checkbox"/>	1515	Push Button Style Seat Positioning Strap	Standard

CHEST POSITIONING STRAPS

<input type="checkbox"/>	7311BK	Airline Buckle Chest Positioning Strap	\$81
<input type="checkbox"/>	9515	Push Button Style Chest Positioning Strap	\$81
<input type="checkbox"/>	7321BK	Hook & Loop Chest Positioning Strap	\$63

ELECTRONICS

CONTROLLER

<input type="checkbox"/>	MK690ACC	90 Amp Controller w/Actuator Control	Standard
<input type="checkbox"/>	MK690	90 Amp Controller	No Charge
<i>For use with Smart Actuators only</i>			
<input type="checkbox"/>	MK6TT	True Track Controller	No Charge
<input type="checkbox"/>	GTRAC	G-Trac Module	\$950

G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Only available on 4-pole motors. Not available w/SPJ+ joysticks or MK6TT.

ALTERNATIVE PROPORTIONAL CONTROL SYSTEMS

<input type="checkbox"/>	PWH	Harness req. for Expandable Electronics	No Charge
<i>Harness is required to interface joystick or MK6i display w/expandable controllers Options is located under Electronics Accessories in configurator.</i>			
<input type="checkbox"/>	CMPJM6	MPJ+ Multiple Drive Joystick with Colour Display	\$985/No Charge
<i>\$985 is upcharge on Torque SP. No Charge on Ranger/Arrow</i>			
<input type="checkbox"/>	ASLRDYM6	MK6 Display Only (No Driver Control)	\$233
<i>Display Only, No Driver control. Allows choice from order form.</i>			
<input type="checkbox"/>	1500M6	Prop RIM Head Control w/Display	\$2,331
<input type="checkbox"/>	SMHD	Small Headrest	\$232
<input type="checkbox"/>	LGHD	Large Headrest	\$232
<input type="checkbox"/>	1558MM6	Compact Joystick w/ Display	\$1,055
<input type="checkbox"/>	SNPM6	Sip-N-Puff	\$2,053
<i>Must also use either a Multiple Drive Joystick or MK6 Display.</i>			
<input type="checkbox"/>	5018M6	Wafer Board w/SNP/DI	\$2,446
<i>Must also use either a Multiple Drive Joystick or MK6 Display.</i>			
<input type="checkbox"/>	5020M6	Mini Tash Joystick & Digital Interface Box	\$2,581
<i>Must also use either a Multiple Drive Joystick or MK6 Display.</i>			
<input type="checkbox"/>	PKG32666	Therapin Sip-N-Puff Breath Tube Kit	\$423

ADDITIONAL CONTROL CHOICES

<input type="checkbox"/>	1558M6	Compact Joystick - Less Standard Mount	\$901
<input type="checkbox"/>	5018	Wafer Board	\$1,250
<i>Requires SNPM6 Interface Box.</i>			
<input type="checkbox"/>	5020	Mini Joystick w/Push	\$1,800
<i>Requires SNPM6 Interface Box.</i>			

JOYSTICK MOUNTING HARDWARE

<input type="checkbox"/>	QLAM6	Quad Link Retract Joystick Mount MPJ+	\$344
<i>QLAM6 includes Stealth Adjustable Height Joystick Mount.</i>			
<input type="checkbox"/>	LEFT	Left Hand Mounted Joystick	No Charge
<input type="checkbox"/>	RIMHW	Rim Hardware For 1500	\$236
<input type="checkbox"/>	PKG32669	Complete Bib Assembly (Tash/1558)	\$390
<input type="checkbox"/>	RCM	Rear Cane Mount for Compact Joystick	\$153

For all systems with two or more actuators, you must choose 4WSB or the S4WSB

S4WSB replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

FWT or QPB is required when choosing 4WSB or S4WSB.

ELECTRONIC ACCESSORIES

- 1560 "T" Handle Flexible Joystick Extension \$89
- 1561 Straight Handle Flexible Joystick Extension \$66
- 1826 Chin Cup \$37
- A24VPS 24V MK6i Auxiliary Power Source \$242
- AUX12M6 Auxillary Module For 1 & 2 \$679
- AUX34M6 Auxillary Module For 3 & 4 \$679
- 2PB Dual Push Button \$175

Option to replace MonoPort "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options.

- 2SW Dual Toggle \$206

Option to replace MonoPort "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options.

- PBMT Push Button Mounting Kit \$338
- RFM Wireless (RF) Mouse Only Module ***NOT COVERED BY AADL** \$780

RFM includes Transmitter, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJ+.

- IR Infrared Module with Mouse Emulation ***NOT COVERED BY AADL** \$875

IR includes Transmitter w/ IR chip, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJ+.

POWER SEATING ACCESSORIES

- 4WSB Four-Way Switch Box No Charge

Required with all multiple actuator systems. Provides a D-9 port for the 4 Way Toggle or 4 Push Buttons.

- S4WSB Multiple Actuator Interface Box \$2,032

Replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

POWER SEATING SWITCH OPTIONS

- FWT 4 Way Toggle No Charge
- QPB 4 Push Buttons No Charge



MISCELLANEOUS

BATTERY BOXES

- 22NF 22NF Battery Boxes(Standard on Torque) No Charge
- GP24 Group 24 Battery Boxes \$362

*Only available on Torque SP as upgrade. (Std on Arrow and Ranger X). **Must select for TRBKTS.***

BATTERIES

Batteries will be installed by Invacare Corporation at additional charge. Chair will be shipped complete with batteries

- 22NFBATTERY 22 NF Battery (On Chair) \$550
Not available with Arrow GB, Ranger X, or TrueTrack systems.
- 24BATTERY 24 Gel Battery (On Chair) \$674

Battery Boxes	
	Standard Battery Tray*
Arrow	Group 24
Ranger X	Group 24
Torque SP/Torque 3	22 NF; Group 24 (Optional)
*Sealed Gel Cell Batteries Recommended	

MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks \$83
Not available with pneumatic tires
- 9205-3 Suspension Shocks \$433
Standard with Arrow GB, Ranger X or True Track Systems.
- 9205H-3 Suspension Shocks (Heavy Duty) \$433
Standard with Arrow GB, Ranger X or True Track Systems.
- FDR Fender. \$63
Standard with Arrow GB, Ranger X or True Track Systems.
- EXTP Extended Anti-Tippers \$304
Comes standard with vent tray. Adds 2.5" to overall length

FRONT RIGGINGS

HANGER BRACKET TYPE

- ASB Centre Pivot Style Bracket No Charge
For Center Pivot Style Front Rigging Only.
- PSB Pin Style Bracket No Charge
For Pin & Saddle Front Rigging Only.

CENTRE PIVOT STYLE (ASB) (PAIR)

- 60HD Centre Pivot Style Bracket 13.5"-17.5" No Charge
 - 70NHD 70° Swingaway Footrest 13.5"-17" \$232
 - 70STAPER 70° Tapered Footrest 13"-17" \$270
- Not available with 19" or 20" wide and 9" casters Standard with impact guards on the footrests.*
- AT5544 Manual Elevating Legrests (Aluminum) \$545

PIN STYLE (PSB) (PAIR)

- PW93 Swingaway Footrests 13.5" - 19" \$168
- P904A Swingaway Elevating Leg 16-19.75" \$343
- PAL4A Smart Artic Leg 17.25-21.5 (16" wide plus) \$377

POWER LEGS

Independent powered elevating legrests include elevating and articulating legrests with adjustable angle footplates. Extension range is 13"-20" Sold as pair. Must choose 4WSB or S4WSB to operate power legs.

- ELRPW Power ELR w/ Articulation (Alum.) ***NOT COVERED BY AADL** \$2,942

FOOTPLATE OPTIONS (PAIR)

- 1651 Flip-Up Composite Footplates No Charge
- 1350 Extra Large Aluminum Footplates \$102
- AT5543 Adjustable Angle Flip Up Footplates \$126

FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap \$61
- 1600BK Heel Loops w/Ankle Straps \$81
- LPT2 Longer Pivot Slide Tube For 1350 \$127
- IMPACTG Impact Guards No Charge
- ALPT Longer Pivot And Slide Tube \$127
- ALPT4 Longer Pivot And Slide Tube 4" \$127

MATRIX SEATING APPROVED BY AADL

Formula CG Tilt/Recline Features and Specifications

- Weight capacity of 300 lbs. or 400 lbs. (with heavy-duty motors).
- Recline range of 170°.
- Mechanical Shear reduction of 3".
- Conventional or Contoura style seating.
- Adjustable seat frame with Conventional style.
- Seat-To-Floor height of 17 3/4" at 0° tilt.

Extended Warranty Information:

Electrical Components: **2 Years**
Motors (2 and 4-pole): **2 Years**
GB Motors: **5 Years**

* Warranty valid to original purchaser who purchases this product within Canada
* For more product warranty information, please refer to the product owner's manual

Batteries (not included)

22NF batteries with terminal configuration (positive on the left and negative on the right) **MUST** be used. 22NF batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection.

GP24 batteries with terminal configuration (negative on the left and positive on the right) **MUST** be used. GP24 batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations **MUST** be followed otherwise injury and damage may occur.

Invacare Canada reserves the right to change prices and specifications without notice.

HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324(Canada) Fax: (905) 890-5244 (800) 668-5478(Canada)
Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120
Invacare®, and Yes, you can., are trademarks of Invacare Corporation.
WWW.INVACARE.CA