



**FOR AADL ONLY
AADL Cat. #W558/W990**

**Invacare® Formula™ CG
Tilt Only for Storm Bases
Suggested Canadian Price List
July 1st, 2015**

NAME _____ PHONE NO. _____
 ACCOUNT # _____
 ADDRESS _____

MEDmobility Reference Only

BASE

CHAIR TYPE/POWER SEATING BASE

- 3GAR-CG Arrow for Formula CG w/ MK6i \$8,100
When selecting 3GAR-CG, remember to choose your Drive Type Option and User Weight Limits.
- 3GRX-CG Ranger X for Formula CG w/ MK6i \$7,477
The Ranger X base comes standard with heavy duty 4-pole motors and top speed of 5 mph.
- 3GTQ-CG Torque SP for Formula CG w/ MK6i \$7,187
The Torque SP base comes standard with performance 4-pole motors and a top speed of 6.5 mph.

TRANSPORT TIE DOWN

- TRBKTS Wheelchair Transport Brackets No Charge
Only Available with MED or TALL STF Height. Not available w/Vent Tray.

OMIT SEAT FRAME

- OSF Omit Seat Frame for Base Only No Charge

USER WEIGHT LIMITS

ARROW

- U300 Under 300 lbs. No Charge
With 300 lb weight capacity, maximum range of tilt is 55 degrees. When chosen with 3GAR-CG, U300 requires you to pick one of PERF or TRUTK.
- U400 Under 400 lbs. No Charge
With 400 lb weight capacity, maximum range of tilt is 45 degrees. When chosen with 3GAR-CG, U400 does not require a pick. This comes standard with 4-pole motors/HD Gearboxes.Reduces speed to 4.5 mph. If GB motors are required, please select TRUTK.

RANGER X

- U400 Under 400 lbs. No Charge
With 400 lbs. weight capacity, maximum range of tilt is 45 degrees. Comes standard with Heavy Duty Monroe® Spring Suspension.

TORQUE SP

- U300 Under 300 lbs. No Charge

DRIVE TYPE OPTION

- TRUTK True Track Upgrade \$1,509
TrueTrack includes Gearless Brushless GB Motors which reaches 7 mph and Monroe® Spring Shock Suspension. Must upgrade to MK6TT Controller. Must upgrade to an Expandable Controller System. Not compatible with SPJ+ joystick. N/A with GTRAC.
- PERF Performance 4 Pole Motor No Charge
Standard on Torque SP.

VENT TRAYS

Tray on chair reduces chair weight capacity by approximately 50 lbs.

- VENT Articulating Vent Tray \$1,175

FRAME TYPE

- SFS Short Base No Charge
Not available with seat range 1922D. Must pick long base.
- LFS Long Base \$415

CASTER OPTIONS

- 1259 6" X 2" Semi-Pneumatic Casters \$126
- 1228-3 8" X 2 1/4" Semi Pneu. Casters Lt Grey **Standard**
- 1251-3 8" X 2" Pneumatic Casters No Charge
- 1220-3 9" X 2 3/4" Pneumatic Casters \$156
Not available with short base. Not available with TRBKTS.
- 1465-3 9" X 2 3/4" Foam Filled Casters \$284
Not available with short base. Not available with TRBKTS.

CASTER SUSPENSION

Not available with 9" casters.

- 9213-6 Shock Fork For 6" Casters \$201
- 9213-8 Shock Fork For 8" Casters \$201
Not available with short base. Not available with TRBKTS.

WHEEL OPTIONS

- 1430-3 14" X 3" Pneumatic Tires **Standard**
- 1431-3 14" X 3" Tire w/Foam Filled Inserts \$190
- 1440 14" X 4" Pneumatic Tires \$238
14" x 4" wheels increase the overall width of the base by 2.5" Does not include 3G design wheel or fender. Not available with TRUTK TrueTrack Package.
- 1441 14" X 4" Tires w/Foam Filled Inserts \$414
14" x 4" wheels increase the overall width of the base by 2.5" Does not include 3G design wheel or fender. Not available with TRUTK TrueTrack Package.

Transport Tie Down*
 TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.
 As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.
 * Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

Note: For G-Trac Module, go to Controller area under MK6i Selection

Invacare® Formula™ CG Tilt Only

NOTES

FREE WHEEL HUB

Will add .75" overall width. Does not include 3G design wheel or fender. [Not available with TRUTK TrueTrack Package.](#)

- FHUB Free Wheel Hub \$177

FRAME FINISH

- 24P Wet Black No Charge
- 105P Midnight Blue No Charge

SEAT

SYSTEM TYPE

- CGT CG Tilt Only System \$6,695
- CNVACT Conventional Actuator Standard
- SMTACT Smart Actuator \$773

*Must select **MK690 Controller** when selecting **SMACT** (Smart Actuator). [Does not apply when selecting MK6TT. SMACT is standard when selecting 3GAR-CG.](#)*

SEAT-TO-FLOOR HEIGHT

- LOW 17.75" No Charge
- MED 18.75" No Charge
- TALL 19.75" No Charge

18 1/4" STF (if TRBKTS has been selected) No Charge
 Note: This is the lowest STF that you can get with the TRBKTS option and it must be done by a special quote. **SM-080728040350**

SEAT SELECTION

- BPO Back Posts Only No Charge
Push handles included. For 12" - 15" seat widths and depths must select Conventional Back or BPO. User weight is under 150 lbs. Conventional back not available on widths of 16"-20"& 20"-24" or depths of 16"-19" or 19"-22"
- CURV Curved No Charge
Push handles included.
- CNB Conventional Back Standard
Push handles included. For 12" - 15" seat widths and depths must select Conventional Back or BPO. User weight is under 150 lbs. Conventional back not available on widths of 16"-20"& 20"-24" or depths of 16"-19" or 19"-22"

SEAT WIDTH RANGE

- 1216W 12" to 16" Width (Adjustable) No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- 1620W 16" to 20" Width (Adjustable) No Charge
- 2024W 20" to 24" Width (Adjustable) \$442

SEAT WIDTH SETTING

- W12 12" Seat Width No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- W13 13" Seat Width No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- W14 14" Seat Width No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- W15 15" Seat Width No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- W16 16" Seat Width No Charge
- W17 17" Seat Width (Not Available w/Contoura) No Charge
- W18 18" Seat Width. No Charge
- W19 19" Seat Width (Not Available w/Contoura) No Charge
- W20 20" Seat Width. No Charge
- W21 21" Seat Width ((Not Available w/Contoura) No Charge
- W22 22" Seat Width No Charge
- W23 23" Seat Width (Not Available w/Contoura) No Charge
Available only with 400 lb package.
- W24 24" Seat Width No Charge
Available only with 400 lb package.

ADJUSTABLE SEAT DEPTH RANGE CURVED ABS/CONVENTIONAL

- 1218D 12" to 18" Seat Depth Range (short base) No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- 1619D 16" to 19" Seat Depth Range (short base) No Charge
- 1922D 19" to 22" Seat Depth Range (long base) \$366

Curved	
Seat Widths	16" - 24"
Seat Depths	16" - 22"
Back Heights	16" - 26"

Conventional	
Seat Widths	12" - 15"
Seat Depths	12" - 18" (Conventional)
Back Heights	16" - 20" for 12" - 15" (Seat Widths Only)

CONVENTIONAL SEAT DEPTH SETTING

- D12 Seat Depth 12" (Short Base) No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- D13 Seat Depth 13" (Short Base) No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- D14 Seat Depth 14" (Short Base) No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- D15 Seat Depth 15" (Short Base) No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- D16 Seat Depth 16" (Short Base) No Charge
- D17 Seat Depth 17" (Short Base) No Charge
- D18 Seat Depth 18" (Short Base) No Charge
- D19 Seat Depth 19" (Long Base) No Charge
- D20 Seat Depth 20" (Long Base) No Charge
- D21 Seat Depth 21" (Long Base) No Charge
- D22 Seat Depth 22" (Long Base) No Charge

SEAT TILT

Indicates static tilt of seat, impacts seat to floor height. Every 5 degrees raises the seat to floor height.

- OSA 0° Standard
- 5SA 5° No Charge

BACK HEIGHT

CURVED, ABS OR CONVENTIONAL BACK

- TSBH16 Back Height 16" No Charge
For Curved ABS only.
- TSBH17 Back Height 17" No Charge
For Curved ABS only.
- TSBH18 Back Height 18" No Charge
1216W and 1218D not available with 3GRX-CG. For 16" seat width on the 3GRX-CG, must select 16" to 20" width.
- TSBH19 Back Height 19" No Charge
For Curved ABS only.
- TSBH20 Back Height 20" No Charge
- TSBH21 Back Height 21" No Charge
Not available with seat widths 12" – 15"
- TSBH22 Back Height 22" No Charge
Not available with seat widths 12" – 15"
- TSBH23 Back Height 23" No Charge
Not available with seat widths 12" – 15"
- TSBH24 Back Height 24" No Charge
Not available with seat widths 12" – 15"
- TSBH25 Back Height 25" \$320
Not available with seat widths 12" – 15" For Conventional back only.
- TSBH26 Back Height 26" \$320
Not available with seat widths 12" – 15" For Conventional back only.

HEADREST TYPE (OPTIONAL)

- TAR127700 Curved Headrest Standard
- TAR127700HW Curved Headrest Removable & Adjustable Hardware No Charge
- TAR128000 Two-Step Headrest No Charge
- TAR128000HW Two-Step Headrest Removable & Adjustable Hardware No Charge
- T0022400 Large Headrest \$100
- TAR22400HW Large Headrest Removable & Adjustable Hardware No Charge
- T0022600 Small Headrest \$100
- TAR22600HW Small Headrest Removable & Adjustable Hardware No Charge

ADJUSTABLE ARM TYPE (PAIR)

- 19F Full Length Adjustable Height Arms. \$358
- 29F Desk Length Adjustable Height Arms \$358

MIXED ADJUSTABLE ARM TYPE (EACH)

- 19FR Full Length Adjustable Height Arm Right \$179
- 29FR Desk Length Adjustable Height Arm Right \$179
- 19FL Full Length Adjustable Height Arm Left \$179
- 29FL Desk Length Adjustable Height Arm Left \$179

CANTILEVER ARM TYPE (PAIR)

*Cantilever Arms only available with 300 lb. rated systems. Not available with BPO, Otto Bock or 12"-15" seat width. **Must** use a Hard Back.*

- CLVF Full Length Arm \$469
- CLVD Desk Length Arm \$469

CANTILEVER MIXED ARM TYPE (EACH)

- CLVFR Full Length Arm Right \$235
- CLVDR Desk Length Arm Right \$235
- CLVFL Full Length Arm Left \$235
- CLVDL Desk Length Arm Left \$235

Cantilever Arm Height Adjustment			
Back Type	Height	Adjustment	Adjustment with laterals
CURV	20" or greater	11" to 16"	11" to 14"
CURV	19"	11" to 15"	11" to 13"
CURV	18"	11" to 14"	11" to 12"
CURV	17"	11" to 13"	no adjustment
CURV	16"	11" to 12"	not available

ARMPAD OPTIONS (CANTILEVER ARMS)

- WF Waterfall Armpads Standard
- RCL Reclining Armpads No Charge

SEAT POSITIONING STRAPS

- 1311BK Airline Buckle Seat Positioning Strap \$81
Not available on 12" – 15" widths.
- 1515 Push Button Style Seat Positioning Strap Standard

CHEST POSITIONING STRAPS

- 7311BK Airline Buckle Chest Positioning Strap \$81
Not available on 12" – 15" widths.
- 9515 Push Button Style Chest Positioning Strap \$81
- 7321BK Hook & Loop Chest Positioning Strap \$63

ELECTRONICS

CONTROLLER

- MK690ACC Controller w/Actuator Control Standard
 - MK690 90AMP Controller Standard
 - For use with Smart Actuators only*
 - MK6TT True Track Controller No Charge
 - GTRAC G-Trac Modue \$950
- G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Only available on 4-pole motors. Not available w/SPJ+ joysticks or MK6TT.*

STANDARD DRIVER CONTROL for Torque SP

- SPJAP SPJ+ With Powered Seating Switch Standard

ACTUATOR CONTROL THROUGH SPJ+ for Torque SP

- SPJAPM Single Actuator Operation through SPJ+ \$510
Allows Actuator Operation through the driver Control. Include Port for rAttendant Switch.

STANDARD DRIVER CONTROLS for RANGER X & ARROW

- CMPJM6 MPJ+ Multiple Drive Joystick with Colour Display Standard

EXPANDABLE CONTROL SYSTEMS

- Includes Monoport "Y" Cable to provide additional switch input port. Not compatible with SPJ+ joystick options.*
- PWH Harness req. for Expandable Electronics . No Charge
Harness is required to interface joystick or MK6i display w/expandable controllers. Options is located under Electronics Accessories in configurator.
 - CMPJM6U MPJ+ Multiple Drive Joystick w/ Colour Display (Used on Torque SP only). \$985
 - ASLRDYM6 MK6 Display Only (No Driver Control) \$233
Display Only, No Driver control. Allows choice from order form.

FOR ALL YOUR ASL DRIVE SYSTEM NEEDS PLEASE REFER TO THE FOLLOWING ASL PRICE LIST FORM 05-220C

ALTERNATIVE PROPORTIONAL CONTROL SYSTEMS

- 1500M6 Prop RIM Head Control w/Display \$2,331
- SMHD Small Headrest \$232
- LGHD Large Headrest \$232
- 1558MM6 Compact Joystick w/ Display \$1,055

ALTERNATIVE DIGITAL CONTROL SYSTEMS

- Must also use either a Multiple Drive Joystick or MK6 Display.*
- SNPM6 Sip-N-Puff. \$2,053
 - 5018M6 Wafer Board w/SNP/DI \$2,446
 - 5020M6 Mini Tash Joystick & Digital Interface Box \$2,581

SIP-N-PUFF KIT

- PKG32666 Therapin Sip-N-Puff Breath Tube Kit \$423

ADDITIONAL CONTROL CHOICES

- 1558M6 Compact Joystick - Less Std Mount \$901
- 5018 Wafer Board \$1,250
Requires SNPM6 Sip-N-Puff Interface Box.
- 5020 Mini Joystick w/Push \$1,800
Requires SNPM6 Sip-N-Puff Interface Box.
- PACM6 Prop. Attendant Control w/Quick Release Mount \$985
- 1552M Attendant Control \$545
Requires SNPM6 Sip-N-Puff Interface Box.

JOYSTICK MOUNTING HARDWARE

- QLAM6 Quad Link Retract Joystick Mnt MPJ+ \$344
QLAM6 and QLA include Stealth Adj. Height Joystick Mount.
- QLA Quad Link Retract. Joystick Mnt SPJ+ \$344
QLAM6 and QLA include Stealth Adj. Height Joystick Mount.
- LEFT Left Hand Mounted Joystick No Charge
- RIMHW Rim Hardware For 1500 \$236
- PKG32669 Complete Bib Assembly (Tash/1558) \$390
- RCM Rear Cane Mount for Compact Joystick \$153

ELECTRONIC ACCESSORIES

<input type="checkbox"/>	1560	"T" Handle Flexible Joystick Extension	\$89
<input type="checkbox"/>	1561	Straight Handle Flexible Joystick Extension	\$66
<input type="checkbox"/>	1826	Chin Cup	\$37
<input type="checkbox"/>	A24VPS	24V MK6i Auxiliary Power Source	\$242
<input type="checkbox"/>	AUX12M6	Auxillary Module For 1 & 2	\$679
<input type="checkbox"/>	AUX34M6	Auxillary Module For 3 & 4	\$679
<input type="checkbox"/>	2PB	Dual Push Button	No Charge

Option to replace MonoPort "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options. When selected OSF for Base Only a charge for these options do apply. 2PB/\$175 and 2SW/\$206

<input type="checkbox"/>	2SW	Dual Toggle	No Charge
--------------------------	-----	-------------	-----------

Option to replace MonoPort "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options. When selected OSF for Base Only a charge for these options do apply. 2PB/\$175 and 2SW/\$206

<input type="checkbox"/>	PBMT	Push Button Mounting Kit	\$338
<input type="checkbox"/>	RFM	Wireless (RF) Mouse Only Module *NOT COVERED BY AADL	\$780

RFM includes Transmitter, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJ+.

<input type="checkbox"/>	IR	Infrared Module with Mouse Emulation *NOT COVERED BY AADL	\$875
--------------------------	----	--	-------

IR includes Transmitter w/ IR chip, USB Radio Frequency Mouse Dongle (Receiver), and Stereo Switch with hook and loop mount for mouse clicks. Not compatible with SPJ+.

POWER SEATING ACCESSORIES

<input type="checkbox"/>	SANODE	Single Actuator Operation through Driver Control.	\$361
--------------------------	--------	---	-------

Required for Tilt Operation through Driver Control – Single Actuator Systems. Not available with SPJ+ Joystick. The Egg Switch with the 611 Mount does not come standard when ordering a SANODE.

<input type="checkbox"/>	4WSB	Four-Way Switch Box	\$1,672
<input type="checkbox"/>	S4WSB	Multiple Actuator Interface Box	\$2,032

POWER SEATING SWITCH OPTIONS

<input type="checkbox"/>	FWT	4 Way Toggle	No Charge
<input type="checkbox"/>	QPB	4 Push Buttons	No Charge

MISCELLANEOUS

BATTERY BOXES

<input type="checkbox"/>	22NF	22NF Battery Boxes (Std. on Torque)	No Charge
<input type="checkbox"/>	GP24	Group 24 Battery Boxes	\$362

Option on Torque SP (Standard on Arrow and Ranger X). Must select for TRBKTS.

BATTERIES

Batteries will be installed by Invacare Corporation at no additional charge. Chair will be shipped complete with batteries.

<input type="checkbox"/>	22NFBATTERY	22 NF Battery (On Chair)	\$550
<input type="checkbox"/>	24BATTERY	24 Gel Battery (On Chair)	\$674

Not available with Arrow GB, Ranger X, TrueTrack systems or chairs with TRBKTS.

BATTERY CHARGER OPTIONS

<input type="checkbox"/>	110CHARGER	110 Volt Battery Charger	No Charge
<input type="checkbox"/>	LESTR	Lester 8 Amp Battery Charger	\$342
<input type="checkbox"/>	L8900	Omit Charger	No Charge

MISCELLANEOUS ACCESSORIES

<input type="checkbox"/>	1303	Wheel Locks	\$83
<i>Not available with pneumatic tires.</i>			
<input type="checkbox"/>	9205-3	Suspension Shocks	\$433
<i>Standard with Arrow GB, Ranger X or True Track Systems.</i>			
<input type="checkbox"/>	9205H-3	Suspension Shocks (Heavy Duty)	\$433
<i>Standard with Arrow GB, Ranger X or True Track Systems.</i>			
<input type="checkbox"/>	FDR	Fender	\$63
<i>Standard with Arrow GB, Ranger X or True Track Systems.</i>			
<input type="checkbox"/>	EXTP	Extended Anti-Tippers	\$304
<i>Comes standard with vent tray. Adds 2.5" to overall length.</i>			

FRONT RIGGINGS

HANGER BRACKET TYPE

<input type="checkbox"/>	ASB	Centre Pivot Style Bracket	No Charge
<input type="checkbox"/>	PSB	Pin Style Bracket	No Charge

CENTRE PIVOT STYLE (ASB) (PAIR)

<input type="checkbox"/>	60HD	60° Swingaway Footrest 13.5"-17.5"	\$232
<input type="checkbox"/>	70NHD	70° Non-Tapered S/A Footrest 13.5"-17" (Steel)	\$232
<input type="checkbox"/>	70STAPER	70° Tapered Footrests 13"-17" (Aluminum)	\$270
<i>Not available with 19" or 20" wide and 9" casters. Standard with impact guards on the footrests.</i>			
<input type="checkbox"/>	AT5544	Manual Elevating Legrests (Aluminum)	\$545

PIN STYLE (PSB) (PAIR)

<input type="checkbox"/>	PW93	Swingaway Footrests 13.5" - 19"	\$168
<input type="checkbox"/>	P904A	Swingaway Elevating Leg 16-19.75"	\$343
<input type="checkbox"/>	PAL4A	Smart Artic Leg 17.25"-21.5" (16" wide plus)	\$377



For all systems with two or more actuators, you must choose 4WSB or the S4WSB

S4WSB replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

FWT or QPB is required when choosing 4WSB or S4WSB.

POWER LEGS

Not available with SPJ+ Joystick. Must pick 4WSB or S4WSB to operate power legs. Independent powered elevating legrests include elevating and articulating legrests with adjustable angle footplates. Extension range is 13" – 20" Sold as pair.

- ELRPW Power ELR with Articulation (Aluminum) ***NOT COVERED BY AADL** \$2,942

FOOTPLATE OPTIONS (PAIR)

- 1651 Flip-Up Composite Footplates No Charge
- 1350 Extra Large Aluminum Footplates \$102
- AT5543 Adjustable Angle Flip Up Footplates \$126

FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap \$61
- 1600BK Heel Loops w/Ankle Straps \$81
- LPT2 Longer Pivot Slide Tube For 1350 \$127
- IMPACTG Impact Guards No Charge
- ALPT Longer Pivot And Slide Tube \$127
- ALPT4 Longer Pivot And Slide Tube 4" \$127

MATRIX SEATING APPROVED BY AADL

Storm for Formula CG Tilt Only Specifications			
Max Speed MPH	Arrow	Ranger X	Torque SP
TrueTrack	7	7 (option)	7 (option)
4-Pole	N/A	N/A	N/A
4-Pole Perf	N/A	N/A	6 1/2
4-Pole HD	N/A	5	N/A
Seat-to-Floor at 0°			
Low	17 3/4"	17 3/4"	17 3/4"
Med	18 3/4"	18 3/4"	18 3/4"
Tall	19 3/4"	19 3/4"	19 3/4"
Weight Limits			
<300 lbs.			X
<400 lbs.		X	
<300 lbs. TrueTrack	X		X
<400 lbs. TrueTrack	X	X	

Extended Warranty Information:

Electrical Components: **2 Years**
 Motors (2 and 4-pole): **2 Years**
 GB Motors: **5 Years**

* Warranty valid to original purchaser who purchases this product within Canada
 * For more product warranty information, please refer to the product owner's manual

Batteries

22NF batteries with terminal configuration (positive on the left and negative on the right) **MUST** be used. 22NF batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection.

GP24 batteries with terminal configuration (negative on the left and positive on the right) **MUST** be used. GP24 batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations **MUST** be followed otherwise injury and damage may occur.

Formula CG Tilt Only Features and Specifications

- Weight capacity of 300 lbs. or 400 lbs. (with heavy-duty motors).
- Curved, Conventional or Contoura style seating.
- Adjustable seat frame with Conventional style.
- Seat-to-Floor height of 17 3/4" at 0° tilt.

Battery Boxes

	Standard Battery Tray*
Arrow	Group 24
Ranger X	Group 24
Torque SP Torque 2	22 NF; Group 24 (Optional)
*Sealed Gel Cell Batteries Recommended	

Invacare Canada reserves the right to change prices and specifications without notice.

HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324(Canada) Fax: (905) 890-5244 (800) 668-5478(Canada)
 Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.
 WWW.INVACARE.CA

NOTE: All specifications and dimensions are approximate.
 For the most current pricing information visit www.invacare.ca