




For AADL Only
AADL Cat. #W558

Invacare® 3G Storm TORQUE™ SP-LE
Maxx Rehab Seat Power Wheelchair
Suggested Canadian Price List
Effective October 1, 2017

DEALER: _____ ACCOUNT#: _____
 DEALER C: _____
 P.O. #: _____ DATE: _____
 ADDRESS: _____
 NOTES: _____

To Ensure system is accurately configured, please fill in all required measurements

Client Height: _____
 Client Weight (lbs.): _____
 B. _____
 C. Chest Width: _____
 D. Knee to Back: _____
 E. Seat to Top of Head: _____
 F. Elbow to Hand _____
 G. Seat to Elbow _____
 H. Hip Width _____
 I. Knee to Heel _____
 Cushion Thickness: _____



MEDmobility Reference Only

BASE

CHAIR TYPE

Torque SP comes standard with 300 lb. user weight capacity, 6.4 mph maximum speed, performance 4-pole motor package, SPJ+ joystick, MK690ACC Controller and Rubber Element rear wheel suspension.

3G STORM® TORQUE™ SP-LE - MAXX ADJUSTABLE REHAB SEAT MODEL (NOT AVAILABLE TO ORDER THROUGH INVACARE PRO)

3GTQSPLE TorqueSP-LE with MK6i™ Electronics and MAXX Adjustable Rehab Seat \$7,500

TRANSPORT TIE DOWN

TRBKTS Wheelchair Transport Brackets No Charge

USER WEIGHT LIMITS

U300 User Weight <300 Lbs. Standard

FRAME TYPE

SFS Short Base No Charge
Standard with seat depths 12" - 18". Not available on seat depths of 1922D (19" to 22" seat depth range).

LFS Long Base \$432
Standard with seat depths 19"-22". Not available on seat depths of 1218D (12" to 18" seat depth range).

ADJUSTABLE SEAT WIDTH RANGE

SPECIAL 1115W 11" to 15" Seat Width Range No Charge
Must select 11"-15" Depth Range (special) when ordering the 11"-15" Seat Width Range. 11-15" widths increase the STF height by 1.5".

1620W 16" to 20" Seat Width Range No Charge

1922W 19" to 22" Seat Width Range \$460

SPECIAL 2324W 23" to 24" Seat Width Range \$460

SEAT WIDTH

For Seat Widths of 11"-15": Junior seat widths/depths require a straight rear upright and a user weight limit of 150 lbs. 11-15" widths increase the STF height by 1.5".

SPECIAL W11 - Seat Width 11" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge

SPECIAL W12 - Seat Width 12" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge

SPECIAL W13 - Seat Width 13" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge

SPECIAL W14 - Seat Width 14" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge

SPECIAL W15 - Seat Width 15" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge

W16 Seat Width 16" No Charge

W17 Seat Width 17" No Charge

W18 Seat Width 18" No Charge

W19 Seat Width 19" No Charge

W20 Seat Width 20" No Charge

W21 Seat Width 21" No Charge

W22 Seat Width 22" No Charge

SPECIAL W23 - Seat Width 23" No Charge

The 23" & 24" seat widths are not available with low seat-to-floor.

SPECIAL W24 - Seat Width 24" No Charge

The 23" & 24" seat widths are not available with low seat-to-floor.

DRIVE TYPE

Note: For G-Trac Module, go to Controller area under MK6i Selection

PERF Performance 4-Pole Motor Standard

SEAT SELECTION

ADJASBA-LE Maxx Adjustable Rehab Seat \$1,200

TRANSPORT TIE-DOWN*
 TRBKTS includes four factory installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport. As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.
 * Transport Tie Down option is not retrofittable to existing models and is not field serviceable.

3GTQSP-LE Specifications
 *Please note: Choosing SPECIAL picks may increase the leadtime of the chair.

ADJUSTABLE SEAT DEPTH RANGE

- SPECIAL 1115D - 11" to 15" Seat Depth Range No Charge
Must select 12"-15" Depth Range when ordering the 12"-15" Seat Width Range.
- 1621D 16" to 21" Seat Depth Range No Charge
- 1922D 19" to 22" Seat Depth Range \$381

ADJUSTABLE SEAT DEPTH SETTING

For Seat Depths of 11"-15": Jr. Seat widths/depths require a straight rear upright and a user weight limit of 150 lbs.

- SPECIAL D11 - Seat Depth 11" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge
- SPECIAL D12 - Seat Depth 12" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge
- SPECIAL D13 - Seat Depth 13" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge
- SPECIAL D14 - Seat Depth 14" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge
- SPECIAL D15 - Seat Depth 15" - 150 lbs. capacity. Paediatric dual arm posts recommended. No Charge
- D16 Seat Depth 16" No Charge
- D17 Seat Depth 17" No Charge
- D18 Seat Depth 18" No Charge
- D19 Seat Depth 19" No Charge
- D20 Seat Depth 20" No Charge
- D21 Seat Depth 21" No Charge
- D22 Seat Depth 22" No Charge

ADJASBA-LE SEAT TO FLOOR HEIGHT

- SPECIAL Seat-to-Floor Special Low (16.75" at 0°) \$250
This seat height requires an 18" wide or greater seat width.
- LOW Seat-to-Floor Low (17.25" at 0°) No Charge
- MED Seat-to-Floor Medium (18.25" at 0°) No Charge
- TALL Seat-to-Floor Tall (19.25" at 0°) No Charge

BACK SELECTION

ADJASBA-LE BACK TYPE

- SECT Sectional Rear Uprights No Charge
- SPECIAL SRUP - Straight Rear Uprights No Charge

ADJASBA-LE BACK HEIGHT

- SPECIAL BH12 - Back Height 12" No Charge
- SPECIAL BH13 - Back Height 13" No Charge
- SPECIAL BH14 - Back Height 14" No Charge
- SPECIAL BH15 - Back Height 15" No Charge
- BH16 Back Height 16" No Charge
- BH17 Back Height 17" No Charge
- BH18 Back Height 18" No Charge
- BH19 Back Height 19" No Charge
- BH20 Back Height 20" No Charge
- BH21 Back Height 21" No Charge
- BH22 Back Height 22" No Charge
- SPECIAL BH23 - Back Height 23" No Charge
- SPECIAL BH24 - Back Height 24" No Charge

ADJASBA-LE BACK ANGLE DEGREE

Adjustment Range with SECT back cane is 86° - 126°

- 90BA 90 Degree Standard
- 95BA 95 Degree \$71

BACK ACCESSORIES

- L8601 Omit Back Upholstery Less Net (\$20)
- RBP Reinforced Back Upholstery \$90

ARM SELECTION

ARM TYPE RIGHT

- 29FR Desk Length Dual Post Adjustable Height Right No Charge
- 19FR Full Length Dual Post Adjustable Height Right No Charge
- SPECIAL Paediatric Dual Post Armrest Adjustable Height Right - Specify seat to top of arm No Charge

- Short 6"-9.5" Med. 9"-12" Lrg. 12"-15"

ARM TYPE LEFT

- 19FL Full Length Dual Post Adjustable Height Left No Charge
- 29FL Desk Length Dual Post Adjustable Height Left No Charge
- SPECIAL Paediatric Dual Post Armrest Adjustable Height Left - Specify seat to top of arm No Charge

- Short 6"-9.5" Med. 9"-12" Lrg. 12"-15"

CANTILEVER MIXED ARM TYPE (EACH) - Mounted in Ultra Rail

<input type="checkbox"/>	CLVFR	Full Length Arm Right	\$244
<input type="checkbox"/>	CLVDR	Desk Length Arm Right	\$244
<input type="checkbox"/>	CLVFL	Full Length Arm Left	\$244
<input type="checkbox"/>	CLVDL	Desk Length Arm Left	\$244

ARMPAD OPTIONS

<input checked="" type="checkbox"/>	WF	Waterfall Armpads	Standard
-------------------------------------	----	-------------------	----------

MK6i SELECTION

CONTROLLER

<input type="checkbox"/>	SPECIAL	MK690ACC - 90 Amp Controller with Actuator Control	Standard
<input type="checkbox"/>	GTRAC	G-Trac Module	\$988

G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Only available on 4-pole motors. Not available with SPJ+ joysticks.

STANDARD DRIVER CONTROL

<input type="checkbox"/>	SPECIAL	SPJAP - SPJ PLUS with Mono Port for Actuator Switch	Standard
<input type="checkbox"/>	SPECIAL	SPJAPM - SPJ PLUS with Mode Switch for Joystick Actuator Operation	\$530

MULTIPLE DRIVE CONTROL OPTIONS

<input type="checkbox"/>	PWH	Harness required for Expandable Electronics	No Charge
<i>Harness is required to interface joystick or MK6i display with expandable controllers. Option is located under Electronics Accessories in configurator.</i>			
<input type="checkbox"/>	CMPJM6U	MPJ+ Multiple Drive Joystick with Colour Display	\$875
<input type="checkbox"/>	ASLRDYM6	MK6 Display Only (No Driver Control)	\$242
<i>Display only, no driver control. Allows choice from order form.</i>			

ALTERNATIVE PROPORTIONAL CONTROL SYSTEM

<input type="checkbox"/>	1558MM6	Compact Joystick with Display	\$1,097
--------------------------	---------	-------------------------------	---------

ALTERNATIVE DIGITAL CONTROL SYSTEMS

Must also use either a Multiple Drive Joystick or MK6 Display.

<input type="checkbox"/>	SNPM6	Sip-N-Puff	\$2,135
--------------------------	-------	------------	---------

SIP N PUFF KIT

<input type="checkbox"/>	PKG32666	Therapin Sip-N-Puff Breath Tube Kit	\$440
--------------------------	----------	-------------------------------------	-------

ADDITIONAL CONTROL CHOICES

<input type="checkbox"/>	1558M6	Compact Joystick - Less Standard Mount	\$937
<input type="checkbox"/>	PACM6	Proportional Attendant Control with Quick Release Mount	\$1,024

JOYSTICK MOUNTING HARDWARE

<input type="checkbox"/>	QLAM6	Quad Link Retractable Joystick Mount MPJ+	\$358
<i>QLA and QLAM6 include Stealth Adjustable Height Joystick Mount</i>			
<input type="checkbox"/>	QLA	Quad Link Retractable Joystick Mount SPJ+	\$358
<i>QLA and QLAM6 include Stealth Adjustable Height Joystick Mount</i>			
<input type="checkbox"/>	LEFT	Left Hand Mounted Joystick	No Charge

ELECTRONIC ACCESSORIES

<input type="checkbox"/>	1813M6	MK6i Programmer with Professional Memory Card	\$685
<input type="checkbox"/>	1813SD	Professional Memory Card	\$112
<input type="checkbox"/>	A24VPS	24V MK6i Auxiliary Power Source	\$252
<input type="checkbox"/>	AUX12M6	Auxiliary Module For 1 & 2	\$706
<input type="checkbox"/>	AUX34M6	Auxiliary Module For 3 & 4	\$706
<input type="checkbox"/>	MPY	Mono Port "Y" Cable for MPJ+ or Display	\$22
<i>For use with MPJ+ or MK6i. Display to provide additional switch site.</i>			
<input type="checkbox"/>	2PB	Dual Push Button	\$182
<i>Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options.</i>			
<input type="checkbox"/>	PBMT	Push Button Mounting Kit	\$352

Memory Card - BASIC

- Standard with ALL Expandable Control Systems (CMPJ+, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

Memory Card - PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file storage / retrieval
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

FRAME AND UPHOLSTERY COLOUR

FRAME FINISH

- 24P Wet Black No Charge
- 105P Midnight Blue No Charge

UPHOLSTERY COLOURS

- U240 Black Nylon Upholstery Standard

CASTER AND WHEEL OPTIONS

CASTER OPTIONS

- 1228-3 8" X 2 1/4" Semi Pneumatic Casters Lt Grey Standard
- 1251-3 8" X 2" Pneumatic Casters No Charge

CASTER SUSPENSION

Not available with Short Base TBKTS.

- 9213-8 Shock Fork For 8" Casters \$209

WHEEL OPTION

- 1430-3 14" X 3" Pneumatic Tires Standard
- 1431-3 14" X 3" Tire with Foam Filled Inserts No Charge

REAR WHEEL LOCATION

- RWF2 Rear Wheel Forward 2" \$70
This location changes the center of gravity and performance. Forward wheel position will make turning and climbing easier, but more prone to "wheelie".
- RWF1 Rear Wheel Forward 1" No Charge
- RWS Rear Wheel Standard Standard

FENDER OPTION

- FDR Fender No Charge

POSITIONING STRAPS

SEAT POSITIONING STRAP

- 1515 Auto Style Buckle Seat Positioning Strap Standard

CHEST POSITIONING STRAP

- 7321BK Hook & Loop Chest Positioning Strap \$66

MISC ACCESSORIES

MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks \$93
- Not available with pneumatic tires.*
- 9205-3 Upgraded Monroe Suspension Shocks \$150

BATTERY SELECTION

BATTERY BOXES

- GP24 Group 24 Battery Boxes Standard

INSTALLATION OF BATTERIES

Batteries will be installed by Invacare Corporation at no additional charge. Chair will be shipped complete with batteries.

- 24BATTERY 24 Gel Battery (On Chair) \$701

BATTERY CHARGER OPTIONS

- 110CHARGER 110 Volt Battery Charger No Charge
- L8900 Omit Charger No Charge

HANGER BRACKET SELECTION

HANGER BRACKET TYPE

- ASB Centre Pivot Style Bracket No Charge

FRONT RIGGING OPTIONS

FRONT RIGGING

CENTRE PIVOT STYLE - SOLD AS PAIR

- 70NHD 70° Non-Tapered Swing Away Footrest 13.5"-17" (Steel) \$241
- 70STAPER 70° Tapered Footrests 13"-17" (Aluminum) \$281
- SPECIAL Heavy Duty 70° Swing Away Footrests - Available with straight or flared receivers \$495
 - D0130-C81-A09 Straight Receivers
 - D0130-C81-A12 Flared outward 1"

70 DEGREE FOOT BOARD

- SPECIAL D0157-BFCM - Basic Fixed Center Mount Platform 70° - Specify Seat to Footplate Setting Below \$250
2.5" of ground clearance is required. Comes with Basic Footplate 12" x 10.75" steel 1/8" thick with built-in heel wells.
- Seat to Footplate Setting: 13" 14" 15" 16" 17"

FOOTPLATE OPTIONS

- 1651 Flip-Up Composite Footplates No Charge
- 1350 Extra Large Aluminum Footplates \$106
- AT5543 Adjustable Angle Flip-Up Footplates \$132

FOOTREST/LEGREST ACCESSORIES

- LPT2 Longer Pivot Slide Tube For 1350 \$132
- A1337 Calf Strap \$63
- IMPACTG Impact Guards No Charge
- ALPT Longer Pivot And Slide Tube \$132
- ALPT3 Longer Pivot And Slide Tube 3" \$132
- ALPT4 Longer Pivot And Slide Tube 4" \$132
Not available with AT5543. Not available with Low STF Height.
- HLOOP Heel Loops \$84

RAM MOUNTS - Not Covered by AADL

Subject to service part discounts only. Receive a secondary 10% discount with the purchase of one holder, one arm and one mount/suction cup. Mounts will ship separately from chairs.

- TAGHPHNC Phone Holder with Mounting Clamp \$89
- TAGHPHNB Phone Holder with 1" Ball (For use with Adjustable Arms and Clamp) \$65
- TAGHTAB7 Tablet Holder for Small Tablets (Most 7" Tablets) \$89
- TAGHTAB10 Tablet Holder for Larger Tablets (Most 10" Tablets) \$119
- TAGHCUP Cup Holder, Self Leveling, Swivel \$59
- TAGMCLAMP Universal Mounting Clamp with 1" Ball \$49
- TAGMA3 Adjustable Mounting Arm (Standard Length) 3" \$39
- TAGMA6 Adjustable Mounting Arm (Long Length) 6" \$49
- TAGMBC Mounting Arm Connector, 2.5" Long with 1" Ball Ends \$33
- TAGMSC Accessory Mount Suction Cup with 1" Ball \$29
- TAGMUB Accessory Mount U-Bolt with 1" Ball (For Rails 0.5" to 1.25" in Diameter) \$27

MATRX SEATING Approved by AADL

Torque SP Specifications		
*Overall Width	25"	with 14" x 3" wheel
	27 1/2"	with 14" x 4" wheel
**Overall Length	28 1/2"	Short Base
	31 1/2"	Long Base
***Seat-to-Floor	16.75" - 19.25"	
Battery	22NF deep cycle, gel/sealed (Not supplied)	
• Shipping Weight 266 lbs. (18" X 18" seat w/Group 24 batteries) • Measurement based on wheel base. Seat width is width picked plus 7 1/2" for the armrest and joystick. • Measured from headtube to anti-tipper. • Based on 5° tilt and 16" seat depth; add 1/4" for additional 2" of seat depth. Field adjustable for 10° of total pre-tilt.		
Note: All specifications and dimensions are approximate.		

Chair Features and Options

- Independent rear wheel suspension with new rubber element design
- 6.5 MPH standard speed range
- Programmable performance to meet individuals needs
- Seat location system allows for balanced weight distribution
- Continuous tilt seat 0° - 10°
- Dynamic anti tippers
- Rigid seat pan
- Convenient rear battery access
- 22NF batteries (std) in a single 22NF battery box, single battery connector
- Arms are flip back/removable
- Adjustable depth rigging attachment 2" (1" increments)
- Automatic dual mode battery charger
- Compact size: 24 3/4" overall base width w/14" x 3" wheels
- Weight limit <300 lbs.

Weight Limit 300 Pounds

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

Note: All weight limits are inclusive of add-on equipment and seat systems.

Invacare Canada reserves the right to change prices and specifications without notice.
 HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324(Canada) Fax: (905) 890-5244 (800) 668-5478(Canada)
 Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.
 WWW.INVACARE.CA